

25-030



Interior Clear Coat Polyurethane Waterborne Varnish - Satin

INTENDED USES:

Top quality urethane water-based varnish recommended to protect and beautify all interior wood surfaces. Fast drying, allowing additional coats in one day.

PRODUCT DESCRIPTION

A superior quality polyurethane water based varnish for use on interior wood surfaces.

TECHNICAL INFORMATION:

Finish:

Satin

Tint Range:

N/A

Theoretical Coverage:

20-27 m²/3.7L (220-290 ft²/3.7L)

Typical Specific Gravity:

1.1

Application Thinner:

10-15% Water required for sealing porous substrates.

Standard Colours:

Clear

Recommended # of coats:

2-3 at recommended coverage

Typical Volume Solids:

27%

Flash point:

Not Applicable

Clean-up Thinner:

Water

SURFACE PREPARATION:

Surfaces must be clean, dry and free from dust, grease, mildew and wax. Remove any loose and peeling varnish.

New Wood: Apply first coat thinned 10% to 15% with water and second and third coats as supplied.

Previously Coated Wood: Glossy surfaces should be sanded to a dull finish to provide good adhesion.

APPLICATION:

Brush (preferred*)

Airless Tips N/A

Dry times at 21°C / 70°F and 40%-60% R.H.:

To Touch: 1 Hour

To Handle: 2 Hours

To Overcoat: 2-4 Hours

PRODUCT HAZARDS AND SAFETY INFORMATION:

See Material Safety Data Sheet for complete Health and Safety information.

ADDITIONAL DATA:

For optimum adhesion and application performance, ensure that the temperature and relative humidity are between 15-25°C and 40-60% respectively, at the time of application and for four hours afterward.

Apply the product along the grain of the wood. To avoid lapping, only treat a section at a time. Respect the drying time between coats.

Between coatings, sand surface using No. 220-320 grit sandpaper. Vacuum the surface to remove any dust and wipe with a tack rag.

Legal Details

The information contained herein is true and accurate to the best of our knowledge. However, no guarantee or warranty of any kind, express or implied, is given with respect to the accuracy or completeness of the said information and data or to the products described herein and we assume no risk or liability for the performance or coverage of or for injury resulting from the handling, use or application of the said information, data or products.