ENVIRONMENTAL DATA SHEET

(Certified Product Data Sheet)

37 00 [0354]

Date of Preparation May 12, 2024

PRODUCT NUMBER

A89Y156

PRODUCT NAME

SUPERPAINT® Exterior Acrylic Latex Satin, Light Yellow

MANUFACTURER'S NAME

THE SHERWIN-WILLIAMS COMPANY

101 W. Prospect Avenue

Cleveland, OH 44115

This document includes all data required by 40 CFR 63.801(a) for a Certified Product Data Sheet under criteria specified in 40 CFR 63.805(a). All data given below are MAXIMUM THEORETICAL VALUES based on the product AS CURRENTLY FORMULATED and rely on information provided to us by our raw material suppliers. Our suppliers often provide an estimated value or range less than a certain upper limit. We calculate MAXIMUM THEORETICAL VALUES using defined values, if provided, or the upper limit reported by our supplier. Additionally, the suppliers' information may include amounts present in the product as unintentional byproducts or impurities. Variations may occur in individual batches due to adjustments made during production.

Hazard Category (for SARA 311.312)

A89Y156 = | Acute | Chronic |

Product Weight	Specific Gra	avity		FLASH POINT	
10.30 lb/gal	1.24			N.A.	
Volatile Ingredients					
Chemical / Compound	SARA 302 EHS	CERCLA	HAPS 112	% by Weight	% by Volume
Water					

Ν

Ν

49

62

Water

7732-18-5

Regulated Compounds	3			
	SARA 302 EHS	CERCLA	HAPS 112	

Ν

	SARA 302 EHS	CERCLA	HAPS 112	% by Weight	% by Volume
Zinc (as Zn)	Ν	Y	Ν	2	

Volatile Organic Compounds - U.S. EPA / Canada

	A89Y156		
	LB/Gal	g/L	
Coating Density	10.30	1234	
	By wt	By vol	
Total Volatiles	50.5%	63.3%	
Federally exempt solvents			
Water	49.2%	61.7%	
Non-Organic Volatiles			
Ammonium Hydroxide	0.1%	0.2%	
Organic Volatiles	1.1%	1.4%	
Percent Non-Volatile	49.5%	36.7%	
VOC Content	LB/Gal	g/L	
Total	0.11	14	
Less exempt solvents	0.30	37	
Of solids	0.32	38	
Of solids	0.02 lb/lb	0.02 kg/kg	
	By wt		
By wt LVP-VOC	0.0%		

Maximum Incremental Reactivity (MIR) (per US EPA Aerosol Ctg Rule, MIR Values 2009) 0.02

Volatile Organic Compounds - California

	A89Y156	
	LB/Gal	g/L
Coating Density	10.30	1234
	By wt	By vol
Total Volatiles	50.5%	63.3%
Exempt solvents		
Water	49.2%	61.7%
Non-Organic Volatiles		
Ammonium Hydroxide	0.1%	0.2%
Organic Volatiles	1.1%	1.4%
Percent Non-Volatile	49.5%	36.7%
VOC Content	LB/Gal	g/L
Total	0.11	14
Less exempt solvents	0.30	37
Of solids	0.32	38
Of solids	0.02 lb/lb	0.02 kg/kg
	By wt	
By wt LVP-VOC	0.0%	

Maximum Incremental Reactivity (MIR) (per California Air Resources Board Aerosol Products Regulation, MIR Values 2010) 0.02

Volatile Organic Compounds - South Coast Air Quality Management District, California, US

	A89Y156	
	LB/Gal	g/L
Coating Density	10.30	1234
	By wt	By vol
Total Volatiles	50.5%	63.3%
Exempt solvents		
Water	49.2%	61.7%
Non-Organic Volatiles		
Ammonium Hydroxide	0.1%	0.2%
Organic Volatiles	1.1%	1.4%
Percent Non-Volatile	49.5%	36.7%
VOC Content	LB/Gal	g/L
Total	0.11	14
Less exempt solvents	0.30	37
Of solids	0.32	38
Of solids	0.02 lb/lb	0.02 kg/kg

Volatile Organic Compounds - EU Directive 2004/42/EC

	A89Y156	
	By wt	By vol
Total Volatiles	50.1%	62.8%
VOC Content	LB/Gal	g/L
Total	0.07	9

Volatile Organic Compounds - EU Directive 2010/75/EU

	A89Y156	
	By wt	By vol
Total Volatiles	50.1%	62.8%
VOC Content	LB/Gal	g/L
Total	0.07	9

Volatile Organic Compounds - Mexico

	A89Y156		
	LB/Gal	g/L	
Coating Density	10.30	1234	
	By wt	By vol	
Total Volatiles	50.5%	63.3%	
Exempt solvents			
Water	49.2%	61.7%	
Non-Organic Volatiles			
Ammonium Hydroxide	0.1%	0.2%	
Organic Volatiles	1.1%	1.4%	
Percent Non-Volatile	49.5%	36.7%	
VOC Content	LB/Gal	g/L	
Total	0.11	14	
Less exempt solvents	0.30	37	
Of solids	0.32	38	
Of solids	0.02 lb/lb	0.02 kg/kg	

Hazardous Air Pollutants (Clean Air Act, Section 112(b))

	A89Y156	
	LB/Gal	kg/L
Volatile HAPS	0.00	0.000
Of solids	0.00	0.000
Of solids	0.00 lb/lb	0.00 kg/kg

Air Quality Data

Density of Organic Solvent Blend 8.28 lb/gal Photochemically Reactive No

Waste Disposal

Waste from this product is not hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261.

The addition of any material to this product can change the composition, hazards and risks of the product and may substantially alter the above data. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.