SAFETY DATA SHEET

K000Z6843

| Section 1. Identifi | cation |
|---|--|
| Product name | : KRYLON® Acrylic Waterborne DTM Gloss Neutral Base 3 |
| Product code | : K000Z6843 |
| Other means of identification | : Not available. |
| Product type Relevant identified uses of t | : Liquid. he substance or mixture and uses advised against |
| Paint or paint related material. | |
| Manufacturer | : Krylon Products Group 101 Prospect Avenue NW Cleveland, OH 44115 |
| Emergency telephone number of the company | : US/Canada: (800) 424-9300 Mexico: CHEMTREC Mexico 800-681-9531. Available 24 hours and 365 days per year |
| Product Information Telephone Number | : US/Canada: (800) 247-3266 Mexico: Not Available |
| Transportation Emergency Telephone Number | : US/Canada: (800) 424-9300 Mexico: SETIQ 800-00-214-00 / 55-5559-1588 Available 24 hours and 365 days a year |
| Section 2. Hazard | s identification |
| OSHA/HCS status | : This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200). |
| Classification of the substance or mixture | : SKIN SENSITIZATION - Category 1 |
| | Percentage of the mixture consisting of ingredient(s) of unknown acute toxicity: 1.4% (oral), 1.4% (dermal), 1.4% (inhalation) |
| GHS label elements | |
| Hazard pictograms | |
| Signal word | : Warning |
| Hazard statements | : May cause an allergic skin reaction. |
| Precautionary statements | |
| Prevention | : Wear protective gloves. Avoid breathing vapor. Contaminated work clothing must not be allowed out of the workplace. |
| Response | : Wash contaminated clothing before reuse. IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice or attention. |
| Storage | : Not applicable. |
| Disposal | : Dispose of contents and container in accordance with all local, regional, national and international regulations. |
| Supplemental label elements | WARNING: This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm. FOR INDUSTRIAL USE ONLY. |
| Data of issue/Data of revision | + 4/24/2024 Date of province + 2/4/2024 Version + 15.01 1/4 |

 Date of issue/Date of revision
 : 4/24/2024
 Date of previous issue
 : 2/4/2024
 Version
 : 15.01
 1/11

 K000Z6843
 KRYLON® Acrylic Waterborne DTM Gloss Neutral Base 3
 SHW-85-NA-GHS-US
 SHW-85-NA-GHS-US

Section 2. Hazards identification

This product contains a TSCA regulated chemical. See Section 15 of the US SDS for details.

Please refer to the SDS for additional information. Keep out of reach of children. Do not transfer contents to other containers for storage.

Hazards not otherwise classified

ise : None known.

Section 3. Composition/information on ingredients

| Substance/mixture | : Mixture |
|-------------------|------------------|
| Other means of | : Not available. |
| identification | |

CAS number/other identifiers

| Ingredient name | % by weight | CAS number |
|---|-------------|------------|
| Polypropylene glycol alkyl phenyl ether | ≤3 | 9064-13-5 |

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

| Eye contact | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs. |
|--------------|---|
| Inhalation | : Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. |
| Skin contact | : Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse. |
| Ingestion | : Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. |

Most important symptoms/effects, acute and delayed

Potential acute health effectsEye contact: No known significant effects or critical hazards.Inhalation: No known significant effects or critical hazards.

| Date of issue/Date | of revision | : 4/24/2024 | Date of previous issue | : 2/4/2024 | Version | <mark>:</mark> 15.01 | 2/11 |
|--------------------|--|----------------|------------------------|------------|---------|----------------------|------|
| K000Z6843 | KRYLON® Acrylic Wate Neutral Base 3 | erborne DTM Gl | oss | | SHW-85- | NA-GHS-US | |

Section 4. First aid measures

| Skin contact | : May cause an allergic skin reaction. | |
|---------------------------------|---|--|
| Ingestion | : No known significant effects or critical hazards. | |
| Over-exposure signs/symp | <u>otoms</u> | |
| Eye contact | : No specific data. | |
| Inhalation | : No specific data. | |
| Skin contact | : Adverse symptoms may include the following: irritation redness | |
| Ingestion | No specific data. | |
| Indication of immediate mediate | dical attention and special treatment needed, if necessary | |
| Notes to physician | Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. | |
| Specific treatments | : No specific treatment. | |
| Protection of first-aiders | : No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. | |

See toxicological information (Section 11)

Section 5. Fire-fighting measures

| Extinguishing media | |
|--|---|
| Suitable extinguishing media | : Use an extinguishing agent suitable for the surrounding fire. |
| Unsuitable extinguishing media | : None known. |
| Specific hazards arising from the chemical | : In a fire or if heated, a pressure increase will occur and the container may burst. |
| Hazardous thermal decomposition products | : Decomposition products may include the following materials: carbon dioxide carbon monoxide |
| Special protective actions for fire-fighters | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
| Special protective equipment for fire-fighters | : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. |

Section 6. Accidental release measures

| Personal precautions, protect | ive equipment and emergency procedures |
|--------------------------------|--|
| For non-emergency personnel | : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. |
| For emergency responders | : If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |

| Date of issue/Date | e of revision | : 4/24/2024 | Date of previous issue | : 2/4/2024 | Version | : 15.01 | 3/11 |
|--------------------|--------------------------------------|-----------------|------------------------|------------|---------|-----------|------|
| K000Z6843 | KRYLON® Acrylic Wa Neutral Base 3 | aterborne DTM (| Gloss | | SHW-85- | NA-GHS-US | |

Section 6. Accidental release measures

Environmental precautions : This product contains a TSCA regulated chemical. See Section 15 of the US SDS for details. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains

and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and materials for containment and cleaning up

| Small spill | : Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. |
|--------------|---|
| l arge spill | : Stop leak if without risk. Move containers from spill area. Approach release from |

Large spill
 Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

| Precautions for safe handling | L | |
|--|---|--|
| Protective measures | : | Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container. |
| Advice on general occupational hygiene | : | Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |
| Conditions for safe storage, including any incompatibilities | : | Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. |

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits (OSHA United States) Ingredient name CAS # Exposure limits Polypropylene glycol alkyl phenyl ether 9064-13-5 None.

Occupational exposure limits (Canada)

| Ingredient name | CAS # | Exposure limits |
|-----------------|-------|-----------------|
| None. | | |

Occupational exposure limits (Mexico)

| Date of issue/Date | of revision | : 4/24/2024 | Date of previous issue | : 2/4/2024 | Version | : 15.01 | 4/11 |
|--------------------|--|-------------|------------------------|------------|---------|-----------|------|
| | KRYLON® Acrylic Waterborne DTM Gloss Neutral Base 3 | | oss | | SHW-85- | NA-GHS-US | |
| | | | | | | | |

Section 8. Exposure controls/personal protection

| | CAS # | Exposure limits |
|-------|-------|-----------------|
| None. | | |

Biological exposure indices (United States)

No exposure indices known.

Biological exposure indices (Canada)

No exposure indices known.

Biological exposure indices (Mexico)

No exposure indices known.

controls

controls

Appropriate engineering : Good general ventilation should be sufficient to control worker exposure to airborne contaminants. **Environmental exposure**

: This product contains a TSCA regulated chemical. See Section 15 of the US SDS for details.

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

| individual protection medaure | <u>2</u> |
|-------------------------------|--|
| Hygiene measures | : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. |
| Eye/face protection | : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields. |
| Skin protection | |
| Hand protection | : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. |
| Body protection | : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. |
| Other skin protection | : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. |
| Respiratory protection | : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important |

aspects of use.

: 2/4/2024

Section 9. Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

| <u>Appearance</u> | |
|---|--|
| Physical state | : Liquid. |
| Color | : Clear. |
| Odor | : Not available. |
| Odor threshold | : Not available. |
| рН | : 9 |
| Melting point/freezing point | : Not available. |
| Boiling point, initial boiling point, and boiling range | : 100°C (212°F) |
| | |
| Flash point | : Closed cup: Not applicable. |
| Flash point Evaporation rate | Closed cup: Not applicable.0.09 (butyl acetate = 1) |
| | |
| Evaporation rate | : 0.09 (butyl acetate = 1) |
| Evaporation rate Flammability Lower and upper explosion | 0.09 (butyl acetate = 1)Not available. |
| Evaporation rate Flammability Lower and upper explosion limit/flammability limit | 0.09 (butyl acetate = 1) Not available. Not available. |
| Evaporation rate Flammability Lower and upper explosion limit/flammability limit Vapor pressure | 0.09 (butyl acetate = 1) Not available. Not available. 2.3 kPa (17.5 mm Hg) |

| Media | | Result |
|--|-------|--|
| cold water | | Partially soluble |
| Partition coefficient: n- octanol/water | : Not | applicable. |
| Auto-ignition temperature | : Not | available. |
| Decomposition temperature | : Not | available. |
| Viscosity | : Kin | ematic (40°C (104°F)): >20.5 mm²/s (>20.5 cSt) |
| Molecular weight | : No | t applicable. |
| Heat of combustion : 0.55 | | 57 kJ/g |

Section 10. Stability and reactivity

| Reactivity | : No specific test data related to reactivity available for this product or its ingredients. |
|-------------------------------------|--|
| Chemical stability | : The product is stable. |
| Possibility of hazardous reactions | : Under normal conditions of storage and use, hazardous reactions will not occur. |
| Conditions to avoid | : No specific data. |
| Incompatible materials | : No specific data. |
| Hazardous decomposition products | : Under normal conditions of storage and use, hazardous decomposition products should not be produced. |

| Date | of issue/Date of | revision | : 4/24/2024 | Date of previous issue | : 2/4/2024 | Version | : 15.01 | 6/11 |
|------|------------------|--------------------------------------|---------------|------------------------|------------|----------|-----------|------|
| K000 | | RYLON® Acrylic Wate eutral Base 3 | rborne DTM GI | oss | | SHW-85-I | NA-GHS-US | |

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Not available.

Irritation/Corrosion

Not available.

Sensitization

Not available.

Mutagenicity

Not available.

Carcinogenicity

Not available.

Reproductive toxicity

Not available.

Teratogenicity

Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure) Not available.

Aspiration hazard

Not available.

Information on the likely
routes of exposure: Not available.Potential acute health effectsEye contact: No known significant effects or critical hazards.Inhalation: No known significant effects or critical hazards.Skin contact: May cause an allergic skin reaction.Ingestion: No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics Eve contact

| Eye contact | . No specific data. |
|--------------|--|
| Inhalation | : No specific data. |
| Skin contact | : Adverse symptoms may include the following: irritation redness |
| Ingestion | : No specific data. |

| Delayed and immediate effects and also chronic effects from short and long term exposure | | | |
|--|------------------|--|--|
| <u>Short term exposure</u> | | | |
| Potential immediate effects | : Not available. | | |
| Potential delayed effects | : Not available. | | |

| Date of issue/Date of | f revision | : 4/24/2024 | Date of previous issue | : 2/4/2024 | Version | : 15.01 | 7/11 |
|-----------------------|---------------------------------------|---------------|------------------------|------------|----------|-----------|------|
| | RYLON® Acrylic Wate leutral Base 3 | rborne DTM Gl | oss | | SHW-85-1 | NA-GHS-US | |

Section 11. Toxicological information

| Long term exposure | |
|------------------------------|---|
| Potential immediate effects | : Not available. |
| Potential delayed effects | : Not available. |
| Potential chronic health eff | fects |
| Not available. | |
| General | : Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels. |
| Carcinogenicity | : No known significant effects or critical hazards. |
| Mutagenicity | : No known significant effects or critical hazards. |
| Teratogenicity | : No known significant effects or critical hazards. |
| Developmental effects | : No known significant effects or critical hazards. |
| Fertility effects | : No known significant effects or critical hazards. |

Numerical measures of toxicity Acute toxicity estimates Not available.

Section 12. Ecological information

Toxicity

Not available.

Persistence and degradability

Not available.

Bioaccumulative potential

Not available.

Mobility in soil

Soil/water partition coefficient (K_{oc})

: Not available.

Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

| Disposal methods | : This product contains a TSCA regulated chemical. See Section 15 of the US SDS for details. The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a |
|------------------|---|
| | safe way. Care should be taken when handling emptied containers that have not been |

| Date of issue/Date | of revision | : 4/24/2024 | Date of previous issue | : 2/4/2024 | Version | : 15.01 | 8/11 |
|--------------------|--|---------------|------------------------|------------|---------|-----------|------|
| | KRYLON® Acrylic Wate Neutral Base 3 | rborne DTM Gl | oss | | SHW-85- | NA-GHS-US | |

Section 13. Disposal considerations

cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 14 Transport information

| | DOT Classification | TDG Classification | Mexico Classification | ΙΑΤΑ | IMDG |
|-------------------------------|--|--|--|--|---|
| UN number | Not regulated. | Not regulated. | Not regulated. | Not regulated. | Not regulated. |
| UN proper shipping name | - | - | - | - | - |
| Transport hazard class(es) | - | - | - | - | - |
| Packing group | - | - | - | - | - |
| Environmental hazards | No. | No. | No. | No. | No. |
| Additional information | - | - | - | - | - |
| Special precautions | conside mode o suitably to shipr of the p dangero and on | odal shipping descri er container sizes. Th f transport (sea, air, f for that mode of tra nent, and complianc erson offering the pr ous goods must be t all actions in case of able. | he presence of a shi etc.), does not indic nsport. All packagin we with the applicable roduct for transport. rained on all of the r | pping description for ate that the produc g must be reviewed regulations is the People loading and isks deriving from t | or a particular t is packaged I for suitability prior sole responsibility I unloading |
| o IMO instruments | | hipping name | : Not available. | | |
| Section 15. | Regulatory in | | | | |
| J.S. Federal regula | reaction | (a)2 proposed sign mass of: 5-chloro-2 I-2H-isothiazol-3-one | -methyl-4-isothiazoli | in-3-one [EC no. 24 | |
| | TSCA 5 | (a)2 final significan | | odium Nitrite | |
| | l jet nama | Cham | ical namo Ni | ataa | |

List name **Chemical name** United States - TSCA 5(a) Sodium Nitrite 2 - Final significant new use rules

Notes 40 CFR 721.4740

SARA 313

SARA 313 (40 CFR 372.45) supplier notification can be found on the Environmental Data Sheet, where applicable.

California Prop. 65

| Date of issue/Date | of revision | : 4/24/2024 | Date of previous issue | : 2/4/2024 | Version | :15.01 | 9/11 |
|--------------------|---------------------------------------|----------------|------------------------|------------|---------|-----------|------|
| K000Z6843 | KRYLON® Acrylic Wat Neutral Base 3 | terborne DTM G | iloss | | SHW-85- | NA-GHS-US | |

Section 15. Regulatory information

WARNING: This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

International regulations

Montreal Protocol

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

International lists : Australia inventory (AIIC): Not determined. China inventory (IECSC): Not determined. Japan inventory (CSCL): Not determined. Japan inventory (ISHL): Not determined. Korea inventory (KECI): Not determined. New Zealand Inventory of Chemicals (NZIoC): Not determined. Philippines inventory (PICCS): Not determined. Taiwan Chemical Substances Inventory (TCSI): Not determined. Thailand inventory: Not determined. Turkey inventory: Not determined. Vietnam inventory: Not determined.

Section 16. Other information

Hazardous Material Information System (U.S.A.)



The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

Procedure used to derive the classification

| | Justification | | | |
|---|--|--------------------------|--|--|
| SKIN SENSITIZATION - C | Calculation method | | | |
| <u>History</u> | | I | | |
| Date of printing | : 4/24/2024 | | | |
| Date of issue/Date of revision | : 4/24/2024 | | | |
| Date of previous issue | ate of previous issue : 2/4/2024 | | | |
| Version | : 15.01 | | | |
| Key to abbreviations : ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Intermediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient | | | | |
| Date of issue/Date of revision | : 4/24/2024 Date of previous issue : 2/4/202 | 24 Version : 15.01 10/11 | | |
| K000Z6843 KRYLON® Ac Neutral Base 3 | ylic Waterborne DTM Gloss | SHW-85-NA-GHS-US | | |

Section 16. Other information

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) N/A = Not available SGG = Segregation Group UN = United Nations

✓ Indicates information that has changed from previously issued version.

Notice to reader

It is recommended that each customer or recipient of this Safety Data Sheet (SDS) study it carefully and consult resources, as necessary or appropriate, to become aware of and understand the data contained in this SDS and any hazards associated with the product. This information is provided in good faith and believed to be accurate as of the effective date herein. However, no warranty, express or implied, is given. The information presented here applies only to the product as shipped. The addition of any material can change the composition, hazards and risks of the product. Products shall not be repackaged, modified, or tinted except as specifically instructed by the manufacturer, including but not limited to the incorporation of products not specified by the manufacturer, or the use or addition of products in proportions not specified by the manufacturer. Regulatory requirements are subject to change and may differ between various locations and jurisdictions. The customer/buyer/user is responsible to ensure that his activities comply with all country, federal, state, provincial or local laws. The conditions for use of the product are not under the control of the manufacturer; the customer/buyer/user is responsible to determine the conditions necessary for the safe use of this product. The customer/buyer/user should not use the product for any purpose other than the purpose shown in the applicable section of this SDS without first referring to the supplier and obtaining written handling instructions. Due to the proliferation of sources for information such as manufacturer-specific SDS, the manufacturer cannot be responsible for SDSs obtained from any other source.