ENVIRONMENTAL DATA SHEET

(Certified Product Data Sheet)

36 00 [0354]

Date of Preparation Apr 20, 2024

PRODUCT NUMBER

P851

PRODUCT NAME

Interior/Exterior Industrial Strength Alkyd Rust Control Metal Primer, White

MANUFACTURER'S NAME

CONCO PAINTS

101 Prospect Avenue N.W.

Cleveland, OH 44115

This document includes all data required by 40 CFR 63.801(a) for a Certified Product Data Sheet under criteria specified in 40 CFR 63.805(a). All data given below are MAXIMUM THEORETICAL VALUES based on the product AS CURRENTLY FORMULATED and rely on information provided to us by our raw material suppliers. Our suppliers often provide an estimated value or range less than a certain upper limit. We calculate MAXIMUM THEORETICAL VALUES using defined values, if provided, or the upper limit reported by our supplier. Additionally, the suppliers' information may include amounts present in the product as unintentional byproducts or impurities. Variations may occur in individual batches due to adjustments made during production.

Hazard Category (for SARA 311.312)

P851 = | Acute | Chronic | Fire |

Product Weight 13.75 lb/gal	Specific G 1.65	ravity		FLASH POINT 99 °F PMCC		
AS MIXED (as per product data sh	neet): Reduced 3pct with	R2K4				
AS MIXED Product Weight 13.56 lb/gal	Specific G 1.63	FLASH POINT 71 °F TCC				
Volatile Ingredients						
Chemical / Compound	SARA 302 EHS	CERCLA	HAPS 112	% by Weight	% by Volume	
Ethylbenzene 100-41-4	N	Υ	Y	2	3	
Xylene 1330-20-7	N	Y	Y	9	17	
Methyl n-Propyl Ketone 107-87-9	N	N	N	1	3	
Methyl Isobutyl Ketone 108-10-1	N	Y	Y	0.2	0.5	
Methyl n-Amyl Ketone 110-43-0	N	N	N	7	13	

Regulated Compounds

	SARA 302 EHS	CERCLA	HAPS 112	% by Weight	% by Volume
Zinc (as Zn)	Ν	Y	N	1	

Volatile Ingredients AS MIXED

Chemical / Compound	SARA 302 EHS	CERCLA	HAPS 112	% by Weight	% by Volume
Ethylbenzene 100-41-4	N	Y	Y	2	3
Xylene 1330-20-7	N	Y	Y	10	19
Methyl n-Propyl Ketone 107-87-9	N	Ν	Ν	1	2
Methyl Isobutyl Ketone 108-10-1	N	Y	Y	0.2	0.5
Methyl n-Amyl Ketone 110-43-0	Ν	Ν	N	6	13

Regulated Compounds AS MIXED

U 1					
	SARA 302 EHS	CERCLA	HAPS 112	% by Weight	% by Volume
Zinc (as Zn)	Ν	Y	Ν	1	

Volatile Organic Compounds - U.S. EPA / Canada

	F	9851	AS MIXED Reduced 3pct with R2K4	
	LB/Gal	g/L	LB/Gal	g/L
Coating Density	13.75	1647	13.56	1624
	By wt	By vol	By wt	By vol
Total Volatiles	19.0%	37.6%	20.3%	39.4%
Federally exempt solvents				
Water	0.0%	0.0%	0.0%	0.0%
Organic Volatiles	19.0%	37.6%	20.3%	39.4%
Percent Non-Volatile	81.0%	62.4%	79.7%	60.6%
VOC Content	LB/Gal	g/L	LB/Gal	g/L
Total	2.61	313	2.74	329
Less exempt solvents	2.61	313	2.74	329
Of solids	4.19	502	4.53	543
Of solids	0.23 lb/lb	0.23 kg/kg	0.25 lb/lb	0.25 kg/kg
	By wt		By wt	
By wt LVP-VOC	19.0%		20.2%	

Maximum Incremental Reactivity (MIR) (per US EPA Aerosol Ctg Rule, MIR Values 2009) **0.94** AS MIXED Maximum Incremental Reactivity (MIR) (per US EPA Aerosol Ctg Rule, MIR Values 2009) **1.03**

Volatile Organic Compounds - California

	P851			MIXED Spct with R2K4
	LB/Gal	g/L	LB/Gal	g/L
Coating Density	13.75	1647	13.56	1624
	By wt	By vol	By wt	By vol
Total Volatiles	19.0%	37.6%	20.3%	39.4%
Exempt solvents				
Water	0.0%	0.0%	0.0%	0.0%
Organic Volatiles	19.0%	37.6%	20.3%	39.4%
Percent Non-Volatile	81.0%	62.4%	79.7%	60.6%
VOC Content	LB/Gal	g/L	LB/Gal	g/L
Total	2.61	313	2.74	329
Less exempt solvents	2.61	313	2.74	329
Of solids	4.19	502	4.53	543
Of solids	0.23 lb/lb	0.23 kg/kg	0.25 lb/lb	0.25 kg/kg
	By wt		By wt	
By wt LVP-VOC	19.0%		20.2%	

Maximum Incremental Reactivity (MIR) (per California Air Resources Board Aerosol Products Regulation, MIR Values 2010) **0.91** AS MIXED Maximum Incremental Reactivity (MIR) (per California Air Resources Board Aerosol Products Regulation, MIR Values 2010) **1.00**

Volatile Organic Compounds - South Coast Air Quality Management District, California, US

	P851		AS MIXED Reduced 3pct with R2K4		
	LB/Gal	g/L	LB/Gal	g/L	
Coating Density	13.75	1647	13.56	1624	
	By wt	By vol	By wt	By vol	
Total Volatiles	19.0%	37.6%	20.3%	39.4%	
Exempt solvents					
Water	0.0%	0.0%	0.0%	0.0%	
Organic Volatiles	19.0%	37.6%	20.3%	39.4%	
Percent Non-Volatile	81.0%	62.4%	79.7%	60.6%	
VOC Content	LB/Gal	g/L	LB/Gal	g/L	
Total	2.61	313	2.74	329	
Less exempt solvents	2.61	313	2.74	329	
Of solids	4.19	502	4.53	543	
Of solids	0.23 lb/lb	0.23 kg/kg	0.25 lb/lb	0.25 kg/kg	

Volatile Organic Compounds - EU Directive 2004/42/EC

	P	351	_	IIXED oct with R2K4
	By wt	By vol	By wt	By vol
Total Volatiles	19.0%	37.6%	20.3%	39.4%
VOC Content	LB/Gal	g/L	LB/Gal	g/L
Total	2.61	313	2.74	329

Volatile Organic Compounds - EU Directive 2010/75/EU

	P	351	_	AIXED oct with R2K4
	By wt	By vol	By wt	By vol
Total Volatiles	19.0%	37.6%	20.3%	39.4%
VOC Content	LB/Gal	g/L	LB/Gal	g/L
Total	2.61	313	2.74	329

Volatile Organic Compounds - Mexico

	P851		AS MIXED Reduced 3pct with R2K4		
	LB/Gal	g/L	LB/Gal	g/L	
Coating Density	13.75	1647	13.56	1624	
	By wt	By vol	By wt	By vol	
Total Volatiles	19.0%	37.6%	20.3%	39.4%	
Exempt solvents					
Water	0.0%	0.0%	0.0%	0.0%	
Organic Volatiles	19.0%	37.6%	20.3%	39.4%	
Percent Non-Volatile	81.0%	62.4%	79.7%	60.6%	
VOC Content	LB/Gal	g/L	LB/Gal	g/L	
Total	2.61	313	2.74	329	
Less exempt solvents	2.61	313	2.74	329	
Of solids	4.19	502	4.53	543	
Of solids	0.23 lb/lb	0.23 kg/kg	0.25 lb/lb	0.25 kg/kg	

Hazardous Air Pollutants (Clean Air Act, Section 112(b))

	P851			IIXED oct with R2K4
	LB/Gal	kg/L	LB/Gal	kg/L
Volatile HAPS	1.45	0.173	1.61	0.193
Of solids	2.32	0.278	2.66	0.319
Of solids	0.13 lb/lb	0.13 kg/kg	0.14 lb/lb	0.14 kg/kg

Air Quality Data

Density of Organic Solvent Blend 6.97 lb/gal Photochemically Reactive Yes Density of Organic Solvent Blend AS MIXED 6.98 lb/gal Photochemically Reactive AS MIXED Yes

Waste Disposal

Waste from this product may be hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261. Waste must be tested for ignitability to determine the applicable EPA hazardous waste numbers.

The addition of any material to this product can change the composition, hazards and risks of the product and may substantially alter the above data. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.