### **ENVIRONMENTAL DATA SHEET**

(Certified Product Data Sheet)

**Date of Preparation** 

Feb 6, 2024

10 00 [1143]

### **PRODUCT NUMBER**

R6K20

### **PRODUCT NAME**

Isopropyl Alcohol

### **MANUFACTURER'S NAME**

THE SHERWIN-WILLIAMS COMPANY 101 W. Prospect Avenue Cleveland, OH 44115

This document includes all data required by 40 CFR 63.801(a) for a Certified Product Data Sheet under criteria specified in 40 CFR 63.805(a). All data given below are MAXIMUM THEORETICAL VALUES based on the product AS CURRENTLY FORMULATED. Variations may occur on individual batches due to adjustments made during production.

#### Hazard Category (for SARA 311.312)

R6K20 = | Acute | Chronic | Fire |

Product WeightSpecific GravityFLASH POINT6.51 lb/gal0.7853 °F PMCC

### **Volatile Ingredients**

Chemical / Compound	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
2-Propanol	N	N	N	N	100	100
67-63-0	IN	N	N	N	100	100

## Volatile Organic Compounds - U.S. EPA / Canada

	R6K20		
_	LB/Gal	g/L	
Coating Density	6.51	780	
	By wt	By vol	
Total Volatiles	100.0%	100.0%	
Federally exempt solvents			
Water	0.0%	0.0%	
Organic Volatiles	100.0%	100.0%	
Percent Non-Volatile	0.0%	0.0%	
VOC Content	LB/Gal	g/L	
Total	6.51	780	
Less exempt solvents	6.51	780	
Of solids	0.00	0	
Of solids	0.00 lb/lb	0.00 kg/kg	
	By wt		
By wt LVP-VOC	100.0%		

Maximum Incremental Reactivity (MIR) (per US EPA Aerosol Ctg Rule, MIR Values 2009) 0.71

# Volatile Organic Compounds - California

	R6K20		
	LB/Gal	g/L	
Coating Density	6.51	780	
	By wt	By vol	
Total Volatiles	100.0%	100.0%	
Exempt solvents			
Water	0.0%	0.0%	
Organic Volatiles	100.0%	100.0%	
Percent Non-Volatile	0.0%	0.0%	
VOC Content	LB/Gal	g/L	
Total	6.51	780	
Less exempt solvents	6.51	780	
Of solids	0.00	0	
Of solids	0.00 lb/lb	0.00 kg/kg	
	By wt		
By wt LVP-VOC	100.0%		

Maximum Incremental Reactivity (MIR) (per California Air Resources Board Aerosol Products Regulation, MIR Values 2010) 0.61

# Volatile Organic Compounds - South Coast Air Quality Management District, California, US

	R6K20		
	LB/Gal	g/L	
Coating Density	6.51	780	
	By wt	By vol	
Total Volatiles	100.0%	100.0%	
Exempt solvents			
Water	0.0%	0.0%	
Organic Volatiles	100.0%	100.0%	
Percent Non-Volatile	0.0%	0.0%	
VOC Content	LB/Gal	g/L	
Total	6.51	780	
Less exempt solvents	6.51	780	
Of solids	0.00	0	
Of solids	0.00 lb/lb	0.00 kg/kg	

## Volatile Organic Compounds - EU Directive 2004/42/EC

	R6K20		
	By wt	By vol	
Total Volatiles	100.0%	100.0%	
VOC Content	LB/Gal	g/L	
Total	6.51	780	

# Volatile Organic Compounds - EU Directive 2010/75/EU

	R6K20		
	By wt	By vol	
Total Volatiles	100.0%	100.0%	
VOC Content	LB/Gal	g/L	
Total	6.51	780	

## **Volatile Organic Compounds - Mexico**

	R6K20	
	LB/Gal	g/L
Coating Density	6.51	780
	By wt	By vol
Total Volatiles	100.0%	100.0%
Exempt solvents		
Water	0.0%	0.0%
Organic Volatiles	100.0%	100.0%
Percent Non-Volatile	0.0%	0.0%
VOC Content	LB/Gal	g/L
Total	6.51	780
Less exempt solvents	6.51	780
Of solids	0.00	0
Of solids	0.00 lb/lb	0.00 kg/kg

## Hazardous Air Pollutants (Clean Air Act, Section 112(b))

	R6K20		
	LB/Gal	kg/L	
Volatile HAPS	0.00	0.000	0.00 % by wt
Of solids	0.00	0.000	
Of solids	0.00 lb/lb	0.00 kg/kg	

## **Air Quality Data**

**Density of Organic Solvent Blend** 

6.51 lb/gal

**Photochemically Reactive** 

No

### **Waste Disposal**

Waste from this product may be hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261. Waste must be tested for ignitability to determine the applicable EPA hazardous waste numbers.

Addition of reducers or other additives to this product may substantially alter the above data. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.