

# ENVIRONMENTAL DATA SHEET

(Certified Product Data Sheet)

Date of Preparation

Nov 14, 2023

03 00 [1931]

## PRODUCT NUMBER

CM0110208

## PRODUCT NAME

JET GLO EXPRESS™ Rivet Reducer

## MANUFACTURER'S NAME

THE SHERWIN-WILLIAMS COMPANY

101 W. Prospect Avenue

Cleveland, OH 44115

This document includes all data required by 40 CFR 63.801(a) for a Certified Product Data Sheet under criteria specified in 40 CFR 63.805(a). All data given below are MAXIMUM THEORETICAL VALUES based on the product AS CURRENTLY FORMULATED. Variations may occur on individual batches due to adjustments made during production.

## Hazard Category (for SARA 311.312)

CM0110208 = | Acute | Chronic | Fire |

## Product Weight

6.71 lb/gal

## Specific Gravity

0.81

## FLASH POINT

45 °F PMCC

## Volatile Ingredients

Chemical / Compound	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Acetone 67-64-1	N	Y	N	N	12	13
Methyl n-Propyl Ketone 107-87-9	N	N	N	N	71	71
Methyl Isobutyl Ketone 108-10-1	N	Y	Y	Y	4	4
Methyl n-Amyl Ketone 110-43-0	N	N	N	N	13	12

## Volatile Organic Compounds - U.S. EPA / Canada

	CM0110208	
	LB/Gal	g/L
Coating Density	6.71	803
	By wt	By vol
Total Volatiles	100.0%	100.0%
Federally exempt solvents		
Water	0.0%	0.0%
Acetone	12.3%	12.5%
Organic Volatiles	87.7%	87.5%
Percent Non-Volatile	0.0%	0.0%
VOC Content	LB/Gal	g/L
Total	5.88	705
Less exempt solvents	6.72	805
Of solids	0.00	0
Of solids	0.00 lb/lb	0.00 kg/kg
	By wt	
By wt LVP-VOC	87.7%	

Maximum Incremental Reactivity (MIR) (per US EPA Aerosol Ctg Rule, MIR Values 2009) **2.76**

**Volatile Organic Compounds - California**

	CM0110208	
	LB/Gal	g/L
Coating Density	6.71	803
	By wt	By vol
Total Volatiles	100.0%	100.0%
Exempt solvents		
Water	0.0%	0.0%
Acetone	12.3%	12.5%
Organic Volatiles	87.7%	87.5%
Percent Non-Volatile	0.0%	0.0%
VOC Content	LB/Gal	g/L
Total	5.88	705
Less exempt solvents	6.72	805
Of solids	0.00	0
Of solids	0.00 lb/lb	0.00 kg/kg
	By wt	
By wt LVP-VOC	87.7%	

Maximum Incremental Reactivity (MIR) (per California Air Resources Board Aerosol Products Regulation, MIR Values 2010) **2.49**

**Volatile Organic Compounds - South Coast Air Quality Management District, California, US**

	CM0110208	
	LB/Gal	g/L
Coating Density	6.71	803
	By wt	By vol
Total Volatiles	100.0%	100.0%
Exempt solvents		
Water	0.0%	0.0%
Acetone	12.3%	12.5%
Organic Volatiles	87.7%	87.5%
Percent Non-Volatile	0.0%	0.0%
VOC Content	LB/Gal	g/L
Total	5.88	705
Less exempt solvents	6.72	805
Of solids	0.00	0
Of solids	0.00 lb/lb	0.00 kg/kg

**Volatile Organic Compounds - EU Directive 2004/42/EC**

	CM0110208	
	By wt	By vol
Total Volatiles	100.0%	100.0%
VOC Content	LB/Gal	g/L
Total	6.70	803

**Volatile Organic Compounds - EU Directive 2010/75/EU**

	CM0110208	
	By wt	By vol
Total Volatiles	100.0%	100.0%
VOC Content	LB/Gal	g/L
Total	6.70	803

### Volatile Organic Compounds - Mexico

	CM0110208	
	LB/Gal	g/L
Coating Density	6.71	803
	By wt	By vol
Total Volatiles	100.0%	100.0%
Exempt solvents		
Water	0.0%	0.0%
Acetone	12.3%	12.5%
Organic Volatiles	87.7%	87.5%
Percent Non-Volatile	0.0%	0.0%
VOC Content	LB/Gal	g/L
Total	5.88	705
Less exempt solvents	6.72	805
Of solids	0.00	0
Of solids	0.00 lb/lb	0.00 kg/kg

### Hazardous Air Pollutants (Clean Air Act, Section 112(b))

	CM0110208		
	LB/Gal	kg/L	
Volatile HAPS	0.27	0.033	4.13 % by wt
Of solids	lb/gal	kg/l of solids	Not applicable
Of solids	lb/lb	kg/kg of solids	Not applicable

### Air Quality Data

#### Density of Organic Solvent Blend

6.71 lb/gal

#### Photochemically Reactive

No

### Waste Disposal

Waste from this product may be hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261. Waste must be tested for ignitability to determine the applicable EPA hazardous waste numbers.

Addition of reducers or other additives to this product may substantially alter the above data. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.