

ENVIRONMENTAL DATA SHEET

(Certified Product Data Sheet)

Date of Preparation

Dec 19, 2023

19 00 [3533]

PRODUCT NUMBER

1100755

PRODUCT NAME

Elegance Clearcoat (Part A)

MANUFACTURER'S NAME

THE SHERWIN-WILLIAMS COMPANY

4440 Warrensville Center Road

Warrensville Heights, OH 44128

This document includes all data required by 40 CFR 63.801(a) for a Certified Product Data Sheet under criteria specified in 40 CFR 63.805(a). All data given below are MAXIMUM THEORETICAL VALUES based on the product AS CURRENTLY FORMULATED. Variations may occur on individual batches due to adjustments made during production.

Hazard Category (for SARA 311.312)

1100755 = | Acute | Chronic | Fire |

Product Weight

7.92 lb/gal

Specific Gravity

0.95

FLASH POINT

10 °F PMCC

Volatile Ingredients

Chemical / Compound	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Acetone 67-64-1	N	Y	N	N	24	28
Propanoic Acid 79-09-4	N	Y	N	N	1	1
n-Butyl Propionate 590-01-2	N	N	N	N	19	20

Volatile Organic Compounds - U.S. EPA / Canada

	1100755	
	LB/Gal	g/L
Coating Density	7.92	949
	By wt	By vol
Total Volatiles	43.9%	50.3%
Federally exempt solvents		
Water	0.0%	0.0%
Acetone	23.7%	28.5%
Organic Volatiles	20.2%	21.9%
Percent Non-Volatile	56.1%	49.7%
VOC Content	LB/Gal	g/L
Total	1.60	191
Less exempt solvents	2.23	268
Of solids	3.22	386
Of solids	0.36 lb/lb	0.36 kg/kg
	By wt	
By wt LVP-VOC	20.2%	

Maximum Incremental Reactivity (MIR) (per US EPA Aerosol Ctg Rule, MIR Values 2009) **0.29**

Volatile Organic Compounds - California

	1100755	
	LB/Gal	g/L
Coating Density	7.92	949
	By wt	By vol
Total Volatiles	43.9%	50.3%
Exempt solvents		
Water	0.0%	0.0%
Acetone	23.7%	28.5%
Organic Volatiles	20.2%	21.9%
Percent Non-Volatile	56.1%	49.7%
VOC Content	LB/Gal	g/L
Total	1.60	191
Less exempt solvents	2.23	268
Of solids	3.22	386
Of solids	0.36 lb/lb	0.36 kg/kg
	By wt	
By wt LVP-VOC	20.2%	

Maximum Incremental Reactivity (MIR) (per California Air Resources Board Aerosol Products Regulation, MIR Values 2010) **0.27**

Volatile Organic Compounds - South Coast Air Quality Management District, California, US

	1100755	
	LB/Gal	g/L
Coating Density	7.92	949
	By wt	By vol
Total Volatiles	43.9%	50.3%
Exempt solvents		
Water	0.0%	0.0%
Acetone	23.7%	28.5%
Organic Volatiles	20.2%	21.9%
Percent Non-Volatile	56.1%	49.7%
VOC Content	LB/Gal	g/L
Total	1.60	191
Less exempt solvents	2.23	268
Of solids	3.22	386
Of solids	0.36 lb/lb	0.36 kg/kg

Volatile Organic Compounds - EU Directive 2004/42/EC

	1100755	
	By wt	By vol
Total Volatiles	43.9%	50.3%
VOC Content	LB/Gal	g/L
Total	3.47	416

Volatile Organic Compounds - EU Directive 2010/75/EU

	1100755	
	By wt	By vol
Total Volatiles	43.9%	50.3%
VOC Content	LB/Gal	g/L
Total	3.47	416

Volatile Organic Compounds - Mexico

	1100755	
	LB/Gal	g/L
Coating Density	7.92	949
	By wt	By vol
Total Volatiles	43.9%	50.3%
Exempt solvents		
Water	0.0%	0.0%
Acetone	23.7%	28.5%
Organic Volatiles	20.2%	21.9%
Percent Non-Volatile	56.1%	49.7%
VOC Content	LB/Gal	g/L
Total	1.60	191
Less exempt solvents	2.23	268
Of solids	3.22	386
Of solids	0.36 lb/lb	0.36 kg/kg

Hazardous Air Pollutants (Clean Air Act, Section 112(b))

	1100755	
	LB/Gal	kg/L
Volatile HAPS	0.00	0.000
Of solids	0.00	0.000
Of solids	0.00 lb/lb	0.00 kg/kg

Air Quality Data

Density of Organic Solvent Blend

6.91 lb/gal

Photochemically Reactive

No

Waste Disposal

Waste from this product may be hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261. Waste must be tested for ignitability to determine the applicable EPA hazardous waste numbers.

Addition of reducers or other additives to this product may substantially alter the above data. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.