### **ENVIRONMENTAL DATA SHEET**

(Certified Product Data Sheet)

**Date of Preparation** 

Oct 31, 2023

14 00 [2607]

### **PRODUCT NUMBER**

AIP201

#### **PRODUCT NAME**

AIC ADVANCED INDUSTRIAL COATING Urethane Primer, Black

#### **MANUFACTURER'S NAME**

THE SHERWIN-WILLIAMS COMPANY 101 W. Prospect Avenue Cleveland, OH 44115-1075

This document includes all data required by 40 CFR 63.801(a) for a Certified Product Data Sheet under criteria specified in 40 CFR 63.805(a). All data given below are MAXIMUM THEORETICAL VALUES based on the product AS CURRENTLY FORMULATED. Variations may occur on individual batches due to adjustments made during production.

#### Hazard Category (for SARA 311.312)

AIP201 = | Acute | Chronic | Fire |

Product WeightSpecific GravityFLASH POINT10.41 lb/gal1.2570 °F PMCC

#### **Volatile Ingredients**

Chemical / Compound	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Heavy Aromatic Naphtha 64742-94-5	N	N	N	N	1	2
Naphthalene 91-20-3	N	Υ	Υ	Υ	0.1	< 1
p-Chlorobenzotrifluoride 98-56-6	N	N	N	N	8	7
Acetone 67-64-1	N	Υ	N	N	4	6
Methyl n-Amyl Ketone 110-43-0	N	N	N	N	24	37

#### **Regulated Compounds**

	SARA 302 EHS	CERCLA	SARA 313 TC	<b>HAPS 112</b>	% by Weight	% by Volume
Cobalt Compound	N	N	Υ	Υ	0.1	

## Volatile Organic Compounds - U.S. EPA / Canada

	AIP201	
	LB/Gal	g/L
Coating Density	10.41	1247
	By wt	By vol
Total Volatiles	40.2%	56.6%
Federally exempt solvents		
Water	0.0%	0.0%
P-Chlorobenzotrifluoride	7.8%	7.3%
Acetone	3.9%	6.1%
Organic Volatiles	28.5%	43.2%
Percent Non-Volatile	59.8%	43.4%
VOC Content	LB/Gal	g/L
Total	2.96	355
Less exempt solvents	3.42	410
Of solids	6.83	819
Of solids	0.47 lb/lb	0.47 kg/kg
	By wt	
By wt LVP-VOC	27.1%	

Maximum Incremental Reactivity (MIR) (per US EPA Aerosol Ctg Rule, MIR Values 2009) 1.01

## **Volatile Organic Compounds - California**

	AIP201		
	LB/Gal	g/L	
Coating Density	10.41	1247	
	By wt	By vol	
Total Volatiles	40.2%	56.6%	
Exempt solvents			
Water	0.0%	0.0%	
P-Chlorobenzotrifluoride	7.8%	7.3%	
Acetone	3.9%	6.1%	
Organic Volatiles	28.5%	43.2%	
Percent Non-Volatile	59.8%	43.4%	
VOC Content	LB/Gal	g/L	
Total	2.96	355	
Less exempt solvents	3.42	410	
Of solids	6.83	819	
Of solids	0.47 lb/lb	0.47 kg/kg	
	By wt		
By wt LVP-VOC	27.1%		

Maximum Incremental Reactivity (MIR) (per California Air Resources Board Aerosol Products Regulation, MIR Values 2010) 0.77

## Volatile Organic Compounds - South Coast Air Quality Management District, California, US

	AIP201		
	LB/Gal	g/L	
Coating Density	10.41	1247	
	By wt	By vol	
Total Volatiles	40.2%	56.6%	
Exempt solvents			
Water	0.0%	0.0%	
P-Chlorobenzotrifluoride	7.8%	7.3%	
Acetone	3.9%	6.1%	
Organic Volatiles	28.5%	43.2%	
Percent Non-Volatile	59.8%	43.4%	
VOC Content	LB/Gal	g/L	
Total	2.96	355	
Less exempt solvents	3.42	410	
Of solids	6.83	819	
Of solids	0.47 lb/lb	0.47 kg/kg	

# Volatile Organic Compounds - EU Directive 2004/42/EC

	AIP201		
	By wt	By vol	
Total Volatiles	40.2%	56.6%	
VOC Content	LB/Gal	g/L	
Total	4.18	501	

## Volatile Organic Compounds - EU Directive 2010/75/EU

	AIP201		
	By wt	By vol	
Total Volatiles	40.2%	56.6%	
VOC Content	LB/Gal	g/L	
Total	4.18	501	

### **Volatile Organic Compounds - Mexico**

	AIP201		
	LB/Gal	g/L	
Coating Density	10.41	1247	
	By wt	By vol	
Total Volatiles	40.2%	56.6%	
Exempt solvents			
Water	0.0%	0.0%	
Acetone	3.9%	6.1%	
Organic Volatiles	36.3%	50.5%	
Percent Non-Volatile	59.8%	43.4%	
VOC Content	LB/Gal	g/L	
Total	3.77	452	
Less exempt solvents	4.02	482	
Of solids	8.71	1044	
Of solids	0.60 lb/lb	0.60 kg/kg	

## Hazardous Air Pollutants (Clean Air Act, Section 112(b))

	AIP201		
	LB/Gal	kg/L	
Volatile HAPS	0.01	0.002	
Of solids	0.04	0.005	
Of solids	0.00 lb/lb	0.00 kg/kg	

### **Air Quality Data**

**Density of Organic Solvent Blend** 

7.39 lb/gal

**Photochemically Reactive** 

No

### **Waste Disposal**

Waste from this product may be hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261. Waste must be tested for ignitability and extractability to determine the applicable EPA hazardous waste numbers.

Addition of reducers or other additives to this product may substantially alter the above data. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.