

ENVIRONMENTAL DATA SHEET

(Certified Product Data Sheet)

Date of Preparation

Aug 26, 2023

16 00 [2383]

PRODUCT NUMBER

CC920

PRODUCT NAME

ULTRA 7000® Ultra Speed-Plus 2.1 VOC Performance Clearcoat (Part A)

MANUFACTURER'S NAME

THE SHERWIN-WILLIAMS COMPANY

4440 Warrensville Center Road

Warrensville Heights, OH 44128

This document includes all data required by 40 CFR 63.801(a) for a Certified Product Data Sheet under criteria specified in 40 CFR 63.805(a). All data given below are MAXIMUM THEORETICAL VALUES based on the product AS CURRENTLY FORMULATED. Variations may occur on individual batches due to adjustments made during production.

Hazard Category (for SARA 311.312)

CC920 = | Acute | Chronic | Fire |

Product Weight

8.94 lb/gal

Specific Gravity

1.08

FLASH POINT

19 °F PMCC

Volatile Ingredients

Chemical / Compound	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Ethylbenzene 100-41-4	N	Y	Y	Y	0.1	< 1
p-Chlorobenzotrifluoride 98-56-6	N	N	N	N	30	24
Acetone 67-64-1	N	Y	N	N	21	29

Volatile Organic Compounds - U.S. EPA / Canada

	CC920	
	LB/Gal	g/L
Coating Density	8.94	1070
	By wt	By vol
Total Volatiles	52.2%	54.0%
Federally exempt solvents		
Water	0.0%	0.0%
P-Chlorobenzotrifluoride	29.7%	23.8%
Acetone	21.4%	29.0%
Organic Volatiles	1.0%	1.2%
Percent Non-Volatile	47.8%	46.0%
VOC Content	LB/Gal	g/L
Total	0.09	11
Less exempt solvents	0.19	23
Of solids	0.19	23
Of solids	0.02 lb/lb	0.02 kg/kg
	By wt	
By wt LVP-VOC	1.0%	

Maximum Incremental Reactivity (MIR) (per US EPA Aerosol Ctg Rule, MIR Values 2009) **0.16**

Volatile Organic Compounds - California

	CC920	
	LB/Gal	g/L
Coating Density	8.94	1070
	By wt	By vol
Total Volatiles	52.2%	54.0%
Exempt solvents		
Water	0.0%	0.0%
P-Chlorobenzotrifluoride	29.7%	23.8%
Acetone	21.4%	29.0%
Organic Volatiles	1.0%	1.2%
Percent Non-Volatile	47.8%	46.0%
VOC Content	LB/Gal	g/L
Total	0.09	11
Less exempt solvents	0.19	23
Of solids	0.19	23
Of solids	0.02 lb/lb	0.02 kg/kg
	By wt	
By wt LVP-VOC	1.0%	

Maximum Incremental Reactivity (MIR) (per California Air Resources Board Aerosol Products Regulation, MIR Values 2010) **0.15**

Volatile Organic Compounds - South Coast Air Quality Management District, California, US

	CC920	
	LB/Gal	g/L
Coating Density	8.94	1070
	By wt	By vol
Total Volatiles	52.2%	54.0%
Exempt solvents		
Water	0.0%	0.0%
P-Chlorobenzotrifluoride	29.7%	23.8%
Acetone	21.4%	29.0%
Organic Volatiles	1.0%	1.2%
Percent Non-Volatile	47.8%	46.0%
VOC Content	LB/Gal	g/L
Total	0.09	11
Less exempt solvents	0.19	23
Of solids	0.19	23
Of solids	0.02 lb/lb	0.02 kg/kg

Volatile Organic Compounds - EU Directive 2004/42/EC

	CC920	
	By wt	By vol
Total Volatiles	52.2%	54.0%
VOC Content	LB/Gal	g/L
Total	4.65	558

Volatile Organic Compounds - EU Directive 2010/75/EU

	CC920	
	By wt	By vol
Total Volatiles	52.2%	54.0%
VOC Content	LB/Gal	g/L
Total	4.65	558

Volatile Organic Compounds - Mexico

	CC920	
	LB/Gal	g/L
Coating Density	8.94	1070
	By wt	By vol
Total Volatiles	52.2%	54.0%
Exempt solvents		
Water	0.0%	0.0%
Acetone	21.4%	29.0%
Organic Volatiles	30.8%	25.0%
Percent Non-Volatile	47.8%	46.0%
VOC Content	LB/Gal	g/L
Total	2.74	329
Less exempt solvents	3.87	463
Of solids	5.97	716
Of solids	0.64 lb/lb	0.64 kg/kg

Hazardous Air Pollutants (Clean Air Act, Section 112(b))

	CC920	
	LB/Gal	kg/L
Volatile HAPS	0.01	0.001
Of solids	0.02	0.003
Of solids	0.00 lb/lb	0.00 kg/kg

Air Quality Data

Density of Organic Solvent Blend

8.63 lb/gal

Photochemically Reactive

No

Additional Regulatory Information

US EPA TSCA:

Not Applicable

Relevant identified uses of the substance or mixture and uses advised against:

Not Applicable

Waste Disposal

Waste from this product may be hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261. Waste must be tested for ignitability to determine the applicable EPA hazardous waste numbers.

Addition of reducers or other additives to this product may substantially alter the above data. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.