

ENVIRONMENTAL DATA SHEET

(Certified Product Data Sheet)

Date of Preparation

Oct 31, 2023

22 00 [2383]

PRODUCT NUMBER

CC950

PRODUCT NAME

ULTRA 7000® Appearance Plus Performance Clearcoat (Part A)

MANUFACTURER'S NAME

THE SHERWIN-WILLIAMS COMPANY

4440 Warrensville Center Road

Warrensville Heights, OH 44128

This document includes all data required by 40 CFR 63.801(a) for a Certified Product Data Sheet under criteria specified in 40 CFR 63.805(a). All data given below are MAXIMUM THEORETICAL VALUES based on the product AS CURRENTLY FORMULATED. Variations may occur on individual batches due to adjustments made during production.

Hazard Category (for SARA 311.312)

CC950 = | Acute | Chronic | Fire |

Product Weight

8.39 lb/gal

Specific Gravity

1.01

FLASH POINT

47 °F PMCC

Volatile Ingredients

Chemical / Compound	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
p-Chlorobenzotrifluoride 98-56-6	N	N	N	N	8	6
Acetone 67-64-1	N	Y	N	N	5	6
n-Butyl Propionate 590-01-2	N	N	N	N	11	13
Ethyl 3-Ethoxypropionate 763-69-9	N	N	N	N	1	1
n-Butyl Acetate 123-86-4	N	Y	N	N	24	29

Volatile Organic Compounds - U.S. EPA / Canada

	CC950	
	LB/Gal	g/L
Coating Density	8.39	1005
	By wt	By vol
Total Volatiles	50.4%	55.9%
Federally exempt solvents		
Water	0.0%	0.0%
P-Chlorobenzotrifluoride	8.4%	6.3%
Acetone	4.8%	6.1%
Organic Volatiles	37.2%	43.4%
Percent Non-Volatile	49.6%	44.1%
VOC Content	LB/Gal	g/L
Total	3.12	374
Less exempt solvents	3.56	427
Of solids	7.07	848
Of solids	0.75 lb/lb	0.75 kg/kg
	By wt	
By wt LVP-VOC	37.2%	

Maximum Incremental Reactivity (MIR) (per US EPA Aerosol Ctg Rule, MIR Values 2009) **0.40**

Volatile Organic Compounds - California

	CC950	
	LB/Gal	g/L
Coating Density	8.39	1005
	By wt	By vol
Total Volatiles	50.4%	55.9%
Exempt solvents		
Water	0.0%	0.0%
P-Chlorobenzotrifluoride	8.4%	6.3%
Acetone	4.8%	6.1%
Organic Volatiles	37.2%	43.4%
Percent Non-Volatile	49.6%	44.1%
VOC Content	LB/Gal	g/L
Total	3.12	374
Less exempt solvents	3.56	427
Of solids	7.07	848
Of solids	0.75 lb/lb	0.75 kg/kg
	By wt	
By wt LVP-VOC	37.2%	

Maximum Incremental Reactivity (MIR) (per California Air Resources Board Aerosol Products Regulation, MIR Values 2010) **0.37**

Volatile Organic Compounds - South Coast Air Quality Management District, California, US

	CC950	
	LB/Gal	g/L
Coating Density	8.39	1005
	By wt	By vol
Total Volatiles	50.4%	55.9%
Exempt solvents		
Water	0.0%	0.0%
P-Chlorobenzotrifluoride	8.4%	6.3%
Acetone	4.8%	6.1%
Organic Volatiles	37.2%	43.4%
Percent Non-Volatile	49.6%	44.1%
VOC Content	LB/Gal	g/L
Total	3.12	374
Less exempt solvents	3.56	427
Of solids	7.07	848
Of solids	0.75 lb/lb	0.75 kg/kg

Volatile Organic Compounds - EU Directive 2004/42/EC

	CC950	
	By wt	By vol
Total Volatiles	50.4%	55.9%
VOC Content	LB/Gal	g/L
Total	4.23	507

Volatile Organic Compounds - EU Directive 2010/75/EU

	CC950	
	By wt	By vol
Total Volatiles	50.4%	55.9%
VOC Content	LB/Gal	g/L
Total	4.23	507

Volatile Organic Compounds - Mexico

	CC950	
	LB/Gal	g/L
Coating Density	8.39	1005
	By wt	By vol
Total Volatiles	50.4%	55.9%
Exempt solvents		
Water	0.0%	0.0%
Acetone	4.8%	6.1%
Organic Volatiles	45.6%	49.8%
Percent Non-Volatile	49.6%	44.1%
VOC Content	LB/Gal	g/L
Total	3.83	459
Less exempt solvents	4.08	488
Of solids	8.68	1040
Of solids	0.92 lb/lb	0.92 kg/kg

Hazardous Air Pollutants (Clean Air Act, Section 112(b))

	CC950	
	LB/Gal	kg/L
Volatile HAPS	0.00	0.000
Of solids	0.00	0.000
Of solids	0.00 lb/lb	0.00 kg/kg

Air Quality Data**Density of Organic Solvent Blend**

7.58 lb/gal

Photochemically Reactive

No

Waste Disposal

Waste from this product may be hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261. Waste must be tested for ignitability to determine the applicable EPA hazardous waste numbers.

Addition of reducers or other additives to this product may substantially alter the above data. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.