

# ENVIRONMENTAL DATA SHEET

(Certified Product Data Sheet)

Date of Preparation

Apr 20, 2024

17 00 [2822]

## PRODUCT NUMBER

E2B1008

## PRODUCT NAME

METAL DIRECT™ Acrylic Urethane (Part A), Black

## MANUFACTURER'S NAME

THE SHERWIN-WILLIAMS COMPANY

101 W. Prospect Avenue

Cleveland, OH 44115-1075

This document includes all data required by 40 CFR 63.801(a) for a Certified Product Data Sheet under criteria specified in 40 CFR 63.805(a). All data given below are MAXIMUM THEORETICAL VALUES based on the product AS CURRENTLY FORMULATED and rely on information provided to us by our raw material suppliers. Our suppliers often provide an estimated value or range less than a certain upper limit. We calculate MAXIMUM THEORETICAL VALUES using defined values, if provided, or the upper limit reported by our supplier. Additionally, the suppliers' information may include amounts present in the product as unintentional byproducts or impurities. Variations may occur in individual batches due to adjustments made during production.

## Hazard Category (for SARA 311.312)

E2B1008 = | Acute | Chronic | Fire |

## Product Weight

8.58 lb/gal

## Specific Gravity

1.03

## FLASH POINT

19 °F PMCC

## Volatile Ingredients

Chemical / Compound	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Ethylbenzene 100-41-4	N	Y	Y	Y	0.2	0.2
p-Chlorobenzotrifluoride 98-56-6	N	N	N	N	14	11
Acetone 67-64-1	N	Y	N	N	15	20
Methyl n-Propyl Ketone 107-87-9	N	N	N	N	1	2
2,4-Pentanedione 123-54-6	N	N	N	N	2	2
Methyl n-Amyl Ketone 110-43-0	N	N	N	N	15	19

## Regulated Compounds

	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Lead (as Pb)	N	N	Y	N	0.0000005	

**Volatile Organic Compounds - U.S. EPA / Canada**

	E2B1008	
	LB/Gal	g/L
Coating Density	8.58	1028
	By wt	By vol
Total Volatiles	50.1%	56.6%
Federally exempt solvents		
Water	0.0%	0.0%
Acetone	15.2%	19.8%
P-Chlorobenzotrifluoride	14.2%	10.9%
Organic Volatiles	20.7%	25.8%
Percent Non-Volatile	49.9%	43.4%
VOC Content	LB/Gal	g/L
Total	1.77	212
Less exempt solvents	2.56	307
Of solids	4.09	490
Of solids	0.41 lb/lb	0.41 kg/kg
	By wt	
By wt LVP-VOC	19.7%	

Maximum Incremental Reactivity (MIR) (per US EPA Aerosol Ctg Rule, MIR Values 2009) **0.70**

**Volatile Organic Compounds - California**

	E2B1008	
	LB/Gal	g/L
Coating Density	8.58	1028
	By wt	By vol
Total Volatiles	50.1%	56.6%
Exempt solvents		
Water	0.0%	0.0%
Acetone	15.2%	19.8%
P-Chlorobenzotrifluoride	14.2%	10.9%
Organic Volatiles	20.7%	25.8%
Percent Non-Volatile	49.9%	43.4%
VOC Content	LB/Gal	g/L
Total	1.77	212
Less exempt solvents	2.56	307
Of solids	4.09	490
Of solids	0.41 lb/lb	0.41 kg/kg
	By wt	
By wt LVP-VOC	19.7%	

Maximum Incremental Reactivity (MIR) (per California Air Resources Board Aerosol Products Regulation, MIR Values 2010) **0.59**

**Volatile Organic Compounds - South Coast Air Quality Management District, California, US**

	E2B1008	
	LB/Gal	g/L
Coating Density	8.58	1028
	By wt	By vol
Total Volatiles	50.1%	56.6%
Exempt solvents		
Water	0.0%	0.0%
Acetone	15.2%	19.8%
P-Chlorobenzotrifluoride	14.2%	10.9%
Organic Volatiles	20.7%	25.8%
Percent Non-Volatile	49.9%	43.4%
VOC Content	LB/Gal	g/L
Total	1.77	212
Less exempt solvents	2.56	307
Of solids	4.09	490
Of solids	0.41 lb/lb	0.41 kg/kg

**Volatile Organic Compounds - EU Directive 2004/42/EC**

	E2B1008	
	By wt	By vol
Total Volatiles	49.8%	56.2%
VOC Content	LB/Gal	g/L
Total	4.27	512

**Volatile Organic Compounds - EU Directive 2010/75/EU**

	E2B1008	
	By wt	By vol
Total Volatiles	49.8%	56.2%
VOC Content	LB/Gal	g/L
Total	4.27	512

**Volatile Organic Compounds - Mexico**

	E2B1008	
	LB/Gal	g/L
Coating Density	8.58	1028
	By wt	By vol
Total Volatiles	50.1%	56.6%
Exempt solvents		
Water	0.0%	0.0%
Acetone	15.2%	19.8%
Organic Volatiles	34.9%	36.7%
Percent Non-Volatile	49.9%	43.4%
VOC Content	LB/Gal	g/L
Total	2.99	358
Less exempt solvents	3.73	447
Of solids	6.89	826
Of solids	0.69 lb/lb	0.69 kg/kg

**Hazardous Air Pollutants (Clean Air Act, Section 112(b))**

	E2B1008	
	LB/Gal	kg/L
Volatile HAPS	0.01	0.002
Of solids	0.03	0.004
Of solids	0.00 lb/lb	0.00 kg/kg

**Air Quality Data****Density of Organic Solvent Blend**

7.60 lb/gal

**Photochemically Reactive**

No

**Waste Disposal**

Waste from this product may be hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261. Waste must be tested for ignitability to determine the applicable EPA hazardous waste numbers.

The addition of any material to this product can change the composition, hazards and risks of the product and may substantially alter the above data. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.