ENVIRONMENTAL DATA SHEET

(Certified Product Data Sheet)

Date of Preparation

Jan 17, 2024

15 00 [1501]

E2B818

PRODUCT NAME

PRODUCT NUMBER

2.1 DTM Low VOC Urethane Primer (Part A), Black

MANUFACTURER'S NAME

THE SHERWIN-WILLIAMS COMPANY 4440 Warrensville Center Road Warrensville Heights, OH 44128

This document includes all data required by 40 CFR 63.801(a) for a Certified Product Data Sheet under criteria specified in 40 CFR 63.805(a). All data given below are MAXIMUM THEORETICAL VALUES based on the product AS CURRENTLY FORMULATED. Variations may occur on individual batches due to adjustments made during production.

Hazard Category (for SARA 311.312)

E2B818 = | Acute | Chronic | Fire |

Product WeightSpecific GravityFLASH POINT15.17 lb/gal1.8399 °F PMCC

Volatile Ingredients

Chemical / Compound	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Methyl n-Propyl Ketone 107-87-9	N	N	N	N	3	6
Methyl Isobutyl Ketone 108-10-1	N	Υ	Υ	Υ	0.1	< 1
Methyl n-Amyl Ketone 110-43-0	N	N	N	N	7	17
1-Methoxy-2-Propanol Acetate 108-65-6	N	N	N	N	2	3

Regulated Compounds

	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Zinc (as Zn)	N	Υ	Υ	N	2	
Zinc Compound	N	N	Υ	N	2	

Volatile Organic Compounds - U.S. EPA / Canada

	E2B818		
	LB/Gal	g/L	
Coating Density	15.17	1818	
	By wt	By vol	
Total Volatiles	12.6%	28.2%	
Federally exempt solvents			
Water	0.0%	0.0%	
Organic Volatiles	12.6%	28.2%	
Percent Non-Volatile	87.4%	71.8%	
VOC Content	LB/Gal	g/L	
Total	1.90	228	
Less exempt solvents	1.90	228	
Of solids	2.65	317	
Of solids	0.14 lb/lb	0.14 kg/kg	
	By wt		
By wt LVP-VOC	12.5%	_	

Maximum Incremental Reactivity (MIR) (per US EPA Aerosol Ctg Rule, MIR Values 2009) 0.32

Volatile Organic Compounds - California

	E2B818		
	LB/Gal	g/L	
Coating Density	15.17	1818	
	By wt	By vol	
Total Volatiles	12.6%	28.2%	
Exempt solvents			
Water	0.0%	0.0%	
Organic Volatiles	12.6%	28.2%	
Percent Non-Volatile	87.4%	71.8%	
VOC Content	LB/Gal	g/L	
Total	1.90	228	
Less exempt solvents	1.90	228	
Of solids	2.65	317	
Of solids	0.14 lb/lb	0.14 kg/kg	
	By wt		
By wt LVP-VOC	12.5%		

Maximum Incremental Reactivity (MIR) (per California Air Resources Board Aerosol Products Regulation, MIR Values 2010) 0.28

Volatile Organic Compounds - South Coast Air Quality Management District, California, US

	E2B818		
	LB/Gal	g/L	
Coating Density	15.17	1818	
	By wt	By vol	
Total Volatiles	12.6%	28.2%	
Exempt solvents			
Water	0.0%	0.0%	
Organic Volatiles	12.6%	28.2%	
Percent Non-Volatile	87.4%	71.8%	
VOC Content	LB/Gal	g/L	
Total	1.90	228	
Less exempt solvents	1.90	228	
Of solids	2.65	317	
Of solids	0.14 lb/lb	0.14 kg/kg	

Volatile Organic Compounds - EU Directive 2004/42/EC

	E2B818		
	By wt	By vol	
Total Volatiles	12.6%	28.2%	
VOC Content	LB/Gal	g/L	
Total	1.90	228	

Volatile Organic Compounds - EU Directive 2010/75/EU

	E2B818		
	By wt	By vol	
Total Volatiles	12.6%	28.2%	
VOC Content	LB/Gal	g/L	
Total	1.90	228	

Volatile Organic Compounds - Mexico

E2B818		
LB/Gal	g/L	
15.17	1818	
By wt	By vol	
12.6%	28.2%	
0.0%	0.0%	
12.6%	28.2%	
87.4%	71.8%	
LB/Gal	g/L	
1.90	228	
1.90	228	
2.65	317	
0.14 lb/lb	0.14 kg/kg	
	LB/Gal 15.17 By wt 12.6% 0.0% 12.6% 87.4% LB/Gal 1.90 1.90 2.65	

Hazardous Air Pollutants (Clean Air Act, Section 112(b))

	E2B818		
	LB/Gal	kg/L	
Volatile HAPS	0.02	0.002	
Of solids	0.03	0.004	
Of solids	0.00 lb/lb	0.00 kg/kg	

Air Quality Data

Density of Organic Solvent Blend

6.76 lb/gal

Photochemically Reactive

No

Waste Disposal

Waste from this product may be hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261. Waste must be tested for ignitability to determine the applicable EPA hazardous waste numbers.

Addition of reducers or other additives to this product may substantially alter the above data. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.