ENVIRONMENTAL DATA SHEET

(Certified Product Data Sheet)

Date of Preparation

Oct 31, 2023

12 00 [3052]

PRODUCT NUMBER

E2L1016 PRODUCT NAME

METAL DIRECT™ Acrylic Urethane (Part A), Navy Blue

MANUFACTURER'S NAME

THE SHERWIN-WILLIAMS COMPANY 101 W. Prospect Avenue Cleveland, OH 44115-1075

This document includes all data required by 40 CFR 63.801(a) for a Certified Product Data Sheet under criteria specified in 40 CFR 63.805(a). All data given below are MAXIMUM THEORETICAL VALUES based on the product AS CURRENTLY FORMULATED. Variations may occur on individual batches due to adjustments made during production.

Hazard Category (for SARA 311.312)

E2L1016 = | Acute | Chronic | Fire |

Product WeightSpecific GravityFLASH POINT8.90 lb/gal1.0719 °F PMCC

Volatile Ingredients

Chemical / Compound	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Ethylbenzene 100-41-4	N	Υ	Υ	Υ	0.2	< 1
p-Chlorobenzotrifluoride 98-56-6	N	N	N	N	21	17
Acetone 67-64-1	N	Υ	N	N	15	20
Methyl n-Propyl Ketone 107-87-9	N	N	N	N	1	2
2,4-Pentanedione 123-54-6	N	N	N	N	2	2
Methyl n-Amyl Ketone 110-43-0	N	N	N	N	10	14
1-Methoxy-2-Propanol Acetate 108-65-6	N	N	N	N	3	4

Volatile Organic Compounds - U.S. EPA / Canada

	E2L1016	
	LB/Gal	g/L
Coating Density	8.90	1067
	By wt	By vol
Total Volatiles	56.0%	62.2%
Federally exempt solvents		
Water	0.0%	0.0%
P-Chlorobenzotrifluoride	20.8%	16.6%
Acetone	14.6%	19.7%
Organic Volatiles	20.6%	25.9%
Percent Non-Volatile	44.0%	37.8%
VOC Content	LB/Gal	g/L
Total	1.83	219
Less exempt solvents	2.87	344
Of solids	4.84	580
Of solids	0.46 lb/lb	0.46 kg/kg
	By wt	
By wt LVP-VOC	19.2%	

Maximum Incremental Reactivity (MIR) (per US EPA Aerosol Ctg Rule, MIR Values 2009) 0.75

Volatile Organic Compounds - California

	Ε0	1 4040	
	E2L1016		
	LB/Gal	g/L	
Coating Density	8.90	1067	
	By wt	By vol	
Total Volatiles	56.0%	62.2%	
Exempt solvents			
Water	0.0%	0.0%	
P-Chlorobenzotrifluoride	20.8%	16.6%	
Acetone	14.6%	19.7%	
Organic Volatiles	20.6%	25.9%	
Percent Non-Volatile	44.0%	37.8%	
VOC Content	LB/Gal	g/L	
Total	1.83	219	
Less exempt solvents	2.87	344	
Of solids	4.84	580	
Of solids	0.46 lb/lb	0.46 kg/kg	
	By wt		
By wt LVP-VOC	19.2%		

Maximum Incremental Reactivity (MIR) (per California Air Resources Board Aerosol Products Regulation, MIR Values 2010) 0.61

Volatile Organic Compounds - South Coast Air Quality Management District, California, US

E2L1016	
LB/Gal	g/L
8.90	1067
By wt	By vol
56.0%	62.2%
0.0%	0.0%
20.8%	16.6%
14.6%	19.7%
20.6%	25.9%
44.0%	37.8%
LB/Gal	g/L
1.83	219
2.87	344
4.84	580
0.46 lb/lb	0.46 kg/kg
	LB/Gal 8.90 By wt 56.0% 0.0% 20.8% 14.6% 20.6% 44.0% LB/Gal 1.83 2.87

Volatile Organic Compounds - EU Directive 2004/42/EC

	E2L1016	
	By wt	By vol
Total Volatiles	55.7%	61.9%
VOC Content	LB/Gal	g/L
Total	4.95	594

Volatile Organic Compounds - EU Directive 2010/75/EU

	E2L1016	
	By wt	By vol
Total Volatiles	55.7%	61.9%
VOC Content	LB/Gal	g/L
Total	4.95	594

Volatile Organic Compounds - Mexico

	E2L1016		
	LB/Gal	g/L	
Coating Density	8.90	1067	
	By wt	By vol	
Total Volatiles	56.0%	62.2%	
Exempt solvents			
Water	0.0%	0.0%	
Acetone	14.6%	19.7%	
Organic Volatiles	41.4%	42.5%	
Percent Non-Volatile	44.0%	37.8%	
VOC Content	LB/Gal	g/L	
Total	3.68	441	
Less exempt solvents	4.58	549	
Of solids	9.74	1168	
Of solids	0.93 lb/lb	0.93 kg/kg	

Hazardous Air Pollutants (Clean Air Act, Section 112(b))

	E2L1016		
	LB/Gal	kg/L	
Volatile HAPS	0.01	0.002	
Of solids	0.05	0.006	
Of solids	0.00 lb/lb	0.00 kg/kg	

Air Quality Data

Density of Organic Solvent Blend

8.01 lb/gal

Photochemically Reactive

No

Waste Disposal

Waste from this product may be hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261. Waste must be tested for ignitability to determine the applicable EPA hazardous waste numbers.

Addition of reducers or other additives to this product may substantially alter the above data. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.