ENVIRONMENTAL DATA SHEET

(Certified Product Data Sheet)

28 00 [1713]

Date of Preparation Apr 19, 2024

PRODUCT NUMBER

E2W840

PRODUCT NAME

Genesis® Recoatable Primer, White

MANUFACTURER'S NAME

THE SHERWIN-WILLIAMS COMPANY 4440 Warrensville Center Road Warrensville Heights, OH 44128

This document includes all data required by 40 CFR 63.801(a) for a Certified Product Data Sheet under criteria specified in 40 CFR 63.805(a). All data given below are MAXIMUM THEORETICAL VALUES based on the product AS CURRENTLY FORMULATED and rely on information provided to us by our raw material suppliers. Our suppliers often provide an estimated value or range less than a certain upper limit. We calculate MAXIMUM THEORETICAL VALUES using defined values, if provided, or the upper limit reported by our supplier. Additionally, the suppliers' information may include amounts present in the product as unintentional byproducts or impurities. Variations may occur in individual batches due to adjustments made during production.

Hazard Category (for SARA 311.312)

E2W840 = | Acute | Chronic | Fire |

Product Weight 15.88 lb/gal	Specific (1.91	Specific Gravity 1.91		FLASH POINT 80 °F PMCC		
Volatile Ingredients						
Chemical / Compound	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Methyl Isobutyl Ketone 108-10-1	Ν	Y	Υ	Y	4	8
Methyl n-Amyl Ketone 110-43-0	Ν	Ν	Ν	N	2	4
n-Butyl Acetate 123-86-4	N	Y	N	N	4	9
1-Methoxy-2-Propanol Acetate 108-65-6	N	Ν	N	N	3	6

Regulated Compounds

	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Zinc (as Zn)	N	Y	Y	Ν	3	
Lead (as Pb)	N	Ν	Y	Ν	0.000008	
Zinc Compound	N	N	Υ	N	7	

Volatile Organic Compounds - U.S. EPA / Canada

	E2W840		
	LB/Gal	g/L	
Coating Density	15.88	1902	
	By wt	By vol	
Total Volatiles	13.2%	28.9%	
Federally exempt solvents			
Water	0.0%	0.0%	
Organic Volatiles	13.2%	28.9%	
Percent Non-Volatile	86.8%	71.1%	
VOC Content	LB/Gal	g/L	
Total	2.09	251	
Less exempt solvents	2.09	251	
Of solids	2.95	353	
Of solids	0.15 lb/lb	0.15 kg/kg	
	By wt		
By wt LVP-VOC	13.0%		

Maximum Incremental Reactivity (MIR) (per US EPA Aerosol Ctg Rule, MIR Values 2009) 0.36

Volatile Organic Compounds - California

	E2W840		
	LB/Gal	g/L	
Coating Density	15.88	1902	
	By wt	By vol	
Total Volatiles	13.2%	28.9%	
Exempt solvents			
Water	0.0%	0.0%	
Organic Volatiles	13.2%	28.9%	
Percent Non-Volatile	86.8%	71.1%	
VOC Content	LB/Gal	g/L	
Total	2.09	251	
Less exempt solvents	2.09	251	
Of solids	2.95	353	
Of solids	0.15 lb/lb	0.15 kg/kg	
	By wt		
By wt LVP-VOC	13.0%		

Maximum Incremental Reactivity (MIR) (per California Air Resources Board Aerosol Products Regulation, MIR Values 2010) 0.31

Volatile Organic Compounds - South Coast Air Quality Management District, California, US

	E2W840		
	LB/Gal	g/L	
Coating Density	15.88	1902	
	By wt	By vol	
Total Volatiles	13.2%	28.9%	
Exempt solvents			
Water	0.0%	0.0%	
Organic Volatiles	13.2%	28.9%	
Percent Non-Volatile	86.8%	71.1%	
VOC Content	LB/Gal	g/L	
Total	2.09	251	
Less exempt solvents	2.09	251	
Of solids	2.95	353	
Of solids	0.15 lb/lb	0.15 kg/kg	

Volatile Organic Compounds - EU Directive 2004/42/EC

	E2W840		
	By wt	By vol	
Total Volatiles	13.2%	28.9%	
VOC Content	LB/Gal	g/L	
Total	2.09	251	

Volatile Organic Compounds - EU Directive 2010/75/EU

	E2W840		
	By wt	By vol	
Total Volatiles	13.2%	28.9%	
VOC Content	LB/Gal	g/L	
Total	2.09	251	

Volatile Organic Compounds - Mexico

	E2W840		
	LB/Gal	g/L	
Coating Density	15.88	1902	
	By wt	By vol	
Total Volatiles	13.2%	28.9%	
Exempt solvents			
Water	0.0%	0.0%	
Organic Volatiles	13.2%	28.9%	
Percent Non-Volatile	86.8%	71.1%	
VOC Content	LB/Gal	g/L	
Total	2.09	251	
Less exempt solvents	2.09	251	
Of solids	2.95	353	
Of solids	0.15 lb/lb	0.15 kg/kg	

Hazardous Air Pollutants (Clean Air Act, Section 112(b))

	E2W840		
	LB/Gal	kg/L	
Volatile HAPS	0.55	0.066	
Of solids	0.78	0.094	
Of solids	0.04 lb/lb	0.04 kg/kg	

Air Quality Data

Density of Organic Solvent Blend 7.25 lb/gal Photochemically Reactive Yes

Waste Disposal

Waste from this product may be hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261. Waste must be tested for ignitability to determine the applicable EPA hazardous waste numbers.

The addition of any material to this product can change the composition, hazards and risks of the product and may substantially alter the above data. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.