### **ENVIRONMENTAL DATA SHEET**

(Certified Product Data Sheet)

**Date of Preparation** 

Jan 27, 2023

14 00 [0263]

#### **PRODUCT NUMBER**

E61A570

#### PRODUCT NAME

KEM AQUA® 70P Water Reducible Metal Primer, Gray

#### **MANUFACTURER'S NAME**

THE SHERWIN-WILLIAMS COMPANY 101 W. Prospect Avenue Cleveland, OH 44115

This document includes all data required by 40 CFR 63.801(a) for a Certified Product Data Sheet under criteria specified in 40 CFR 63.805(a). All data given below are MAXIMUM THEORETICAL VALUES based on the product AS CURRENTLY FORMULATED. Variations may occur on individual batches due to adjustments made during production.

### Hazard Category (for SARA 311.312)

E61A570 = | Acute | Chronic |

Product WeightSpecific GravityFLASH POINT10.68 lb/gal1.28N.A.

#### **Volatile Ingredients**

Chemical / Compound	SARA 302 EHS	CERCLA	SARA 313 TC	<b>HAPS 112</b>	% by Weight	% by Volume
2-Butoxyethanol 111-76-2	N	N	Y - Glycol Ethers (SARA)	N	11	16
Water 7732-18-5	N	N	N	N	37	48

#### **Regulated Compounds**

	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Cobalt Compound	N	N	Υ	Υ	0.1	
Glycol Ethers (SARA)	N	N	Υ	N	11	

# Volatile Organic Compounds - U.S. EPA / Canada

	E61A570	
	LB/Gal	g/L
Coating Density	10.68	1279
	By wt	By vol
Total Volatiles	49.4%	65.5%
Federally exempt solvents		
Water	37.1%	47.6%
Non-Organic Volatiles		
Ammonium Hydroxide	0.1%	0.2%
Organic Volatiles	12.2%	17.7%
Percent Non-Volatile	50.6%	34.5%
VOC Content	LB/Gal	g/L
Total	1.30	156
Less exempt solvents	2.49	298
Of solids	3.78	453
Of solids	0.24 lb/lb	0.24 kg/kg
	By wt	
By wt LVP-VOC	12.2%	

Maximum Incremental Reactivity (MIR) (per US EPA Aerosol Ctg Rule, MIR Values 2009) 0.41

# **Volatile Organic Compounds - California**

	E61A570	
	LB/Gal	g/L
Coating Density	10.68	1279
	By wt	By vol
Total Volatiles	49.4%	65.5%
Exempt solvents		
Water	37.1%	47.6%
Non-Organic Volatiles		
Ammonium Hydroxide	0.1%	0.2%
Organic Volatiles	12.2%	17.7%
Percent Non-Volatile	50.6%	34.5%
VOC Content	LB/Gal	g/L
Total	1.30	156
Less exempt solvents	2.49	298
Of solids	3.78	453
Of solids	0.24 lb/lb	0.24 kg/kg
	By wt	
By wt LVP-VOC	12.2%	

Maximum Incremental Reactivity (MIR) (per California Air Resources Board Aerosol Products Regulation, MIR Values 2010) 0.36

# Volatile Organic Compounds - South Coast Air Quality Management District, California, US

	E61A570		
	LB/Gal	g/L	
Coating Density	10.68	1279	
	By wt	By vol	
Total Volatiles	49.4%	65.5%	
Exempt solvents			
Water	37.1%	47.6%	
Non-Organic Volatiles			
Ammonium Hydroxide	0.1%	0.2%	
Organic Volatiles	12.2%	17.7%	
Percent Non-Volatile	50.6%	34.5%	
VOC Content	LB/Gal	g/L	
Total	1.30	156	
Less exempt solvents	2.49	298	
Of solids	3.78	453	
Of solids	0.24 lb/lb	0.24 kg/kg	

# Volatile Organic Compounds - EU Directive 2004/42/EC

	E61A570	
	By wt	By vol
Total Volatiles	49.4%	65.5%
VOC Content	LB/Gal	g/L
Total	1.30	156

## Volatile Organic Compounds - EU Directive 2010/75/EU

	E61A570	
	By wt	By vol
Total Volatiles	49.4%	65.5%
VOC Content	LB/Gal	g/L
Total	1.30	156

# **Volatile Organic Compounds - Mexico**

	E61A570		
	LB/Gal	g/L	
Coating Density	10.68	1279	
	By wt	By vol	
Total Volatiles	49.4%	65.5%	
Exempt solvents			
Water	37.1%	47.6%	
Non-Organic Volatiles			
Ammonium Hydroxide	0.1%	0.2%	
Organic Volatiles	12.2%	17.7%	
Percent Non-Volatile	50.6%	34.5%	
VOC Content	LB/Gal	g/L	
Total	1.30	156	
Less exempt solvents	2.49	298	
Of solids	3.78	453	
Of solids	0.24 lb/lb	0.24 kg/kg	

## Hazardous Air Pollutants (Clean Air Act, Section 112(b))

	E61A570		
	LB/Gal	kg/L	
Volatile HAPS	0.00	0.000	
Of solids	0.00	0.000	
Of solids	0.00 lb/lb	0.00 kg/kg	

### **Air Quality Data**

**Density of Organic Solvent Blend** 

7.38 lb/gal

**Photochemically Reactive** 

No

# **Additional Regulatory Information**

#### **US EPA TSCA:**

Not Applicable

Relevant identified uses of the substance or mixture and uses advised against:

Not Applicable

### **Waste Disposal**

Waste from this product is not hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261.

Addition of reducers or other additives to this product may substantially alter the above data. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.