

ENVIRONMENTAL DATA SHEET

(Certified Product Data Sheet)

Date of Preparation

Apr 19, 2024

17 00 [2053]

PRODUCT NUMBER

E61W573

PRODUCT NAME

KEM AQUA® 70P Water Reducible Metal Primer, White

MANUFACTURER'S NAME

THE SHERWIN-WILLIAMS COMPANY

101 W. Prospect Avenue

Cleveland, OH 44115

This document includes all data required by 40 CFR 63.801(a) for a Certified Product Data Sheet under criteria specified in 40 CFR 63.805(a). All data given below are MAXIMUM THEORETICAL VALUES based on the product AS CURRENTLY FORMULATED and rely on information provided to us by our raw material suppliers. Our suppliers often provide an estimated value or range less than a certain upper limit. We calculate MAXIMUM THEORETICAL VALUES using defined values, if provided, or the upper limit reported by our supplier. Additionally, the suppliers' information may include amounts present in the product as unintentional byproducts or impurities. Variations may occur in individual batches due to adjustments made during production.

Hazard Category (for SARA 311.312)

E61W573 = | Acute | Chronic |

Product Weight

11.12 lb/gal

Specific Gravity

1.34

FLASH POINT

N.A.

Volatile Ingredients

Chemical / Compound	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
2-Butoxyethanol 111-76-2	N	N	Y - Glycol Ethers (SARA)	N	10	15
Water 7732-18-5	N	N	N	N	36	49

Regulated Compounds

	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Mercury (as Hg)	N	N	Y	N	0.000004	
Lead (as Pb)	N	N	Y	N	0.00005	
Cobalt Compound	N	N	Y	Y	0.1	
Glycol Ethers (SARA)	N	N	Y	N	10	

Volatile Organic Compounds - U.S. EPA / Canada

	E61W573	
	LB/Gal	g/L
Coating Density	11.12	1332
	By wt	By vol
Total Volatiles	47.6%	65.5%
Federally exempt solvents		
Water	36.3%	48.6%
Organic Volatiles	11.2%	16.8%
Percent Non-Volatile	52.4%	34.5%
VOC Content	LB/Gal	g/L
Total	1.24	149
Less exempt solvents	2.42	290
Of solids	3.61	433
Of solids	0.21 lb/lb	0.21 kg/kg
	By wt	
By wt LVP-VOC	11.2%	

Maximum Incremental Reactivity (MIR) (per US EPA Aerosol Ctg Rule, MIR Values 2009) **0.36**

Volatile Organic Compounds - California

	E61W573	
	LB/Gal	g/L
Coating Density	11.12	1332
	By wt	By vol
Total Volatiles	47.6%	65.5%
Exempt solvents		
Water	36.3%	48.6%
Organic Volatiles	11.2%	16.8%
Percent Non-Volatile	52.4%	34.5%
VOC Content	LB/Gal	g/L
Total	1.24	149
Less exempt solvents	2.42	290
Of solids	3.61	433
Of solids	0.21 lb/lb	0.21 kg/kg
	By wt	
By wt LVP-VOC	11.2%	

Maximum Incremental Reactivity (MIR) (per California Air Resources Board Aerosol Products Regulation, MIR Values 2010) **0.33**

Volatile Organic Compounds - South Coast Air Quality Management District, California, US

	E61W573	
	LB/Gal	g/L
Coating Density	11.12	1332
	By wt	By vol
Total Volatiles	47.6%	65.5%
Exempt solvents		
Water	36.3%	48.6%
Organic Volatiles	11.2%	16.8%
Percent Non-Volatile	52.4%	34.5%
VOC Content	LB/Gal	g/L
Total	1.24	149
Less exempt solvents	2.42	290
Of solids	3.61	433
Of solids	0.21 lb/lb	0.21 kg/kg

Volatile Organic Compounds - EU Directive 2004/42/EC

	E61W573	
	By wt	By vol
Total Volatiles	47.6%	65.5%
VOC Content	LB/Gal	g/L
Total	1.24	149

Volatile Organic Compounds - EU Directive 2010/75/EU

	E61W573	
	By wt	By vol
Total Volatiles	47.6%	65.5%
VOC Content	LB/Gal	g/L
Total	1.24	149

Volatile Organic Compounds - Mexico

	E61W573	
	LB/Gal	g/L
Coating Density	11.12	1332
	By wt	By vol
Total Volatiles	47.6%	65.5%
Exempt solvents		
Water	36.3%	48.6%
Organic Volatiles	11.2%	16.8%
Percent Non-Volatile	52.4%	34.5%
VOC Content	LB/Gal	g/L
Total	1.24	149
Less exempt solvents	2.42	290
Of solids	3.61	433
Of solids	0.21 lb/lb	0.21 kg/kg

Hazardous Air Pollutants (Clean Air Act, Section 112(b))

	E61W573	
	LB/Gal	kg/L
Volatile HAPS	0.00	0.000
Of solids	0.00	0.000
Of solids	0.00 lb/lb	0.00 kg/kg

Air Quality Data**Density of Organic Solvent Blend**

7.40 lb/gal

Photochemically Reactive

No

Waste Disposal

Waste from this product is not hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261.

The addition of any material to this product can change the composition, hazards and risks of the product and may substantially alter the above data. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.