### **ENVIRONMENTAL DATA SHEET**

(Certified Product Data Sheet)

**Date of Preparation** 

Apr 19, 2024

# 05 00 [0910]

E90G16

#### **PRODUCT NAME**

**PRODUCT NUMBER** 

MIL-C-8514C Pretreatment Wash Primer Transparent Green (Part A)

#### **MANUFACTURER'S NAME**

THE SHERWIN-WILLIAMS CO. 101 W. Prospect Avenue Cleveland, OH 44115

This document includes all data required by 40 CFR 63.801(a) for a Certified Product Data Sheet under criteria specified in 40 CFR 63.805(a). All data given below are MAXIMUM THEORETICAL VALUES based on the product AS CURRENTLY FORMULATED and rely on information provided to us by our raw material suppliers. Our suppliers often provide an estimated value or range less than a certain upper limit. We calculate MAXIMUM THEORETICAL VALUES using defined values, if provided, or the upper limit reported by our supplier. Additionally, the suppliers' information may include amounts present in the product as unintentional byproducts or impurities. Variations may occur in individual batches due to adjustments made during production.

## Hazard Category (for SARA 311.312)

E90G16 = | Acute | Chronic | Fire |

Product WeightSpecific GravityFLASH POINT7.33 lb/gal0.8865 °F PMCC

### **Volatile Ingredients**

Chemical / Compound	SARA 302 EHS	CERCLA	SARA 313 TC	<b>HAPS 112</b>	% by Weight	% by Volume
2-Propanol 67-63-0	N	N	N	N	62	70
1-Butanol 71-36-3	N	Υ	Υ	N	18	19

### **Regulated Compounds**

	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Zinc (as Zn)	N	Υ	Υ	N	5	
Mercury (as Hg)	N	N	Υ	N	0.0000006	
Lead (as Pb)	N	N	Υ	N	0.000007	
Chromium Compound	N	N	Υ	Υ	9	
Zinc Compound	N	N	Υ	N	9	

# Volatile Organic Compounds - U.S. EPA / Canada

	E90G16		
	LB/Gal	g/L	
Coating Density	7.33	878	
	By wt	By vol	
Total Volatiles	80.6%	90.1%	
Federally exempt solvents			
Water	0.2%	0.3%	
Organic Volatiles	80.4%	89.9%	
Percent Non-Volatile	19.4%	9.9%	
VOC Content	LB/Gal	g/L	
Total	5.89	706	
Less exempt solvents	5.91	708	
Of solids	59.83	7170	
Of solids	4.15 lb/lb	4.15 kg/kg	
	By wt		
By wt LVP-VOC	80.4%	_	

Maximum Incremental Reactivity (MIR) (per US EPA Aerosol Ctg Rule, MIR Values 2009) 1.05

## **Volatile Organic Compounds - California**

	E90G16		
	LB/Gal	g/L	
Coating Density	7.33	878	
	By wt	By vol	
Total Volatiles	80.6%	90.1%	
Exempt solvents			
Water	0.2%	0.3%	
Organic Volatiles	80.4%	89.9%	
Percent Non-Volatile	19.4%	9.9%	
VOC Content	LB/Gal	g/L	
Total	5.89	706	
Less exempt solvents	5.91	708	
Of solids	59.83	7170	
Of solids	4.15 lb/lb	4.15 kg/kg	
	By wt		
By wt LVP-VOC	80.4%		

Maximum Incremental Reactivity (MIR) (per California Air Resources Board Aerosol Products Regulation, MIR Values 2010) 0.91

# Volatile Organic Compounds - South Coast Air Quality Management District, California, US

	E90G16		
	LB/Gal	g/L	
Coating Density	7.33	878	
	By wt	By vol	
Total Volatiles	80.6%	90.1%	
Exempt solvents			
Water	0.2%	0.3%	
Organic Volatiles	80.4%	89.9%	
Percent Non-Volatile	19.4%	9.9%	
VOC Content	LB/Gal	g/L	
Total	5.89	706	
Less exempt solvents	5.91	708	
Of solids	59.83	7170	
Of solids	4.15 lb/lb	4.15 kg/kg	

## Volatile Organic Compounds - EU Directive 2004/42/EC

	E90G16		
	By wt	By vol	
Total Volatiles	80.6%	90.1%	
VOC Content	LB/Gal	g/L	
Total	5.89	706	

# Volatile Organic Compounds - EU Directive 2010/75/EU

	E90G16		
	By wt	By vol	
Total Volatiles	80.6%	90.1%	
VOC Content	LB/Gal	g/L	
Total	5.89	706	

# **Volatile Organic Compounds - Mexico**

	E90G16		
	LB/Gal	g/L	
Coating Density	7.33	878	
	By wt	By vol	
Total Volatiles	80.6%	90.1%	
Exempt solvents			
Water	0.2%	0.3%	
Organic Volatiles	80.4%	89.9%	
Percent Non-Volatile	19.4%	9.9%	
VOC Content	LB/Gal	g/L	
Total	5.89	706	
Less exempt solvents	5.91	708	
Of solids	59.83	7170	
Of solids	4.15 lb/lb	4.15 ka/ka	

## Hazardous Air Pollutants (Clean Air Act, Section 112(b))

	E90G16		
	LB/Gal	kg/L	
Volatile HAPS	0.00	0.000	
Of solids	0.00	0.000	
Of solids	0.00 lb/lb	0.00 kg/kg	

## **Air Quality Data**

**Density of Organic Solvent Blend** 

6.56 lb/gal

**Photochemically Reactive** 

No

## **Waste Disposal**

Waste from this product may be hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261. Waste must be tested for ignitability and extractability to determine the applicable EPA hazardous waste numbers.

The addition of any material to this product can change the composition, hazards and risks of the product and may substantially alter the above data. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.