

# ENVIRONMENTAL DATA SHEET

(Certified Product Data Sheet)

Date of Preparation

Jun 30, 2023

10 00 [1243]

## PRODUCT NUMBER

E90G205

## PRODUCT NAME

MIL-PRF-23377K Type II Class C2 2K Chromated Epoxy Polyamide Primer 2.8 VOC Part A Green 434100A/7

## MANUFACTURER'S NAME

THE SHERWIN-WILLIAMS CO.

101 W. Prospect Avenue

Cleveland, OH 44115

This document includes all data required by 40 CFR 63.801(a) for a Certified Product Data Sheet under criteria specified in 40 CFR 63.805(a). All data given below are MAXIMUM THEORETICAL VALUES based on the product AS CURRENTLY FORMULATED. Variations may occur on individual batches due to adjustments made during production.

## Hazard Category (for SARA 311.312)

E90G205 = | Acute | Chronic | Fire |

## Product Weight

12.11 lb/gal

## Specific Gravity

1.46

## FLASH POINT

22 °F PMCC

## Volatile Ingredients

Chemical / Compound	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Ethylbenzene 100-41-4	N	Y	Y	Y	0.1	< 1
1-Butanol 71-36-3	N	Y	Y	N	3	6
Acetone 67-64-1	N	Y	N	N	18	34
Methyl n-Amyl Ketone 110-43-0	N	N	N	N	10	19

## Non-Volatile Ingredients

Chemical / Compound	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Strontium Chromate 7789-06-2	N	Y	N	N	43	17

## Regulated Compounds

	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Chromium (as Cr)	N	Y	Y	N	11	
Chromium Compound	N	N	Y	Y	44	

**Volatile Organic Compounds - U.S. EPA / Canada**

	E90G205	
	LB/Gal	g/L
Coating Density	12.11	1451
	By wt	By vol
Total Volatiles	32.8%	60.1%
Federally exempt solvents		
Water	0.0%	0.0%
Acetone	18.4%	33.9%
Organic Volatiles	14.4%	26.3%
Percent Non-Volatile	67.2%	39.9%
VOC Content	LB/Gal	g/L
Total	1.74	208
Less exempt solvents	2.63	315
Of solids	4.36	523
Of solids	0.21 lb/lb	0.21 kg/kg
	By wt	
By wt LVP-VOC	14.4%	

Maximum Incremental Reactivity (MIR) (per US EPA Aerosol Ctg Rule, MIR Values 2009) **0.53**

**Volatile Organic Compounds - California**

	E90G205	
	LB/Gal	g/L
Coating Density	12.11	1451
	By wt	By vol
Total Volatiles	32.8%	60.1%
Exempt solvents		
Water	0.0%	0.0%
Acetone	18.4%	33.9%
Organic Volatiles	14.4%	26.3%
Percent Non-Volatile	67.2%	39.9%
VOC Content	LB/Gal	g/L
Total	1.74	208
Less exempt solvents	2.63	315
Of solids	4.36	523
Of solids	0.21 lb/lb	0.21 kg/kg
	By wt	
By wt LVP-VOC	14.4%	

Maximum Incremental Reactivity (MIR) (per California Air Resources Board Aerosol Products Regulation, MIR Values 2010) **0.46**

**Volatile Organic Compounds - South Coast Air Quality Management District, California, US**

	E90G205	
	LB/Gal	g/L
Coating Density	12.11	1451
	By wt	By vol
Total Volatiles	32.8%	60.1%
Exempt solvents		
Water	0.0%	0.0%
Acetone	18.4%	33.9%
Organic Volatiles	14.4%	26.3%
Percent Non-Volatile	67.2%	39.9%
VOC Content	LB/Gal	g/L
Total	1.74	208
Less exempt solvents	2.63	315
Of solids	4.36	523
Of solids	0.21 lb/lb	0.21 kg/kg

**Volatile Organic Compounds - EU Directive 2004/42/EC**

	E90G205	
	By wt	By vol
Total Volatiles	32.8%	60.1%
VOC Content	LB/Gal	g/L
Total	3.96	475

**Volatile Organic Compounds - EU Directive 2010/75/EU**

	E90G205	
	By wt	By vol
Total Volatiles	32.8%	60.1%
VOC Content	LB/Gal	g/L
Total	3.96	475

**Volatile Organic Compounds - Mexico**

	E90G205	
	LB/Gal	g/L
Coating Density	12.11	1451
	By wt	By vol
Total Volatiles	32.8%	60.1%
Exempt solvents		
Water	0.0%	0.0%
Acetone	18.4%	33.9%
Organic Volatiles	14.4%	26.3%
Percent Non-Volatile	67.2%	39.9%
VOC Content	LB/Gal	g/L
Total	1.74	208
Less exempt solvents	2.63	315
Of solids	4.36	523
Of solids	0.21 lb/lb	0.21 kg/kg

**Hazardous Air Pollutants (Clean Air Act, Section 112(b))**

	E90G205	
	LB/Gal	kg/L
Volatile HAPS	0.01	0.001
Of solids	0.03	0.004
Of solids	0.00 lb/lb	0.00 kg/kg

**Air Quality Data****Density of Organic Solvent Blend**

6.60 lb/gal

**Photochemically Reactive**

No

**Additional Regulatory Information****US EPA TSCA:**

Not Applicable

**Relevant identified uses of the substance or mixture and uses advised against:**

Not Applicable

**Waste Disposal**

Waste from this product may be hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261. Waste must be tested for ignitability and extractability to determine the applicable EPA hazardous waste numbers.

Addition of reducers or other additives to this product may substantially alter the above data. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.