ENVIRONMENTAL DATA SHEET

(Certified Product Data Sheet)

Date of Preparation

Jun 9, 2023

PRODUCT NUMBER

03 00 [0599]

F63T283

PRODUCT NAME

Polane® 8880 Low Gloss, Clear

MANUFACTURER'S NAME

THE SHERWIN-WILLIAMS COMPANY 101 W. Prospect Avenue Cleveland, OH 44115

This document includes all data required by 40 CFR 63.801(a) for a Certified Product Data Sheet under criteria specified in 40 CFR 63.805(a). All data given below are MAXIMUM THEORETICAL VALUES based on the product AS CURRENTLY FORMULATED. Variations may occur on individual batches due to adjustments made during production.

Hazard Category (for SARA 311.312)

F63T283 = | Acute | Chronic | Fire |

Product WeightSpecific GravityFLASH POINT10.73 lb/gal1.2985 °F PMCC

Volatile Ingredients

Chemical / Compound	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Ethylbenzene 100-41-4	N	Υ	Υ	Υ	0.2	< 1
Light Aromatic Hydrocarbons 64742-95-6	N	N	N	N	6	9
Cumene 98-82-8	N	Υ	Υ	Υ	0.4	< 1
1,3,5-Trimethylbenzene 108-67-8	N	N	N	N	1	2
1,2,4-Trimethylbenzene 95-63-6	N	N	Υ	N	1	2
Trimethylbenzene 25551-13-7	N	N	N	N	3	5
n-Butyl Acetate 123-86-4	N	Υ	N	N	13	20
t-Butyl Acetate 540-88-5	N	Υ	N	N	3	4

Volatile Organic Compounds - U.S. EPA / Canada

	F63T283		
	LB/Gal	g/L	
Coating Density	10.73	1286	
	By wt	By vol	
Total Volatiles	31.4%	46.5%	
Federally exempt solvents			
Water	0.0%	0.0%	
T-Butyl Acetate	2.8%	4.1%	
Organic Volatiles	28.7%	42.4%	
Percent Non-Volatile	68.6%	53.5%	
VOC Content	LB/Gal	g/L	
Total	3.07	368	
Less exempt solvents	3.20	384	
Of solids	5.75	689	
Of solids	0.41 lb/lb	0.41 kg/kg	
	By wt		
By wt LVP-VOC	28.6%		

Maximum Incremental Reactivity (MIR) (per US EPA Aerosol Ctg Rule, MIR Values 2009) 1.39

Volatile Organic Compounds - California

	F63T283		
	LB/Gal	g/L	
Coating Density	10.73	1286	
	By wt	By vol	
Total Volatiles	31.4%	46.5%	
Exempt solvents			
Water	0.0%	0.0%	
Organic Volatiles	31.4%	46.5%	
Percent Non-Volatile	68.6%	53.5%	
VOC Content	LB/Gal	g/L	
Total	3.37	403	
Less exempt solvents	3.37	403	
Of solids	6.30	755	
Of solids	0.45 lb/lb	0.45 kg/kg	
	By wt		
By wt LVP-VOC	31.4%		

Maximum Incremental Reactivity (MIR) (per California Air Resources Board Aerosol Products Regulation, MIR Values 2010) 1.32

Volatile Organic Compounds - South Coast Air Quality Management District, California, US

	F63T283		
	LB/Gal	g/L	
Coating Density	10.73	1286	
	By wt	By vol	
Total Volatiles	31.4%	46.5%	
Exempt solvents			
Water	0.0%	0.0%	
Organic Volatiles	31.4%	46.5%	
Percent Non-Volatile	68.6%	53.5%	
VOC Content	LB/Gal	g/L	
Total	3.37	403	
Less exempt solvents	3.37	403	
Of solids	6.30	755	
Of solids	0.45 lb/lb	0.45 kg/kg	

Volatile Organic Compounds - EU Directive 2004/42/EC

	F63T283		
	By wt	By vol	
Total Volatiles	31.4%	46.5%	
VOC Content	LB/Gal	g/L	
Total	3.37	403	

Volatile Organic Compounds - EU Directive 2010/75/EU

	F63T283	
	By wt	By vol
Total Volatiles	31.4%	46.5%
VOC Content	LB/Gal	g/L
Total	3.37	403

Volatile Organic Compounds - Mexico

F63T283		
LB/Gal	g/L	
10.73	1286	
By wt	By vol	
31.4%	46.5%	
0.0%	0.0%	
31.4%	46.5%	
68.6%	53.5%	
LB/Gal	g/L	
3.37	403	
3.37	403	
6.30	755	
0.45 lb/lb	0.45 kg/kg	
	LB/Gal 10.73 By wt 31.4% 0.0% 31.4% 68.6% LB/Gal 3.37 3.37 6.30	

Hazardous Air Pollutants (Clean Air Act, Section 112(b))

	F63T283		
	LB/Gal	kg/L	
Volatile HAPS	0.07	0.008	
Of solids	0.13	0.016	
Of solids	0.01 lb/lb	0.01 kg/kg	

Air Quality Data

Density of Organic Solvent Blend

7.24 lb/gal

Photochemically Reactive

Yes

Additional Regulatory Information

US EPA TSCA:

Not Applicable

Relevant identified uses of the substance or mixture and uses advised against:

Not Applicable

Waste Disposal

Waste from this product may be hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261. Waste must be tested for ignitability to determine the applicable EPA hazardous waste numbers.

Addition of reducers or other additives to this product may substantially alter the above data. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.