ENVIRONMENTAL DATA SHEET

(Certified Product Data Sheet)

Date of Preparation

Oct 31, 2023

PRODUCT NUMBER

04 00 [0358]

F63TC183

PRODUCT NAME

POLANE® D8700 DTM Medium Gloss, Clear Base

MANUFACTURER'S NAME

THE SHERWIN-WILLIAMS COMPANY 101 W. Prospect Avenue Cleveland, OH 44115

This document includes all data required by 40 CFR 63.801(a) for a Certified Product Data Sheet under criteria specified in 40 CFR 63.805(a). All data given below are MAXIMUM THEORETICAL VALUES based on the product AS CURRENTLY FORMULATED. Variations may occur on individual batches due to adjustments made during production.

Hazard Category (for SARA 311.312)

F63TC183 = | Acute | Chronic | Fire |

Product WeightSpecific GravityFLASH POINT11.60 lb/gal1.4081 °F PMCC

Volatile Ingredients

Chemical / Compound	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Ethylbenzene 100-41-4	N	Υ	Υ	Υ	0.1	< 1
5-Ethyl-2-nonanone 5440-89-1	N	N	N	N	1	2
Diamyl Ketone 927-49-1	N	N	N	N	1	2
Methyl n-Amyl Ketone 110-43-0	N	N	N	N	19	33

Volatile Organic Compounds - U.S. EPA / Canada

	F63TC183	
	LB/Gal	g/L
Coating Density	11.60	1390
	By wt	By vol
Total Volatiles	23.8%	41.2%
Federally exempt solvents		
Water	0.0%	0.0%
Organic Volatiles	23.8%	41.2%
Percent Non-Volatile	76.2%	58.8%
VOC Content	LB/Gal	g/L
Total	2.76	330
Less exempt solvents	2.76	330
Of solids	4.69	562
Of solids	0.31 lb/lb	0.31 kg/kg
	By wt	
By wt LVP-VOC	21.0%	

Maximum Incremental Reactivity (MIR) (per US EPA Aerosol Ctg Rule, MIR Values 2009) 1.21

Volatile Organic Compounds - California

	F63TC183	
	LB/Gal	g/L
Coating Density	11.60	1390
	By wt	By vol
Total Volatiles	23.8%	41.2%
Exempt solvents		
Water	0.0%	0.0%
Organic Volatiles	23.8%	41.2%
Percent Non-Volatile	76.2%	58.8%
VOC Content	LB/Gal	g/L
Total	2.76	330
Less exempt solvents	2.76	330
Of solids	4.69	562
Of solids	0.31 lb/lb	0.31 kg/kg
	By wt	
By wt LVP-VOC	21.0%	

Maximum Incremental Reactivity (MIR) (per California Air Resources Board Aerosol Products Regulation, MIR Values 2010) 0.82

Volatile Organic Compounds - South Coast Air Quality Management District, California, US

	F63TC183		
	LB/Gal	g/L	
Coating Density	11.60	1390	
	By wt	By vol	
Total Volatiles	23.8%	41.2%	
Exempt solvents			
Water	0.0%	0.0%	
Organic Volatiles	23.8%	41.2%	
Percent Non-Volatile	76.2%	58.8%	
VOC Content	LB/Gal	g/L	
Total	2.76	330	
Less exempt solvents	2.76	330	
Of solids	4.69	562	
Of solids	0.31 lb/lb	0.31 kg/kg	

Volatile Organic Compounds - EU Directive 2004/42/EC

	F63TC183	
	By wt	By vol
Total Volatiles	24.3%	41.8%
VOC Content	LB/Gal	g/L
Total	2.82	338

Volatile Organic Compounds - EU Directive 2010/75/EU

	F63TC183	
	By wt	By vol
Total Volatiles	23.8%	41.2%
VOC Content	LB/Gal	g/L
Total	2.76	330

Volatile Organic Compounds - Mexico

	F63TC183		
	LB/Gal	g/L	
Coating Density	11.60	1390	
	By wt	By vol	
Total Volatiles	23.8%	41.2%	
Exempt solvents			
Water	0.0%	0.0%	
Organic Volatiles	23.8%	41.2%	
Percent Non-Volatile	76.2%	58.8%	
VOC Content	LB/Gal	g/L	
Total	2.76	330	
Less exempt solvents	2.76	330	
Of solids	4.69	562	
Of solids	0.31 lb/lb	0.31 kg/kg	

Hazardous Air Pollutants (Clean Air Act, Section 112(b))

	F63TC183	
	LB/Gal	kg/L
Volatile HAPS	0.01	0.002
Of solids	0.03	0.004
Of solids	0.00 lb/lb	0.00 kg/kg

Air Quality Data

Density of Organic Solvent Blend

6.71 lb/gal

Photochemically Reactive

No

Waste Disposal

Waste from this product may be hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261. Waste must be tested for ignitability to determine the applicable EPA hazardous waste numbers.

Addition of reducers or other additives to this product may substantially alter the above data. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.