

# ENVIRONMENTAL DATA SHEET

(Certified Product Data Sheet)

35 00 [2003]

Date of Preparation  
Apr 19, 2024

## PRODUCT NUMBER

F65B50

## PRODUCT NAME

KEM LUSTRAL® Enamel, Wr. Iron Flat Black

## MANUFACTURER'S NAME

THE SHERWIN-WILLIAMS COMPANY  
101 W. Prospect Avenue  
Cleveland, OH 44115

This document includes all data required by 40 CFR 63.801(a) for a Certified Product Data Sheet under criteria specified in 40 CFR 63.805(a). All data given below are MAXIMUM THEORETICAL VALUES based on the product AS CURRENTLY FORMULATED and rely on information provided to us by our raw material suppliers. Our suppliers often provide an estimated value or range less than a certain upper limit. We calculate MAXIMUM THEORETICAL VALUES using defined values, if provided, or the upper limit reported by our supplier. Additionally, the suppliers' information may include amounts present in the product as unintentional byproducts or impurities. Variations may occur in individual batches due to adjustments made during production.

## Hazard Category (for SARA 311.312)

F65B50 = | Acute | Chronic | Fire |

## Product Weight

9.52 lb/gal

## Specific Gravity

1.15

## FLASH POINT

105 °F PMCC

## Volatile Ingredients

Chemical / Compound	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Light Aliphatic Hydrocarbon 64742-47-8	N	N	N	N	38	56
Ethylbenzene 100-41-4	N	Y	Y	Y	0.1	0.1

## Regulated Compounds

	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Mercury (as Hg)	N	N	Y	N	0.000006	
Lead (as Pb)	N	N	Y	N	0.00009	
Cobalt Compound	N	N	Y	Y	0.2	
Zinc Compound	N	N	Y	N	1	

**Volatile Organic Compounds - U.S. EPA / Canada**

	F65B50	
	LB/Gal	g/L
Coating Density	9.52	1140
	By wt	By vol
Total Volatiles	39.6%	58.5%
Federally exempt solvents		
Water	0.0%	0.0%
4-Methyl-1,3-dioxolan-2-one	0.1%	0.1%
Organic Volatiles	39.5%	58.3%
Percent Non-Volatile	60.4%	41.5%
VOC Content	LB/Gal	g/L
Total	3.76	450
Less exempt solvents	3.76	451
Of solids	9.05	1084
Of solids	0.65 lb/lb	0.65 kg/kg
	By wt	
By wt LVP-VOC	39.3%	

Maximum Incremental Reactivity (MIR) (per US EPA Aerosol Ctg Rule, MIR Values 2009) **0.37**

**Volatile Organic Compounds - California**

	F65B50	
	LB/Gal	g/L
Coating Density	9.52	1140
	By wt	By vol
Total Volatiles	39.6%	58.5%
Exempt solvents		
Water	0.0%	0.0%
Organic Volatiles	39.6%	58.4%
Percent Non-Volatile	60.4%	41.5%
VOC Content	LB/Gal	g/L
Total	3.77	451
Less exempt solvents	3.77	451
Of solids	9.07	1087
Of solids	0.65 lb/lb	0.65 kg/kg
	By wt	
By wt LVP-VOC	39.3%	

Maximum Incremental Reactivity (MIR) (per California Air Resources Board Aerosol Products Regulation, MIR Values 2010) **0.32**

**Volatile Organic Compounds - South Coast Air Quality Management District, California, US**

	F65B50	
	LB/Gal	g/L
Coating Density	9.52	1140
	By wt	By vol
Total Volatiles	39.6%	58.5%
Exempt solvents		
Water	0.0%	0.0%
4-Methyl-1,3-dioxolan-2-one	0.1%	0.1%
Organic Volatiles	39.5%	58.3%
Percent Non-Volatile	60.4%	41.5%
VOC Content	LB/Gal	g/L
Total	3.76	450
Less exempt solvents	3.76	451
Of solids	9.05	1084
Of solids	0.65 lb/lb	0.65 kg/kg

**Volatile Organic Compounds - EU Directive 2004/42/EC**

	F65B50	
	By wt	By vol
Total Volatiles	39.6%	58.5%
VOC Content	LB/Gal	g/L
Total	3.77	451

**Volatile Organic Compounds - EU Directive 2010/75/EU**

	F65B50	
	By wt	By vol
Total Volatiles	39.5%	58.4%
VOC Content	LB/Gal	g/L
Total	3.76	450

**Volatile Organic Compounds - Mexico**

	F65B50	
	LB/Gal	g/L
Coating Density	9.52	1140
	By wt	By vol
Total Volatiles	39.6%	58.5%
Exempt solvents		
Water	0.0%	0.0%
Organic Volatiles	39.6%	58.4%
Percent Non-Volatile	60.4%	41.5%
VOC Content	LB/Gal	g/L
Total	3.77	451
Less exempt solvents	3.77	451
Of solids	9.07	1087
Of solids	0.65 lb/lb	0.65 kg/kg

**Hazardous Air Pollutants (Clean Air Act, Section 112(b))**

	F65B50	
	LB/Gal	kg/L
Volatile HAPS	0.01	0.001
Of solids	0.02	0.002
Of solids	0.00 lb/lb	0.00 kg/kg

**Air Quality Data****Density of Organic Solvent Blend**

6.45 lb/gal

**Photochemically Reactive**

No

**Waste Disposal**

Waste from this product may be hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261. Waste must be tested for ignitability to determine the applicable EPA hazardous waste numbers.

The addition of any material to this product can change the composition, hazards and risks of the product and may substantially alter the above data. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.