

ENVIRONMENTAL DATA SHEET

(Certified Product Data Sheet)

Date of Preparation

Nov 16, 2023

07 00 [1501]

PRODUCT NUMBER

F88V162

PRODUCT NAME

KEM ACRYL® HS 100 Enamel, Gloss Clear

MANUFACTURER'S NAME

THE SHERWIN-WILLIAMS COMPANY

101 W. Prospect Avenue

Cleveland, OH 44115

This document includes all data required by 40 CFR 63.801(a) for a Certified Product Data Sheet under criteria specified in 40 CFR 63.805(a). All data given below are MAXIMUM THEORETICAL VALUES based on the product AS CURRENTLY FORMULATED. Variations may occur on individual batches due to adjustments made during production.

Hazard Category (for SARA 311.312)

F88V162 = | Acute | Chronic | Fire |

Product Weight

7.98 lb/gal

Specific Gravity

0.96

FLASH POINT

80 °F PMCC

Volatile Ingredients

Chemical / Compound	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Styrene 100-42-5	N	Y	Y	Y	3	4
Ethylbenzene 100-41-4	N	Y	Y	Y	0.1	< 1
Light Aromatic Hydrocarbons 64742-95-6	N	N	N	N	5	6
Cumene 98-82-8	N	Y	Y	Y	0.3	< 1
1,3,5-Trimethylbenzene 108-67-8	N	N	N	N	1	1
1,2,4-Trimethylbenzene 95-63-6	N	N	Y	N	1	1
Trimethylbenzene 25551-13-7	N	N	N	N	3	3
Methyl n-Amyl Ketone 110-43-0	N	N	N	N	23	27

Regulated Compounds

	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Cobalt Compound	N	N	Y	Y	0.2	

Volatile Organic Compounds - U.S. EPA / Canada

	F88V162	
	LB/Gal	g/L
Coating Density	7.98	955
	By wt	By vol
Total Volatiles	41.0%	47.0%
Federally exempt solvents		
Water	0.0%	0.0%
Organic Volatiles	40.9%	47.0%
Percent Non-Volatile	59.0%	53.0%
VOC Content	LB/Gal	g/L
Total	3.26	391
Less exempt solvents	3.26	391
Of solids	6.16	738
Of solids	0.69 lb/lb	0.69 kg/kg
	By wt	
By wt LVP-VOC	40.9%	

Maximum Incremental Reactivity (MIR) (per US EPA Aerosol Ctg Rule, MIR Values 2009) **1.93**

Volatile Organic Compounds - California

	F88V162	
	LB/Gal	g/L
Coating Density	7.98	955
	By wt	By vol
Total Volatiles	41.0%	47.0%
Exempt solvents		
Water	0.0%	0.0%
Organic Volatiles	40.9%	47.0%
Percent Non-Volatile	59.0%	53.0%
VOC Content	LB/Gal	g/L
Total	3.26	391
Less exempt solvents	3.26	391
Of solids	6.16	738
Of solids	0.69 lb/lb	0.69 kg/kg
	By wt	
By wt LVP-VOC	40.9%	

Maximum Incremental Reactivity (MIR) (per California Air Resources Board Aerosol Products Regulation, MIR Values 2010) **1.71**

Volatile Organic Compounds - South Coast Air Quality Management District, California, US

	F88V162	
	LB/Gal	g/L
Coating Density	7.98	955
	By wt	By vol
Total Volatiles	41.0%	47.0%
Exempt solvents		
Water	0.0%	0.0%
Organic Volatiles	40.9%	47.0%
Percent Non-Volatile	59.0%	53.0%
VOC Content	LB/Gal	g/L
Total	3.26	391
Less exempt solvents	3.26	391
Of solids	6.16	738
Of solids	0.69 lb/lb	0.69 kg/kg

Volatile Organic Compounds - EU Directive 2004/42/EC

	F88V162	
	By wt	By vol
Total Volatiles	41.0%	47.0%
VOC Content	LB/Gal	g/L
Total	3.26	391

Volatile Organic Compounds - EU Directive 2010/75/EU

	F88V162	
	By wt	By vol
Total Volatiles	41.0%	47.0%
VOC Content	LB/Gal	g/L
Total	3.26	391

Volatile Organic Compounds - Mexico

	F88V162	
	LB/Gal	g/L
Coating Density	7.98	955
	By wt	By vol
Total Volatiles	41.0%	47.0%
Exempt solvents		
Water	0.0%	0.0%
Organic Volatiles	41.0%	47.0%
Percent Non-Volatile	59.0%	53.0%
VOC Content	LB/Gal	g/L
Total	3.26	391
Less exempt solvents	3.26	391
Of solids	6.16	738
Of solids	0.69 lb/lb	0.69 kg/kg

Hazardous Air Pollutants (Clean Air Act, Section 112(b))

	F88V162	
	LB/Gal	kg/L
Volatile HAPS	0.30	0.036
Of solids	0.58	0.069
Of solids	0.06 lb/lb	0.06 kg/kg

Air Quality Data**Density of Organic Solvent Blend**

6.95 lb/gal

Photochemically Reactive

Yes

Waste Disposal

Waste from this product may be hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261. Waste must be tested for ignitability to determine the applicable EPA hazardous waste numbers.

Addition of reducers or other additives to this product may substantially alter the above data. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.