ENVIRONMENTAL DATA SHEET

(Certified Product Data Sheet)

19 00 [3131]

Date of Preparation Nov 10, 2021

PRODUCT NUMBER

F91W226

PRODUCT NAME

MIL-PRF-22750G Type II 2K High Solids Epoxy Topcoat Part A Untinted Gloss White Q2043

MANUFACTURER'S NAME

THE SHERWIN-WILLIAMS CO.

101 W. Prospect Avenue

Cleveland, OH 44115

This document includes all data required by 40 CFR 63.801(a) for a Certified Product Data Sheet under criteria specified in 40 CFR 63.805(a). All data given below are MAXIMUM THEORETICAL VALUES based on the product AS CURRENTLY FORMULATED. Variations may occur on individual batches due to adjustments made during production.

Hazard Category (for SARA 311.312)

F91W226 = | Acute | Chronic | Fire |

Product Weight 12.19 lb/gal	Sp	ecific Gravity 1.47		FL	ASH POINT 20 °F PMCC	
Volatile Ingredients						
Chemical / Compound	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Di-isobutyl Ketone 108-83-8	Ν	N	Ν	N	2	3
Acetone 67-64-1	N	Y	N	N	10	18
Methyl n-Amyl Ketone 110-43-0	N	N	N	N	8	14

Volatile Organic Compounds - U.S. EPA / Canada

	F91W226		
	LB/Gal	g/L	
Coating Density	12.19	1460	
	By wt	By vol	
Total Volatiles	21.4%	38.8%	
Federally exempt solvents			
Water	0.0%	0.0%	
Acetone	10.0%	18.5%	
Organic Volatiles	11.4%	20.4%	
Percent Non-Volatile	78.6%	61.2%	
VOC Content	LB/Gal	g/L	
Total	1.38	166	
Less exempt solvents	1.70	203	
Of solids	2.26	271	
Of solids	0.14 lb/lb	0.14 kg/kg	
	By wt		
By wt LVP-VOC	11.4%		

Maximum Incremental Reactivity (MIR) (per US EPA Aerosol Ctg Rule, MIR Values 2009) 0.42

Volatile Organic Compounds - California

	F91W226	
	LB/Gal	g/L
Coating Density	12.19	1460
	By wt	By vol
Total Volatiles	21.4%	38.8%
Exempt solvents		
Water	0.0%	0.0%
Acetone	10.0%	18.5%
Organic Volatiles	11.4%	20.4%
Percent Non-Volatile	78.6%	61.2%
VOC Content	LB/Gal	g/L
Total	1.38	166
Less exempt solvents	1.70	203
Of solids	2.26	271
Of solids	0.14 lb/lb	0.14 kg/kg
	By wt	
By wt LVP-VOC	11.4%	

Maximum Incremental Reactivity (MIR) (per California Air Resources Board Aerosol Products Regulation, MIR Values 2010) 0.35

Volatile Organic Compounds - South Coast Air Quality Management District, California, US

	F91W226	
	LB/Gal	g/L
Coating Density	12.19	1460
	By wt	By vol
Total Volatiles	21.4%	38.8%
Exempt solvents		
Water	0.0%	0.0%
Acetone	10.0%	18.5%
Organic Volatiles	11.4%	20.4%
Percent Non-Volatile	78.6%	61.2%
VOC Content	LB/Gal	g/L
Total	1.38	166
Less exempt solvents	1.70	203
Of solids	2.26	271
Of solids	0.14 lb/lb	0.14 kg/kg

Volatile Organic Compounds - EU Directive 2004/42/EC

	F91W226	
	By wt	By vol
Total Volatiles	21.4%	38.8%
VOC Content	LB/Gal	g/L
Total	2.60	312

Volatile Organic Compounds - EU Directive 2010/75/EU

	F91	W226
	By wt	By vol
Total Volatiles	21.4%	38.8%
VOC Content	LB/Gal	g/L
Total	2.60	312

Volatile Organic Compounds - Mexico

	F91W226		
	LB/Gal	g/L	
Coating Density	12.19	1460	
	By wt	By vol	
Total Volatiles	21.4%	38.8%	
Exempt solvents			
Water	0.0%	0.0%	
Acetone	10.0%	18.5%	
Organic Volatiles	11.4%	20.4%	
Percent Non-Volatile	78.6%	61.2%	
VOC Content	LB/Gal	g/L	
Total	1.38	166	
Less exempt solvents	1.70	203	
Of solids	2.26	271	
Of solids	0.14 lb/lb	0.14 kg/kg	

Hazardous Air Pollutants (Clean Air Act, Section 112(b))

	F91W226		
	LB/Gal	kg/L	
Volatile HAPS	0.00	0.000	
Of solids	0.00	0.000	
Of solids	0.00 lb/lb	0.00 kg/kg	

Air Quality Data

Density of Organic Solvent Blend 6.71 lb/gal Photochemically Reactive No

Additional Regulatory Information

US EPA TSCA:

Not Applicable

Relevant identified uses of the substance or mixture and uses advised against: Not Applicable

Waste Disposal

Waste from this product may be hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261. Waste must be tested for ignitability to determine the applicable EPA hazardous waste numbers.

Addition of reducers or other additives to this product may substantially alter the above data. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.