

# ENVIRONMENTAL DATA SHEET

(Certified Product Data Sheet)

Date of Preparation  
Apr 20, 2024

08 00 [1892]

## PRODUCT NUMBER

F92A27

## PRODUCT NAME

MIL-PRF-22750G Type III Class H Grade A 2K High Solids Epoxy Topcoat Enhanced Corrosion Direct to Metal  
Application Light Gray 26492

## MANUFACTURER'S NAME

THE SHERWIN-WILLIAMS CO.  
101 W. Prospect Avenue  
Cleveland, OH 44115

This document includes all data required by 40 CFR 63.801(a) for a Certified Product Data Sheet under criteria specified in 40 CFR 63.805(a). All data given below are MAXIMUM THEORETICAL VALUES based on the product AS CURRENTLY FORMULATED and rely on information provided to us by our raw material suppliers. Our suppliers often provide an estimated value or range less than a certain upper limit. We calculate MAXIMUM THEORETICAL VALUES using defined values, if provided, or the upper limit reported by our supplier. Additionally, the suppliers' information may include amounts present in the product as unintentional byproducts or impurities. Variations may occur in individual batches due to adjustments made during production.

## Hazard Category (for SARA 311.312)

F92A27 = | Acute | Chronic | Fire |

## Product Weight

13.30 lb/gal

## Specific Gravity

1.60

## FLASH POINT

50 °F PMCC

## Volatile Ingredients

Chemical / Compound	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
p-Chlorobenzotrifluoride 98-56-6	N	N	N	N	11	13
Acetone 67-64-1	N	Y	N	N	12	24
t-Butyl Acetate 540-88-5	N	Y	N	N	6	11

## Regulated Compounds

	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Zinc (as Zn)	N	Y	Y	N	5	
Lead (as Pb)	N	N	Y	N	0.0003	
Zinc Compound	N	N	Y	N	9	

**Volatile Organic Compounds - U.S. EPA / Canada**

	F92A27	
	LB/Gal	g/L
Coating Density	13.30	1594
	By wt	By vol
Total Volatiles	28.4%	47.6%
Federally exempt solvents		
Water	0.0%	0.0%
Acetone	11.8%	23.9%
P-Chlorobenzotrifluoride	10.5%	12.5%
T-Butyl Acetate	6.0%	11.1%
Organic Volatiles	0.0%	0.1%
Percent Non-Volatile	71.6%	52.4%
VOC Content	LB/Gal	g/L
Total	0.00	0
Less exempt solvents	0.00	1
Of solids	0.00	1
Of solids	0.00 lb/lb	0.00 kg/kg
	By wt	
By wt LVP-VOC	0.0%	

Maximum Incremental Reactivity (MIR) (per US EPA Aerosol Ctg Rule, MIR Values 2009) **0.07**

**Volatile Organic Compounds - California**

	F92A27	
	LB/Gal	g/L
Coating Density	13.30	1594
	By wt	By vol
Total Volatiles	28.4%	47.6%
Exempt solvents		
Water	0.0%	0.0%
Acetone	11.8%	23.9%
P-Chlorobenzotrifluoride	10.5%	12.5%
Organic Volatiles	6.0%	11.2%
Percent Non-Volatile	71.6%	52.4%
VOC Content	LB/Gal	g/L
Total	0.80	96
Less exempt solvents	1.26	151
Of solids	1.52	183
Of solids	0.08 lb/lb	0.08 kg/kg
	By wt	
By wt LVP-VOC	6.0%	

Maximum Incremental Reactivity (MIR) (per California Air Resources Board Aerosol Products Regulation, MIR Values 2010) **0.06**

**Volatile Organic Compounds - South Coast Air Quality Management District, California, US**

	F92A27	
	LB/Gal	g/L
Coating Density	13.30	1594
	By wt	By vol
Total Volatiles	28.4%	47.6%
Exempt solvents		
Water	0.0%	0.0%
Acetone	11.8%	23.9%
P-Chlorobenzotrifluoride	10.5%	12.5%
Organic Volatiles	6.0%	11.2%
Percent Non-Volatile	71.6%	52.4%
VOC Content	LB/Gal	g/L
Total	0.80	96
Less exempt solvents	1.26	151
Of solids	1.52	183
Of solids	0.08 lb/lb	0.08 kg/kg

**Volatile Organic Compounds - EU Directive 2004/42/EC**

	F92A27	
	By wt	By vol
Total Volatiles	28.4%	47.6%
VOC Content	LB/Gal	g/L
Total	3.77	452

**Volatile Organic Compounds - EU Directive 2010/75/EU**

	F92A27	
	By wt	By vol
Total Volatiles	28.4%	47.6%
VOC Content	LB/Gal	g/L
Total	3.77	452

**Volatile Organic Compounds - Mexico**

	F92A27	
	LB/Gal	g/L
Coating Density	13.30	1594
	By wt	By vol
Total Volatiles	28.4%	47.6%
Exempt solvents		
Water	0.0%	0.0%
Acetone	11.8%	23.9%
Organic Volatiles	16.5%	23.7%
Percent Non-Volatile	71.6%	52.4%
VOC Content	LB/Gal	g/L
Total	2.20	263
Less exempt solvents	2.89	346
Of solids	4.20	503
Of solids	0.23 lb/lb	0.23 kg/kg

**Hazardous Air Pollutants (Clean Air Act, Section 112(b))**

	F92A27	
	LB/Gal	kg/L
Volatile HAPS	0.00	0.000
Of solids	0.00	0.000
Of solids	0.00 lb/lb	0.00 kg/kg

**Air Quality Data****Density of Organic Solvent Blend**

7.93 lb/gal

**Photochemically Reactive**

No

**Waste Disposal**

Waste from this product may be hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261. Waste must be tested for ignitability to determine the applicable EPA hazardous waste numbers.

The addition of any material to this product can change the composition, hazards and risks of the product and may substantially alter the above data. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.