

ENVIRONMENTAL DATA SHEET

(Certified Product Data Sheet)

Date of Preparation

Dec 15, 2022

01 00 [3492]

PRODUCT NUMBER

F93B115

PRODUCT NAME

Anti-Slip Moisture Cure Urethane A-A-59166 Type II, Black 37030

MANUFACTURER'S NAME

THE SHERWIN-WILLIAMS CO.

101 W. Prospect Avenue

Cleveland, OH 44115

This document includes all data required by 40 CFR 63.801(a) for a Certified Product Data Sheet under criteria specified in 40 CFR 63.805(a). All data given below are MAXIMUM THEORETICAL VALUES based on the product AS CURRENTLY FORMULATED. Variations may occur on individual batches due to adjustments made during production.

Hazard Category (for SARA 311.312)

F93B115 = | Fire |

Product Weight

9.54 lb/gal

Specific Gravity

1.15

FLASH POINT

95 °F TCC

Volatile Ingredients

Chemical / Compound	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Light Aromatic Hydrocarbons 64742-95-6	N	N	N	N	1	2
p-Chlorobenzotrifluoride 98-56-6	N	N	N	N	39	33
n-Butyl Acetate 123-86-4	N	Y	N	N	1	2

Volatile Organic Compounds - U.S. EPA / Canada

	F93B115	
	LB/Gal	g/L
Coating Density	9.54	1142
	By wt	By vol
Total Volatiles	43.9%	39.9%
Federally exempt solvents		
Water	0.0%	0.0%
P-Chlorobenzotrifluoride	39.0%	33.5%
Organic Volatiles	4.9%	6.4%
Percent Non-Volatile	56.1%	60.1%
VOC Content	LB/Gal	g/L
Total	0.46	55
Less exempt solvents	0.69	83
Of solids	0.77	92
Of solids	0.08 lb/lb	0.08 kg/kg
	By wt	
By wt LVP-VOC	4.5%	

Maximum Incremental Reactivity (MIR) (per US EPA Aerosol Ctg Rule, MIR Values 2009) **0.36**

Volatile Organic Compounds - California

	F93B115	
	LB/Gal	g/L
Coating Density	9.54	1142
	By wt	By vol
Total Volatiles	43.9%	39.9%
Exempt solvents		
Water	0.0%	0.0%
P-Chlorobenzotrifluoride	39.0%	33.5%
Organic Volatiles	4.9%	6.4%
Percent Non-Volatile	56.1%	60.1%
VOC Content	LB/Gal	g/L
Total	0.46	55
Less exempt solvents	0.69	83
Of solids	0.77	92
Of solids	0.08 lb/lb	0.08 kg/kg
	By wt	
By wt LVP-VOC	4.5%	

Maximum Incremental Reactivity (MIR) (per California Air Resources Board Aerosol Products Regulation, MIR Values 2010) **0.33**

Volatile Organic Compounds - South Coast Air Quality Management District, California, US

	F93B115	
	LB/Gal	g/L
Coating Density	9.54	1142
	By wt	By vol
Total Volatiles	43.9%	39.9%
Exempt solvents		
Water	0.0%	0.0%
P-Chlorobenzotrifluoride	39.0%	33.5%
Organic Volatiles	4.9%	6.4%
Percent Non-Volatile	56.1%	60.1%
VOC Content	LB/Gal	g/L
Total	0.46	55
Less exempt solvents	0.69	83
Of solids	0.77	92
Of solids	0.08 lb/lb	0.08 kg/kg

Volatile Organic Compounds - EU Directive 2004/42/EC

	F93B115	
	By wt	By vol
Total Volatiles	48.2%	44.3%
VOC Content	LB/Gal	g/L
Total	4.59	550

Volatile Organic Compounds - EU Directive 2010/75/EU

	F93B115	
	By wt	By vol
Total Volatiles	43.9%	39.9%
VOC Content	LB/Gal	g/L
Total	4.18	501

Volatile Organic Compounds - Mexico

	F93B115	
	LB/Gal	g/L
Coating Density	9.54	1142
	By wt	By vol
Total Volatiles	43.9%	39.9%
Exempt solvents		
Water	0.0%	0.0%
Organic Volatiles	43.9%	39.9%
Percent Non-Volatile	56.1%	60.1%
VOC Content	LB/Gal	g/L
Total	4.18	501
Less exempt solvents	4.18	501
Of solids	6.96	835
Of solids	0.78 lb/lb	0.78 kg/kg

Hazardous Air Pollutants (Clean Air Act, Section 112(b))

	F93B115	
	LB/Gal	kg/L
Volatile HAPS	0.00	0.000
Of solids	0.00	0.000
Of solids	0.00 lb/lb	0.00 kg/kg

Air Quality Data

Density of Organic Solvent Blend

10.50 lb/gal

Photochemically Reactive

Yes

Additional Regulatory Information

US EPA TSCA:

Not Applicable

Relevant identified uses of the substance or mixture and uses advised against:

Not Applicable

Waste Disposal

Waste from this product may be hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261. Waste must be tested for ignitability to determine the applicable EPA hazardous waste numbers.

Addition of reducers or other additives to this product may substantially alter the above data. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.