

ENVIRONMENTAL DATA SHEET

(Certified Product Data Sheet)

Date of Preparation
Oct 13, 2017

01 00 [1720]

PRODUCT NUMBER

F93G00105

PRODUCT NAME

F93G00105 MIL-DTL-53039C T1 MOISTURE CURE SILICA TOPCOAT 1K ALIPHATIC POLYURETHANE 3.5 VOC
HAPS FREE GREEN 383 34094 Q1820

MANUFACTURER'S NAME

THE SHERWIN-WILLIAMS CO.
101 W. Prospect Avenue
Cleveland, OH 44115

This document includes all data required by 40 CFR 63.801(a) for a Certified Product Data Sheet under criteria specified in 40 CFR 63.805(a). All data given below are MAXIMUM THEORETICAL VALUES based on the product AS CURRENTLY FORMULATED. Variations may occur on individual batches due to adjustments made during production.

Product Weight

10.72 lb/gal

Specific Gravity

1.29

FLASH POINT

96 °F TCC

Hazard Category (for SARA 311.312)

| Acute | Chronic | Fire |

Volatile Ingredients

Chemical / Compound	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Light Aromatic Hydrocarbons 64742-95-6	N	N	N	N	3	5
1,3,5-Trimethylbenzene 108-67-8	N	N	N	N	1	2
1,2,4-Trimethylbenzene 95-63-6	N	N	Y	N	5	7
Methyl Isoamyl Ketone 110-12-3	N	N	N	N	18	29
n-Butyl Acetate 123-86-4	N	Y	N	N	2	2

Regulated Compounds

	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Chromium (as Cr)	N	Y	Y	Y	8	
Cobalt	N	N	Y	N	1	
Zinc (as Zn)	N	Y	Y	N	1	
Chromium Compound	N	N	Y	N	13	
Cobalt Compound	N	N	Y	N	7	
Zinc Compound	N	N	Y	N	7	

Volatile Organic Compounds - U.S. EPA

A.	Coating Density	10.72 lb/gal	1284 g/l	
B.	Total Volatiles	31.1% by wt.	47.8% by vol.	
C.	Federally exempt solvents:			
	Water	0.0% by wt.	0.0% by vol.	
D.	Organic Volatiles	31.1% by wt.	47.8% by vol.	
E.	Percent Non-Volatile	68.9% by wt.	52.2% by vol.	
F.	VOC Content	3.32 lb/gal	398 g/l	total
		3.32 lb/gal	398 g/l	less exempt solvents
		6.38 lb/gal	764 g/l	of solids
		0.45 lb/lb	0.45 kg/kg	of solids
		31.1%		by wt LVP-VOC

Maximum Incremental Reactivity (MIR) (per US EPA Aerosol Ctg Rule, MIR Values 2009)
1.34

Volatile Organic Compounds - California

A.	Coating Density	10.72 lb/gal	1284 g/l	
B.	Total Volatiles	31.1% by wt.	47.8% by vol.	
C.	Exempt solvents:			
	Water	0.0% by wt.	0.0% by vol.	
D.	Organic Volatiles	31.1% by wt.	47.8% by vol.	
E.	Percent Non-Volatile	68.9% by wt.	52.2% by vol.	
F.	VOC Content	3.32 lb/gal	398 g/l	total
		3.32 lb/gal	398 g/l	less exempt solvents
		6.38 lb/gal	764 g/l	of solids
		0.45 lb/lb	0.45 kg/kg	of solids
		31.1%		by wt LVP-VOC

Maximum Incremental Reactivity (MIR) (per California Air Resources Board Aerosol Products Regulation, MIR Values 2010)
1.34

Volatile Organic Compounds - South Coast Air Quality Management District, California, US

A.	Coating Density	10.72 lb/gal	1284 g/l	
B.	Total Volatiles	31.1% by wt.	47.8% by vol.	
C.	Exempt solvents:			
	Water	0.0% by wt.	0.0% by vol.	
D.	Organic Volatiles	31.1% by wt.	47.8% by vol.	
E.	Percent Non-Volatile	68.9% by wt.	52.2% by vol.	
F.	VOC Content	3.32 lb/gal	398 g/l	total
		3.32 lb/gal	398 g/l	less exempt solvents
		6.38 lb/gal	764 g/l	of solids
		0.45 lb/lb	0.45 kg/kg	of solids
		31.1%		by wt LVP-VOC

Volatile Organic Compounds - EU Directive 2010/75/EU

Total Volatiles	31.1% by wt.	47.8% by vol.
VOC Content	3.32 lb/gal	398 g/l

Hazardous Air Pollutants (Clean Air Act, Section 112(b))

Volatile HAPS	0.00	lb/gal	0.000	kg/l
	0.00	lb/gal	0.000	kg/l of solids
	0.00	lb/lb	0.00	kg/kg of solids

Air Quality Data**Density of Organic Solvent Blend**

6.96 lb/gal

Photochemically Reactive

Yes

Additional Regulatory Information**US EPA TSCA:**

Not Applicable

Relevant identified uses of the substance or mixture and uses advised against:

Not Applicable

Waste Disposal

Waste from this product may be hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261.
Waste must be tested for ignitability and extractability to determine the applicable EPA hazardous waste numbers.

Addition of reducers or other additives to this product may substantially alter the above data. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.

