ENVIRONMENTAL DATA SHEET

(Certified Product Data Sheet)

Date of Preparation

Jul 31, 2023

29 00 [2123]

PRODUCT NUMBER

F93G504KM

PRODUCT NAME

MIL-DTL-64159C Type III 2K Water Reducible Polyurethane Tru-Mix® Touch Up Cartridge 300mL Green 383 34094 Q1876

MANUFACTURER'S NAME

THE SHERWIN-WILLIAMS CO. 101 W. Prospect Avenue Cleveland, OH 44115

This document includes all data required by 40 CFR 63.801(a) for a Certified Product Data Sheet under criteria specified in 40 CFR 63.805(a). All data given below are MAXIMUM THEORETICAL VALUES based on the product AS CURRENTLY FORMULATED. Variations may occur on individual batches due to adjustments made during production.

Hazard Category (for SARA 311.312)

F93G504KM = | Acute | Chronic |

Product WeightSpecific GravityFLASH POINT10.96 lb/gal1.32N.A.

Volatile Ingredients

Chemical / Compound	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
1-Methyl-2-Pyrrolidone 872-50-4	N	N	Υ	N	3	4
Water 7732-18-5	N	N	N	N	45	60

Regulated Compounds

	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Chromium (as Cr)	N	Υ	Υ	N	12	
Cobalt	N	N	Υ	N	2	
Zinc (as Zn)	N	Υ	Υ	N	3	
Antimony (as Sb)	N	Υ	Υ	N	4	
Chromium Compound	N	N	Υ	Υ	21	
Cobalt Compound	N	N	Υ	Υ	11	
Zinc Compound	N	N	Υ	N	11	
Antimony Compound	N	N	Υ	Υ	11	

Volatile Organic Compounds - U.S. EPA / Canada

	F93G504KM		
	LB/Gal	g/L	
Coating Density	10.96	1312	
	By wt	By vol	
Total Volatiles	49.1%	64.7%	
Federally exempt solvents			
Water	45.3%	59.6%	
Organic Volatiles	3.8%	5.1%	
Percent Non-Volatile	50.9%	35.3%	
VOC Content	LB/Gal	g/L	
Total	0.41	49	
Less exempt solvents	1.02	122	
Of solids	1.17	140	
Of solids	0.07 lb/lb	0.07 kg/kg	
	By wt		
By wt LVP-VOC	3.7%		

Maximum Incremental Reactivity (MIR) (per US EPA Aerosol Ctg Rule, MIR Values 2009) 0.16

Volatile Organic Compounds - California

	F93G504KM		
	LB/Gal	g/L	
Coating Density	10.96	1312	
	By wt	By vol	
Total Volatiles	49.1%	64.7%	
Exempt solvents			
Water	45.3%	59.6%	
Organic Volatiles	3.8%	5.1%	
Percent Non-Volatile	50.9%	35.3%	
VOC Content	LB/Gal	g/L	
Total	0.41	49	
Less exempt solvents	1.02	122	
Of solids	1.17	140	
Of solids	0.07 lb/lb	0.07 kg/kg	
	By wt		
By wt LVP-VOC	3.7%		

Maximum Incremental Reactivity (MIR) (per California Air Resources Board Aerosol Products Regulation, MIR Values 2010) 0.09

Volatile Organic Compounds - South Coast Air Quality Management District, California, US

	F93G504KM		
	LB/Gal	g/L	
Coating Density	10.96	1312	
	By wt	By vol	
Total Volatiles	49.1%	64.7%	
Exempt solvents			
Water	45.3%	59.6%	
Organic Volatiles	3.8%	5.1%	
Percent Non-Volatile	50.9%	35.3%	
VOC Content	LB/Gal	g/L	
Total	0.41	49	
Less exempt solvents	1.02	122	
Of solids	1.17	140	
Of solids	0.07 lb/lb	0.07 kg/kg	

Volatile Organic Compounds - EU Directive 2004/42/EC

	F93G504KM		
	By wt	By vol	
Total Volatiles	51.6%	67.8%	
VOC Content	LB/Gal	g/L	
Total	0.68	82	

Volatile Organic Compounds - EU Directive 2010/75/EU

	F93G504KM		
	By wt	By vol	
Total Volatiles	49.0%	64.6%	
VOC Content	LB/Gal	g/L	
Total	0.41	49	

Volatile Organic Compounds - Mexico

	F93G504KM		
	LB/Gal	g/L	
Coating Density	10.96	1312	
	By wt	By vol	
Total Volatiles	49.1%	64.7%	
Exempt solvents			
Water	45.3%	59.6%	
Organic Volatiles	3.8%	5.1%	
Percent Non-Volatile	50.9%	35.3%	
VOC Content	LB/Gal	g/L	
Total	0.41	49	
Less exempt solvents	1.02	122	
Of solids	1.17	140	
Of solids	0.07 lb/lb	0.07 kg/kg	

Hazardous Air Pollutants (Clean Air Act, Section 112(b))

	F93G504KM		
	LB/Gal	kg/L	
Volatile HAPS	0.00	0.000	
Of solids	0.00	0.000	
Of solids	0.00 lb/lb	0.00 kg/kg	

Air Quality Data

Density of Organic Solvent Blend

8.10 lb/gal

Photochemically Reactive

No

Additional Regulatory Information

US EPA TSCA:

Not Applicable

Relevant identified uses of the substance or mixture and uses advised against:

Not Applicable

Waste Disposal

Waste from this product may be hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261. Waste must be tested for extractability to determine the applicable EPA hazardous waste numbers.

Addition of reducers or other additives to this product may substantially alter the above data. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.