#### **ENVIRONMENTAL DATA SHEET**

(Certified Product Data Sheet)

**Date of Preparation** 

Jan 29, 2022

# 04 00 [1298]

PRODUCT NUMBER F93GC359

### PRODUCT NAME

MIL-DTL-11195H Type II Fast Dry Lusterless Enamel 3.5 VOC Forest Green 34079 Q2120

#### **MANUFACTURER'S NAME**

THE SHERWIN-WILLIAMS CO.

101 W. Prospect Avenue

Cleveland, OH 44115

This document includes all data required by 40 CFR 63.801(a) for a Certified Product Data Sheet under criteria specified in 40 CFR 63.805(a). All data given below are MAXIMUM THEORETICAL VALUES based on the product AS CURRENTLY FORMULATED. Variations may occur on individual batches due to adjustments made during production.

#### Hazard Category (for SARA 311.312)

F93GC359 = | Acute | Chronic | Fire |

Product WeightSpecific GravityFLASH POINT11.75 lb/gal1.4145 °F PMCC

#### **Volatile Ingredients**

Chemical / Compound	SARA 302 EHS	CERCLA	SARA 313 TC	<b>HAPS 112</b>	% by Weight	% by Volume
Ethylbenzene 100-41-4	N	Y	Υ	Y	0.1	< 1
Cumene 98-82-8	N	Y	Υ	Υ	0.3	< 1
Methyl n-Propyl Ketone 107-87-9	N	N	N	N	6	10
Methyl Isobutyl Ketone 108-10-1	N	Y	Υ	Υ	1	2
n-Butyl Propionate 590-01-2	N	N	N	N	14	22
n-Butyl Acetate 123-86-4	N	Y	N	N	1	2
-Butyl Acetate 540-88-5	N	Υ	N	N	3	6

#### **Regulated Compounds**

	SARA 302 EHS	CERCLA	SARA 313 TC	<b>HAPS 112</b>	% by Weight	% by Volume
Zinc (as Zn)	N	Υ	Υ	N	4	
Zinc Compound	N	N	Υ	N	7	

# Volatile Organic Compounds - U.S. EPA / Canada

	F93GC359		
	LB/Gal	g/L	
Coating Density	11.75	1408	
	By wt	By vol	
Total Volatiles	27.2%	45.0%	
Federally exempt solvents			
Water	0.0%	0.0%	
T-Butyl Acetate	3.4%	5.5%	
Organic Volatiles	23.8%	39.5%	
Percent Non-Volatile	72.8%	55.0%	
VOC Content	LB/Gal	g/L	
Total	2.79	335	
Less exempt solvents	2.96	355	
Of solids	5.09	610	
Of solids	0.32 lb/lb	0.32 kg/kg	
	By wt		
By wt LVP-VOC	23.8%		

Maximum Incremental Reactivity (MIR) (per US EPA Aerosol Ctg Rule, MIR Values 2009) 0.47

# Volatile Organic Compounds - California

	F93GC359		
	LB/Gal	g/L	
Coating Density	11.75	1408	
	By wt	By vol	
Total Volatiles	27.2%	45.0%	
Exempt solvents			
Water	0.0%	0.0%	
Organic Volatiles	27.2%	45.0%	
Percent Non-Volatile	72.8%	55.0%	
VOC Content	LB/Gal	g/L	
Total	3.19	383	
Less exempt solvents	3.19	383	
Of solids	5.81	696	
Of solids	0.37 lb/lb	0.37 kg/kg	
	By wt		
By wt LVP-VOC	27.2%		

Maximum Incremental Reactivity (MIR) (per California Air Resources Board Aerosol Products Regulation, MIR Values 2010) 0.41

# Volatile Organic Compounds - South Coast Air Quality Management District, California, US

	F93GC359		
	LB/Gal	g/L	
Coating Density	11.75	1408	
	By wt	By vol	
Total Volatiles	27.2%	45.0%	
Exempt solvents			
Water	0.0%	0.0%	
Organic Volatiles	27.2%	45.0%	
Percent Non-Volatile	72.8%	55.0%	
VOC Content	LB/Gal	g/L	
Total	3.19	383	
Less exempt solvents	3.19	383	
Of solids	5.81	696	
Of solids	0.37 lb/lb	0.37 kg/kg	

# Volatile Organic Compounds - EU Directive 2004/42/EC

	F93GC359		
	By wt	By vol	
Total Volatiles	27.3%	45.1%	
VOC Content	LB/Gal	g/L	
Total	3.20	384	

# Volatile Organic Compounds - EU Directive 2010/75/EU

	F93GC359		
	By wt	By vol	
Total Volatiles	27.2%	45.0%	
VOC Content	LB/Gal	g/L	
Total	3.19	383	

# **Volatile Organic Compounds - Mexico**

	F93GC359		
	LB/Gal	g/L	
Coating Density	11.75	1408	
	By wt	By vol	
Total Volatiles	27.2%	45.0%	
Exempt solvents			
Water	0.0%	0.0%	
Organic Volatiles	27.2%	45.0%	
Percent Non-Volatile	72.8%	55.0%	
VOC Content	LB/Gal	g/L	
Total	3.19	383	
Less exempt solvents	3.19	383	
Of solids	5.81	696	
Of solids	0.37 lb/lb	0.37 kg/kg	

### Hazardous Air Pollutants (Clean Air Act, Section 112(b))

	F93GC359		
	LB/Gal	kg/L	
Volatile HAPS	0.17	0.021	
Of solids	0.32	0.038	
Of solids	0.02 lb/lb	0.02 kg/kg	

### **Air Quality Data**

**Density of Organic Solvent Blend** 

7.10 lb/gal

**Photochemically Reactive** 

No

### **Additional Regulatory Information**

#### **US EPA TSCA:**

Not Applicable

Relevant identified uses of the substance or mixture and uses advised against:

Not Applicable

### **Waste Disposal**

Waste from this product may be hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261. Waste must be tested for ignitability to determine the applicable EPA hazardous waste numbers.

Addition of reducers or other additives to this product may substantially alter the above data. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.