

ENVIRONMENTAL DATA SHEET

(Certified Product Data Sheet)

Date of Preparation

Jan 15, 2024

01 00 [1720]

PRODUCT NUMBER

F93H115

PRODUCT NAME

MIL-DTL-53039F T3 Polymeric 1K Aliphatic Polyurethane 1.5 VOC VO-HAPS Free, Tan 686A 33446 Q1711

MANUFACTURER'S NAME

THE SHERWIN-WILLIAMS CO.

101 W. Prospect Avenue

Cleveland, OH 44115

This document includes all data required by 40 CFR 63.801(a) for a Certified Product Data Sheet under criteria specified in 40 CFR 63.805(a). All data given below are MAXIMUM THEORETICAL VALUES based on the product AS CURRENTLY FORMULATED. Variations may occur on individual batches due to adjustments made during production.

Hazard Category (for SARA 311.312)

F93H115 = | Acute | Chronic | Fire |

Product Weight

10.31 lb/gal

Specific Gravity

1.24

FLASH POINT

95 °F TCC

Volatile Ingredients

Chemical / Compound	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
p-Chlorobenzotrifluoride 98-56-6	N	N	N	N	33	30
Methyl Isoamyl Ketone 110-12-3	N	N	N	N	7	11
n-Butyl Acetate 123-86-4	N	Y	N	N	1	2

Regulated Compounds

	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Chromium Compound	N	N	Y	Y	1	

Volatile Organic Compounds - U.S. EPA / Canada

	F93H115	
	LB/Gal	g/L
Coating Density	10.31	1235
	By wt	By vol
Total Volatiles	43.0%	45.6%
Federally exempt solvents		
Water	0.0%	0.0%
P-Chlorobenzotrifluoride	32.7%	30.3%
4-Methyl-1,3-dioxolan-2-one	0.1%	0.1%
Organic Volatiles	10.1%	15.2%
Percent Non-Volatile	57.0%	54.4%
VOC Content	LB/Gal	g/L
Total	1.04	125
Less exempt solvents	1.49	179
Of solids	1.91	229
Of solids	0.17 lb/lb	0.17 kg/kg
	By wt	
By wt LVP-VOC	9.3%	

Maximum Incremental Reactivity (MIR) (per US EPA Aerosol Ctg Rule, MIR Values 2009) **0.31**

Volatile Organic Compounds - California

	F93H115	
	LB/Gal	g/L
Coating Density	10.31	1235
	By wt	By vol
Total Volatiles	43.0%	45.6%
Exempt solvents		
Water	0.0%	0.0%
P-Chlorobenzotrifluoride	32.7%	30.3%
Organic Volatiles	10.2%	15.3%
Percent Non-Volatile	57.0%	54.4%
VOC Content	LB/Gal	g/L
Total	1.05	126
Less exempt solvents	1.51	181
Of solids	1.94	232
Of solids	0.17 lb/lb	0.17 kg/kg
	By wt	
By wt LVP-VOC	9.3%	

Maximum Incremental Reactivity (MIR) (per California Air Resources Board Aerosol Products Regulation, MIR Values 2010) **0.31**

Volatile Organic Compounds - South Coast Air Quality Management District, California, US

	F93H115	
	LB/Gal	g/L
Coating Density	10.31	1235
	By wt	By vol
Total Volatiles	43.0%	45.6%
Exempt solvents		
Water	0.0%	0.0%
P-Chlorobenzotrifluoride	32.7%	30.3%
4-Methyl-1,3-dioxolan-2-one	0.1%	0.1%
Organic Volatiles	10.1%	15.2%
Percent Non-Volatile	57.0%	54.4%
VOC Content	LB/Gal	g/L
Total	1.04	125
Less exempt solvents	1.49	179
Of solids	1.91	229
Of solids	0.17 lb/lb	0.17 kg/kg

Volatile Organic Compounds - EU Directive 2004/42/EC

	F93H115	
	By wt	By vol
Total Volatiles	46.8%	49.8%
VOC Content	LB/Gal	g/L
Total	4.82	578

Volatile Organic Compounds - EU Directive 2010/75/EU

	F93H115	
	By wt	By vol
Total Volatiles	42.9%	45.4%
VOC Content	LB/Gal	g/L
Total	4.41	529

Volatile Organic Compounds - Mexico

	F93H115	
	LB/Gal	g/L
Coating Density	10.31	1235
	By wt	By vol
Total Volatiles	43.0%	45.6%
Exempt solvents		
Water	0.0%	0.0%
Organic Volatiles	43.0%	45.6%
Percent Non-Volatile	57.0%	54.4%
VOC Content	LB/Gal	g/L
Total	4.43	531
Less exempt solvents	4.43	531
Of solids	8.14	975
Of solids	0.75 lb/lb	0.75 kg/kg

Hazardous Air Pollutants (Clean Air Act, Section 112(b))

	F93H115	
	LB/Gal	kg/L
Volatile HAPS	0.00	0.000
Of solids	0.00	0.000
Of solids	0.00 lb/lb	0.00 kg/kg

Air Quality Data**Density of Organic Solvent Blend**

9.73 lb/gal

Photochemically Reactive

Yes

Waste Disposal

Waste from this product may be hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261. Waste must be tested for ignitability and extractability to determine the applicable EPA hazardous waste numbers.

Addition of reducers or other additives to this product may substantially alter the above data. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.