ENVIRONMENTAL DATA SHEET

(Certified Product Data Sheet)

Date of Preparation

Jan 15, 2024

01 00 [2352]

PRODUCT NUMBER

F93H120

PRODUCT NAME

MIL-DTL-53039F T9 Coating, Aliphatic Polyurethane, 1K, CARC, Sand 33303 Q2002

MANUFACTURER'S NAME

THE SHERWIN-WILLIAMS CO.

101 W. Prospect Avenue

Cleveland, OH 44115

This document includes all data required by 40 CFR 63.801(a) for a Certified Product Data Sheet under criteria specified in 40 CFR 63.805(a). All data given below are MAXIMUM THEORETICAL VALUES based on the product AS CURRENTLY FORMULATED. Variations may occur on individual batches due to adjustments made during production.

Hazard Category (for SARA 311.312)

F93H120 = | Acute | Chronic | Fire |

Product WeightSpecific GravityFLASH POINT8.96 lb/gal1.0895 °F TCC

Volatile Ingredients

Chemical / Compound	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
4-Methyl-1,3-dioxolan-2-one 108-32-7	N	N	N	N	1	< 1
Methyl Isoamyl Ketone 110-12-3	N	N	N	N	30	41
n-Butyl Acetate 123-86-4	N	Υ	N	N	1	2
Isooctyl Acetate 108419-32-5	N	N	N	N	1	2

Regulated Compounds

	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Chromium Compound	N	N	Υ	Υ	4	

Volatile Organic Compounds - U.S. EPA / Canada

	F93H120	
	LB/Gal	g/L
Coating Density	8.96	1073
	By wt	By vol
Total Volatiles	36.2%	47.2%
Federally exempt solvents		
Water	0.0%	0.0%
4-Methyl-1,3-dioxolan-2- one	1.1%	1.0%
Organic Volatiles	35.1%	46.2%
Percent Non-Volatile	63.8%	52.8%
VOC Content	LB/Gal	g/L
Total	3.14	376
Less exempt solvents	3.17	380
Of solids	5.94	711
Of solids	0.54 lb/lb	0.54 kg/kg
	By wt	
By wt LVP-VOC	34.6%	

Maximum Incremental Reactivity (MIR) (per US EPA Aerosol Ctg Rule, MIR Values 2009) 0.84

Volatile Organic Compounds - California

	F93H120		
	LB/Gal	g/L	
Coating Density	8.96	1073	
	By wt	By vol	
Total Volatiles	36.2%	47.2%	
Exempt solvents			
Water	0.0%	0.0%	
Organic Volatiles	36.2%	47.2%	
Percent Non-Volatile	63.8%	52.8%	
VOC Content	LB/Gal	g/L	
Total	3.23	388	
Less exempt solvents	3.23	388	
Of solids	6.12	734	
Of solids	0.56 lb/lb	0.56 kg/kg	
	By wt		
By wt LVP-VOC	34.6%		

Maximum Incremental Reactivity (MIR) (per California Air Resources Board Aerosol Products Regulation, MIR Values 2010) 0.90

Volatile Organic Compounds - South Coast Air Quality Management District, California, US

	F93H120	
	LB/Gal	g/L
Coating Density	8.96	1073
	By wt	By vol
Total Volatiles	36.2%	47.2%
Exempt solvents		
Water	0.0%	0.0%
4-Methyl-1,3-dioxolan-2-	1.1%	1.0%
one	1.170	1.0%
Organic Volatiles	35.1%	46.2%
Percent Non-Volatile	63.8%	52.8%
VOC Content	LB/Gal	g/L
Total	3.14	376
Less exempt solvents	3.17	380
Of solids	5.94	711
Of solids	0.54 lb/lb	0.54 kg/kg

Volatile Organic Compounds - EU Directive 2004/42/EC

	F93H120		
	By wt	By vol	
Total Volatiles	40.7%	51.6%	
VOC Content	LB/Gal	g/L	
Total	3.64	437	

Volatile Organic Compounds - EU Directive 2010/75/EU

	F93H120		
	By wt	By vol	
Total Volatiles	35.1%	46.2%	
VOC Content	LB/Gal	g/L	
Total	3.14	376	

Volatile Organic Compounds - Mexico

	F93H120		
	LB/Gal	g/L	
Coating Density	8.96	1073	
	By wt	By vol	
Total Volatiles	36.2%	47.2%	
Exempt solvents			
Water	0.0%	0.0%	
Organic Volatiles	36.2%	47.2%	
Percent Non-Volatile	63.8%	52.8%	
VOC Content	LB/Gal	g/L	
Total	3.23	388	
Less exempt solvents	3.23	388	
Of solids	6.12	734	
Of solids	0.56 lb/lb	0.56 kg/kg	

Hazardous Air Pollutants (Clean Air Act, Section 112(b))

	F93H120		
	LB/Gal	kg/L	
Volatile HAPS	0.00	0.000	
Of solids	0.00	0.000	
Of solids	0.00 lb/lb	0.00 kg/kg	

Air Quality Data

Density of Organic Solvent Blend

6.87 lb/gal

Photochemically Reactive

Yes

Waste Disposal

Waste from this product may be hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261. Waste must be tested for ignitability and extractability to determine the applicable EPA hazardous waste numbers.

Addition of reducers or other additives to this product may substantially alter the above data. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.