

ENVIRONMENTAL DATA SHEET

(Certified Product Data Sheet)

Date of Preparation

Dec 14, 2022

01 00 [3482]

PRODUCT NUMBER

F93N114

PRODUCT NAME

Anti-Slip Moisture Cure Urethane A-A-59166 Type II, Brown 383 #30

MANUFACTURER'S NAME

THE SHERWIN-WILLIAMS CO.

101 W. Prospect Avenue

Cleveland, OH 44115

This document includes all data required by 40 CFR 63.801(a) for a Certified Product Data Sheet under criteria specified in 40 CFR 63.805(a). All data given below are MAXIMUM THEORETICAL VALUES based on the product AS CURRENTLY FORMULATED. Variations may occur on individual batches due to adjustments made during production.

Hazard Category (for SARA 311.312)

F93N114 = | Fire |

Product Weight

9.63 lb/gal

Specific Gravity

1.16

FLASH POINT

95 °F TCC

Volatile Ingredients

Chemical / Compound	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Light Aromatic Hydrocarbons 64742-95-6	N	N	N	N	1	2
p-Chlorobenzotrifluoride 98-56-6	N	N	N	N	36	31
n-Butyl Acetate 123-86-4	N	Y	N	N	2	2

Regulated Compounds

	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Chromium (as Cr)	N	Y	Y	N	3	
Chromium Compound	N	N	Y	Y	6	

Volatile Organic Compounds - U.S. EPA / Canada

	F93N114	
	LB/Gal	g/L
Coating Density	9.63	1154
	By wt	By vol
Total Volatiles	40.6%	37.4%
Federally exempt solvents		
Water	0.0%	0.0%
P-Chlorobenzotrifluoride	35.5%	30.7%
Organic Volatiles	5.1%	6.7%
Percent Non-Volatile	59.4%	62.6%
VOC Content	LB/Gal	g/L
Total	0.48	58
Less exempt solvents	0.70	84
Of solids	0.77	93
Of solids	0.08 lb/lb	0.08 kg/kg
	By wt	
By wt LVP-VOC	4.7%	

Maximum Incremental Reactivity (MIR) (per US EPA Aerosol Ctg Rule, MIR Values 2009) **0.35**

Volatile Organic Compounds - California

	F93N114	
	LB/Gal	g/L
Coating Density	9.63	1154
	By wt	By vol
Total Volatiles	40.6%	37.4%
Exempt solvents		
Water	0.0%	0.0%
P-Chlorobenzotrifluoride	35.5%	30.7%
Organic Volatiles	5.1%	6.7%
Percent Non-Volatile	59.4%	62.6%
VOC Content	LB/Gal	g/L
Total	0.48	58
Less exempt solvents	0.70	84
Of solids	0.77	93
Of solids	0.08 lb/lb	0.08 kg/kg
	By wt	
By wt LVP-VOC	4.7%	

Maximum Incremental Reactivity (MIR) (per California Air Resources Board Aerosol Products Regulation, MIR Values 2010) **0.32**

Volatile Organic Compounds - South Coast Air Quality Management District, California, US

	F93N114	
	LB/Gal	g/L
Coating Density	9.63	1154
	By wt	By vol
Total Volatiles	40.6%	37.4%
Exempt solvents		
Water	0.0%	0.0%
P-Chlorobenzotrifluoride	35.5%	30.7%
Organic Volatiles	5.1%	6.7%
Percent Non-Volatile	59.4%	62.6%
VOC Content	LB/Gal	g/L
Total	0.48	58
Less exempt solvents	0.70	84
Of solids	0.77	93
Of solids	0.08 lb/lb	0.08 kg/kg

Volatile Organic Compounds - EU Directive 2004/42/EC

	F93N114	
	By wt	By vol
Total Volatiles	44.6%	41.6%
VOC Content	LB/Gal	g/L
Total	4.29	514

Volatile Organic Compounds - EU Directive 2010/75/EU

	F93N114	
	By wt	By vol
Total Volatiles	40.6%	37.4%
VOC Content	LB/Gal	g/L
Total	3.90	468

Volatile Organic Compounds - Mexico

	F93N114	
	LB/Gal	g/L
Coating Density	9.63	1154
	By wt	By vol
Total Volatiles	40.6%	37.4%
Exempt solvents		
Water	0.0%	0.0%
Organic Volatiles	40.6%	37.4%
Percent Non-Volatile	59.4%	62.6%
VOC Content	LB/Gal	g/L
Total	3.90	468
Less exempt solvents	3.90	468
Of solids	6.24	748
Of solids	0.68 lb/lb	0.68 kg/kg

Hazardous Air Pollutants (Clean Air Act, Section 112(b))

	F93N114	
	LB/Gal	kg/L
Volatile HAPS	0.00	0.000
Of solids	0.00	0.000
Of solids	0.00 lb/lb	0.00 kg/kg

Air Quality Data**Density of Organic Solvent Blend**

10.44 lb/gal

Photochemically Reactive

Yes

Additional Regulatory Information**US EPA TSCA:**

Not Applicable

Relevant identified uses of the substance or mixture and uses advised against:

Not Applicable

Waste Disposal

Waste from this product may be hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261. Waste must be tested for ignitability and extractability to determine the applicable EPA hazardous waste numbers.

Addition of reducers or other additives to this product may substantially alter the above data. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.