ENVIRONMENTAL DATA SHEET

(Certified Product Data Sheet)

14 00 [1253]

Date of Preparation Sep 26, 2023

PRODUCT NUMBER

G78BC60

PRODUCT NAME

PERMACLAD® 4000 Enamel, Low Gloss Black

MANUFACTURER'S NAME

THE SHERWIN-WILLIAMS COMPANY

101 W. Prospect Avenue

Cleveland, OH 44115

This document includes all data required by 40 CFR 63.801(a) for a Certified Product Data Sheet under criteria specified in 40 CFR 63.805(a). All data given below are MAXIMUM THEORETICAL VALUES based on the product AS CURRENTLY FORMULATED. Variations may occur on individual batches due to adjustments made during production.

Hazard Category (for SARA 311.312)

G78BC60 = | Acute | Chronic | Fire |

Product Weight	Spec	ific Gravity		FLASH P	OINT	
8.83 lb/gal	1.06			42 °F PMCC		
Volatile Ingredients						
Chemical / Compound	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Ethylbenzene 100-41-4	Ν	Y	Υ	Y	0.2	< 1
Light Aromatic Hydrocarbons 64742-95-6	N	Ν	Ν	N	8	10
Cumene 98-82-8	Ν	Y	Υ	Y	0.5	< 1
1,3,5-Trimethylbenzene 108-67-8	Ν	N	N	N	2	2
1,2,4-Trimethylbenzene 95-63-6	N	N	Υ	N	2	2
Trimethylbenzene 25551-13-7	N	N	N	N	4	5
2-Butoxyethanol 111-76-2	N	N	Y - Glycol Ethers (SARA)	N	4	4
Acetone 67-64-1	N	Y	N	N	14	19
t-Butyl Acetate 540-88-5	N	Y	N	N	4	5

Regulated Compounds

	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Glycol Ethers (SARA)	Ν	Ν	Y	Ν	4	

Volatile Organic Compounds - U.S. EPA / Canada

	G78BC60		
	LB/Gal	g/L	
Coating Density	8.83	1058	
	By wt	By vol	
Total Volatiles	41.6%	52.0%	
Federally exempt solvents			
Water	0.0%	0.0%	
Acetone	13.9%	18.6%	
T-Butyl Acetate	4.3%	5.3%	
Organic Volatiles	23.4%	28.1%	
Percent Non-Volatile	58.4%	48.0%	
VOC Content	LB/Gal	g/L	
Total	2.06	247	
Less exempt solvents	2.71	325	
Of solids	4.30	516	
Of solids	0.40 lb/lb	0.40 kg/kg	
	By wt		
By wt LVP-VOC	22.6%		

Maximum Incremental Reactivity (MIR) (per US EPA Aerosol Ctg Rule, MIR Values 2009) 1.55

Volatile Organic Compounds - California

	G78BC60		
	LB/Gal	g/L	
Coating Density	8.83	1058	
	By wt	By vol	
Total Volatiles	41.6%	52.0%	
Exempt solvents			
Water	0.0%	0.0%	
Acetone	13.9%	18.6%	
Organic Volatiles	27.7%	33.3%	
Percent Non-Volatile	58.4%	48.0%	
VOC Content	LB/Gal	g/L	
Total	2.44	293	
Less exempt solvents	3.00	360	
Of solids	5.09	610	
Of solids	0.47 lb/lb	0.47 kg/kg	
	By wt		
By wt LVP-VOC	26.9%		

Maximum Incremental Reactivity (MIR) (per California Air Resources Board Aerosol Products Regulation, MIR Values 2010) 1.57

Volatile Organic Compounds - South Coast Air Quality Management District, California, US

	G78BC60		
	LB/Gal	g/L	
Coating Density	8.83	1058	
	By wt	By vol	
Total Volatiles	41.6%	52.0%	
Exempt solvents			
Water	0.0%	0.0%	
Acetone	13.9%	18.6%	
Organic Volatiles	27.7%	33.3%	
Percent Non-Volatile	58.4%	48.0%	
VOC Content	LB/Gal	g/L	
Total	2.44	293	
Less exempt solvents	3.00	360	
Of solids	5.09	610	
Of solids	0.47 lb/lb	0.47 kg/kg	

Volatile Organic Compounds - EU Directive 2004/42/EC

	G78BC60		
	By wt	By vol	
Total Volatiles	41.7%	52.0%	
VOC Content	LB/Gal	g/L	
Total	3.67	440	

Volatile Organic Compounds - EU Directive 2010/75/EU

	G78BC60		
	By wt	By vol	
Total Volatiles	40.9%	51.1%	
VOC Content	LB/Gal	g/L	
Total	3.60	432	

Volatile Organic Compounds - Mexico

	G78BC60		
	LB/Gal	g/L	
Coating Density	8.83	1058	
	By wt	By vol	
Total Volatiles	41.6%	52.0%	
Exempt solvents			
Water	0.0%	0.0%	
Acetone	13.9%	18.6%	
Organic Volatiles	27.7%	33.3%	
Percent Non-Volatile	58.4%	48.0%	
VOC Content	LB/Gal	g/L	
Total	2.44	293	
Less exempt solvents	3.00	360	
Of solids	5.09	610	
Of solids	0.47 lb/lb	0.47 kg/kg	

Hazardous Air Pollutants (Clean Air Act, Section 112(b))

	G78BC60		
	LB/Gal	kg/L	
Volatile HAPS	0.06	0.007	
Of solids	0.13	0.016	
Of solids	0.01 lb/lb	0.01 kg/kg	

Air Quality Data

Density of Organic Solvent Blend 7.07 lb/gal Photochemically Reactive Yes

Additional Regulatory Information

US EPA TSCA:

Not Applicable

Relevant identified uses of the substance or mixture and uses advised against:

Not Applicable

Waste Disposal

Waste from this product may be hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261. Waste must be tested for ignitability to determine the applicable EPA hazardous waste numbers.

Addition of reducers or other additives to this product may substantially alter the above data. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.