

ENVIRONMENTAL DATA SHEET

(Certified Product Data Sheet)

Date of Preparation

Jan 29, 2022

07 00 [1501]

PRODUCT NUMBER

G78GC43

PRODUCT NAME

PERMACLAD® 4000 Enamel, P/C Green

MANUFACTURER'S NAME

THE SHERWIN-WILLIAMS COMPANY

101 W. Prospect Avenue

Cleveland, OH 44115

This document includes all data required by 40 CFR 63.801(a) for a Certified Product Data Sheet under criteria specified in 40 CFR 63.805(a). All data given below are MAXIMUM THEORETICAL VALUES based on the product AS CURRENTLY FORMULATED. Variations may occur on individual batches due to adjustments made during production.

Hazard Category (for SARA 311.312)

G78GC43 = | Acute | Chronic | Fire |

Product Weight

8.96 lb/gal

Specific Gravity

1.08

FLASH POINT

42 °F PMCC

Volatile Ingredients

Chemical / Compound	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Ethylbenzene 100-41-4	N	Y	Y	Y	0.3	< 1
Xylene 1330-20-7	N	Y	Y	Y	1	2
Light Aromatic Hydrocarbons 64742-95-6	N	N	N	N	8	9
Cumene 98-82-8	N	Y	Y	Y	0.5	< 1
1,3,5-Trimethylbenzene 108-67-8	N	N	N	N	2	2
1,2,4-Trimethylbenzene 95-63-6	N	N	Y	N	2	2
Trimethylbenzene 25551-13-7	N	N	N	N	4	5
p-Chlorobenzotrifluoride 98-56-6	N	N	N	N	3	3
2-Butoxyethanol 111-76-2	N	N	Y - Glycol Ethers (SARA)	N	4	5
Acetone 67-64-1	N	Y	N	N	15	20

Regulated Compounds

	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Glycol Ethers (SARA)	N	N	Y	N	4	

Volatile Organic Compounds - U.S. EPA / Canada

	G78GC43	
	LB/Gal	g/L
Coating Density	8.96	1073
	By wt	By vol
Total Volatiles	41.3%	51.0%
Federally exempt solvents		
Water	0.0%	0.0%
Acetone	14.6%	19.9%
P-Chlorobenzotrifluoride	3.4%	2.8%
Organic Volatiles	23.2%	28.3%
Percent Non-Volatile	58.7%	49.0%
VOC Content	LB/Gal	g/L
Total	2.08	249
Less exempt solvents	2.69	322
Of solids	4.24	508
Of solids	0.39 lb/lb	0.39 kg/kg
	By wt	
By wt LVP-VOC	22.3%	

Maximum Incremental Reactivity (MIR) (per US EPA Aerosol Ctg Rule, MIR Values 2009) **1.57**

Volatile Organic Compounds - California

	G78GC43	
	LB/Gal	g/L
Coating Density	8.96	1073
	By wt	By vol
Total Volatiles	41.3%	51.0%
Exempt solvents		
Water	0.0%	0.0%
Acetone	14.6%	19.9%
P-Chlorobenzotrifluoride	3.4%	2.8%
Organic Volatiles	23.2%	28.3%
Percent Non-Volatile	58.7%	49.0%
VOC Content	LB/Gal	g/L
Total	2.08	249
Less exempt solvents	2.69	322
Of solids	4.24	508
Of solids	0.39 lb/lb	0.39 kg/kg
	By wt	
By wt LVP-VOC	22.3%	

Maximum Incremental Reactivity (MIR) (per California Air Resources Board Aerosol Products Regulation, MIR Values 2010) **1.58**

Volatile Organic Compounds - South Coast Air Quality Management District, California, US

	G78GC43	
	LB/Gal	g/L
Coating Density	8.96	1073
	By wt	By vol
Total Volatiles	41.3%	51.0%
Exempt solvents		
Water	0.0%	0.0%
Acetone	14.6%	19.9%
P-Chlorobenzotrifluoride	3.4%	2.8%
Organic Volatiles	23.2%	28.3%
Percent Non-Volatile	58.7%	49.0%
VOC Content	LB/Gal	g/L
Total	2.08	249
Less exempt solvents	2.69	322
Of solids	4.24	508
Of solids	0.39 lb/lb	0.39 kg/kg

Volatile Organic Compounds - EU Directive 2004/42/EC

	G78GC43	
	By wt	By vol
Total Volatiles	41.5%	51.1%
VOC Content	LB/Gal	g/L
Total	3.71	444

Volatile Organic Compounds - EU Directive 2010/75/EU

	G78GC43	
	By wt	By vol
Total Volatiles	40.5%	50.0%
VOC Content	LB/Gal	g/L
Total	3.62	434

Volatile Organic Compounds - Mexico

	G78GC43	
	LB/Gal	g/L
Coating Density	8.96	1073
	By wt	By vol
Total Volatiles	41.3%	51.0%
Exempt solvents		
Water	0.0%	0.0%
Acetone	14.6%	19.9%
Organic Volatiles	26.7%	31.0%
Percent Non-Volatile	58.7%	49.0%
VOC Content	LB/Gal	g/L
Total	2.38	286
Less exempt solvents	2.98	357
Of solids	4.87	583
Of solids	0.45 lb/lb	0.45 kg/kg

Hazardous Air Pollutants (Clean Air Act, Section 112(b))

	G78GC43	
	LB/Gal	kg/L
Volatile HAPS	0.19	0.023
Of solids	0.39	0.047
Of solids	0.03 lb/lb	0.03 kg/kg

Air Quality Data**Density of Organic Solvent Blend**

7.27 lb/gal

Photochemically Reactive

Yes

Additional Regulatory Information**US EPA TSCA:**

Not Applicable

Relevant identified uses of the substance or mixture and uses advised against:

Not Applicable

Waste Disposal

Waste from this product may be hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261. Waste must be tested for ignitability to determine the applicable EPA hazardous waste numbers.

Addition of reducers or other additives to this product may substantially alter the above data. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.