

ENVIRONMENTAL DATA SHEET

(Certified Product Data Sheet)

Date of Preparation
Jan 20, 2024

15 00 [2513]

PRODUCT NUMBER

H66F43

PRODUCT NAME

SHER-WOOD® HB Pigmented Conversion Varnish, Mid Gloss Clear Tint Base

MANUFACTURER'S NAME

THE SHERWIN-WILLIAMS COMPANY

101 W. Prospect Avenue

Cleveland, OH 44115

This document includes all data required by 40 CFR 63.801(a) for a Certified Product Data Sheet under criteria specified in 40 CFR 63.805(a). All data given below are MAXIMUM THEORETICAL VALUES based on the product AS CURRENTLY FORMULATED. Variations may occur on individual batches due to adjustments made during production.

Hazard Category (for SARA 311.312)

H66F43 = | Acute | Chronic | Fire |

Product Weight

8.67 lb/gal

Specific Gravity

1.04

FLASH POINT

55 °F PMCC

Volatile Ingredients

Chemical / Compound	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Ethylbenzene 100-41-4	N	Y	Y	Y	1	1
Xylene 1330-20-7	N	Y	Y	Y	6	8
Ethanol 64-17-5	N	N	N	N	10	15
1-Butanol 71-36-3	N	Y	Y	N	3	3
Formaldehyde (max.) 50-00-0	Y	Y	Y	Y	0.1	< 1
Ethyl 3-Ethoxypropionate 763-69-9	N	N	N	N	2	2
n-Butyl Acetate 123-86-4	N	Y	N	N	12	14

Volatile Organic Compounds - U.S. EPA / Canada

	H66F43	
	LB/Gal	g/L
Coating Density	8.67	1039
	By wt	By vol
Total Volatiles	35.9%	46.1%
Federally exempt solvents		
Water	0.0%	0.0%
Organic Volatiles	35.8%	46.1%
Percent Non-Volatile	64.1%	53.9%
VOC Content	LB/Gal	g/L
Total	3.10	372
Less exempt solvents	3.10	372
Of solids	5.76	691
Of solids	0.55 lb/lb	0.55 kg/kg
	By wt	
By wt LVP-VOC	35.8%	

Maximum Incremental Reactivity (MIR) (per US EPA Aerosol Ctg Rule, MIR Values 2009) **0.99**

Volatile Organic Compounds - California

	H66F43	
	LB/Gal	g/L
Coating Density	8.67	1039
	By wt	By vol
Total Volatiles	35.9%	46.1%
Exempt solvents		
Water	0.0%	0.0%
Organic Volatiles	35.8%	46.1%
Percent Non-Volatile	64.1%	53.9%
VOC Content	LB/Gal	g/L
Total	3.10	372
Less exempt solvents	3.10	372
Of solids	5.76	691
Of solids	0.55 lb/lb	0.55 kg/kg
	By wt	
By wt LVP-VOC	35.8%	

Maximum Incremental Reactivity (MIR) (per California Air Resources Board Aerosol Products Regulation, MIR Values 2010) **0.96**

Volatile Organic Compounds - South Coast Air Quality Management District, California, US

	H66F43	
	LB/Gal	g/L
Coating Density	8.67	1039
	By wt	By vol
Total Volatiles	35.9%	46.1%
Exempt solvents		
Water	0.0%	0.0%
Organic Volatiles	35.8%	46.1%
Percent Non-Volatile	64.1%	53.9%
VOC Content	LB/Gal	g/L
Total	3.10	372
Less exempt solvents	3.10	372
Of solids	5.76	691
Of solids	0.55 lb/lb	0.55 kg/kg

Volatile Organic Compounds - EU Directive 2004/42/EC

	H66F43	
	By wt	By vol
Total Volatiles	35.9%	46.1%
VOC Content	LB/Gal	g/L
Total	3.10	372

Volatile Organic Compounds - EU Directive 2010/75/EU

	H66F43	
	By wt	By vol
Total Volatiles	35.9%	46.1%
VOC Content	LB/Gal	g/L
Total	3.10	372

Volatile Organic Compounds - Mexico

	H66F43	
	LB/Gal	g/L
Coating Density	8.67	1039
	By wt	By vol
Total Volatiles	35.9%	46.1%
Exempt solvents		
Water	0.0%	0.0%
Organic Volatiles	35.8%	46.1%
Percent Non-Volatile	64.1%	53.9%
VOC Content	LB/Gal	g/L
Total	3.10	372
Less exempt solvents	3.10	372
Of solids	5.76	691
Of solids	0.55 lb/lb	0.55 kg/kg

Hazardous Air Pollutants (Clean Air Act, Section 112(b))

	H66F43	
	LB/Gal	kg/L
Volatile HAPS	0.64	0.077
Of solids	1.19	0.143
Of solids	0.11 lb/lb	0.11 kg/kg

Air Quality Data**Density of Organic Solvent Blend**

6.74 lb/gal

Photochemically Reactive

Yes

Waste Disposal

Waste from this product may be hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261. Waste must be tested for ignitability to determine the applicable EPA hazardous waste numbers.

Addition of reducers or other additives to this product may substantially alter the above data. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.