

ENVIRONMENTAL DATA SHEET

(Certified Product Data Sheet)

Date of Preparation
May 30, 2021

23 00 [1501]

PRODUCT NUMBER

H67WC55

PRODUCT NAME

PERMACLAD® 2400 High Solids Baking Enamel, White

MANUFACTURER'S NAME

THE SHERWIN-WILLIAMS COMPANY

101 W. Prospect Avenue

Cleveland, OH 44115

This document includes all data required by 40 CFR 63.801(a) for a Certified Product Data Sheet under criteria specified in 40 CFR 63.805(a). All data given below are MAXIMUM THEORETICAL VALUES based on the product AS CURRENTLY FORMULATED. Variations may occur on individual batches due to adjustments made during production.

Hazard Category (for SARA 311.312)

H67WC55 = | Acute | Chronic | Fire |

Product Weight

14.64 lb/gal

Specific Gravity

1.76

FLASH POINT

105 °F PMCC

Volatile Ingredients

Chemical / Compound	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Ethylbenzene 100-41-4	N	Y	Y	Y	1	3
Xylene 1330-20-7	N	Y	Y	Y	7	14
Light Aromatic Hydrocarbons 64742-95-6	N	N	N	N	3	6
Cumene 98-82-8	N	Y	Y	Y	0.2	< 1
Trimethylbenzene 25551-13-7	N	N	N	N	2	3
Ethyl 3-Ethoxypropionate 763-69-9	N	N	N	N	2	3

Volatile Organic Compounds - U.S. EPA / Canada

	H67WC55	
	LB/Gal	g/L
Coating Density	14.64	1754
	By wt	By vol
Total Volatiles	17.8%	35.8%
Federally exempt solvents		
Water	0.5%	0.8%
Organic Volatiles	17.3%	35.0%
Percent Non-Volatile	82.2%	64.2%
VOC Content	LB/Gal	g/L
Total	2.53	303
Less exempt solvents	2.55	306
Of solids	3.94	473
Of solids	0.21 lb/lb	0.21 kg/kg
	By wt	
By wt LVP-VOC	17.1%	

Maximum Incremental Reactivity (MIR) (per US EPA Aerosol Ctg Rule, MIR Values 2009) **1.17**

Volatile Organic Compounds - California

	H67WC55	
	LB/Gal	g/L
Coating Density	14.64	1754
	By wt	By vol
Total Volatiles	17.8%	35.8%
Exempt solvents		
Water	0.5%	0.8%
Organic Volatiles	17.3%	35.0%
Percent Non-Volatile	82.2%	64.2%
VOC Content	LB/Gal	g/L
Total	2.53	303
Less exempt solvents	2.55	306
Of solids	3.94	473
Of solids	0.21 lb/lb	0.21 kg/kg
	By wt	
By wt LVP-VOC	17.1%	

Maximum Incremental Reactivity (MIR) (per California Air Resources Board Aerosol Products Regulation, MIR Values 2010) **1.16**

Volatile Organic Compounds - South Coast Air Quality Management District, California, US

	H67WC55	
	LB/Gal	g/L
Coating Density	14.64	1754
	By wt	By vol
Total Volatiles	17.8%	35.8%
Exempt solvents		
Water	0.5%	0.8%
Organic Volatiles	17.3%	35.0%
Percent Non-Volatile	82.2%	64.2%
VOC Content	LB/Gal	g/L
Total	2.53	303
Less exempt solvents	2.55	306
Of solids	3.94	473
Of solids	0.21 lb/lb	0.21 kg/kg

Volatile Organic Compounds - EU Directive 2004/42/EC

	H67WC55	
	By wt	By vol
Total Volatiles	17.8%	35.8%
VOC Content	LB/Gal	g/L
Total	2.53	303

Volatile Organic Compounds - EU Directive 2010/75/EU

	H67WC55	
	By wt	By vol
Total Volatiles	17.8%	35.8%
VOC Content	LB/Gal	g/L
Total	2.53	303

Volatile Organic Compounds - Mexico

	H67WC55	
	LB/Gal	g/L
Coating Density	14.64	1754
	By wt	By vol
Total Volatiles	17.8%	35.8%
Exempt solvents		
Water	0.5%	0.8%
Organic Volatiles	17.3%	35.0%
Percent Non-Volatile	82.2%	64.2%
VOC Content	LB/Gal	g/L
Total	2.53	303
Less exempt solvents	2.55	306
Of solids	3.94	473
Of solids	0.21 lb/lb	0.21 kg/kg

Hazardous Air Pollutants (Clean Air Act, Section 112(b))

	H67WC55	
	LB/Gal	kg/L
Volatile HAPS	1.25	0.149
Of solids	1.94	0.233
Of solids	0.10 lb/lb	0.10 kg/kg

Air Quality Data**Density of Organic Solvent Blend**

7.25 lb/gal

Photochemically Reactive

Yes

Additional Regulatory Information**US EPA TSCA:**

Not Applicable

Relevant identified uses of the substance or mixture and uses advised against:

Not Applicable

Waste Disposal

Waste from this product may be hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261. Waste must be tested for ignitability to determine the applicable EPA hazardous waste numbers.

Addition of reducers or other additives to this product may substantially alter the above data. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.