

ENVIRONMENTAL DATA SHEET

(Certified Product Data Sheet)

Date of Preparation

Apr 21, 2024

17 00 [1124]

PRODUCT NUMBER

M64GL566

PRODUCT NAME

KEM AQUA® BP Siding Plus, Green

MANUFACTURER'S NAME

THE SHERWIN-WILLIAMS COMPANY

101 W. Prospect Avenue

Cleveland, OH 44115

This document includes all data required by 40 CFR 63.801(a) for a Certified Product Data Sheet under criteria specified in 40 CFR 63.805(a). All data given below are MAXIMUM THEORETICAL VALUES based on the product AS CURRENTLY FORMULATED and rely on information provided to us by our raw material suppliers. Our suppliers often provide an estimated value or range less than a certain upper limit. We calculate MAXIMUM THEORETICAL VALUES using defined values, if provided, or the upper limit reported by our supplier. Additionally, the suppliers' information may include amounts present in the product as unintentional byproducts or impurities. Variations may occur in individual batches due to adjustments made during production.

Hazard Category (for SARA 311.312)

M64GL566 = | Acute | Chronic |

Product Weight

9.13 lb/gal

Specific Gravity

1.10

FLASH POINT

N.A.

Volatile Ingredients

Chemical / Compound	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
2-Butoxyethanol 111-76-2	N	N	Y - Glycol Ethers (SARA)	N	2	3
Water 7732-18-5	N	N	N	N	56	62

Non-Volatile Ingredients

Chemical / Compound	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Hexachlorobenzene 118-74-1	N	Y	Y	Y	0.00002	0.000008
Octanoic acid, pentadecafluoro- 335-67-1	N	N	Y	N	0.000004	0.000002

Regulated Compounds

	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Lead (as Pb)	N	N	Y	N	0.00003	
Glycol Ethers (SARA)	N	N	Y	N	3	

Volatile Organic Compounds - U.S. EPA / Canada

	M64GL566	
	LB/Gal	g/L
Coating Density	9.13	1094
	By wt	By vol
Total Volatiles	59.9%	66.9%
Federally exempt solvents		
Water	55.9%	62.0%
2-Amino-2-Methyl-1-Propanol	0.1%	0.2%
Organic Volatiles	3.9%	4.6%
Percent Non-Volatile	40.1%	33.1%
VOC Content	LB/Gal	g/L
Total	0.35	42
Less exempt solvents	0.93	112
Of solids	1.06	128
Of solids	0.09 lb/lb	0.09 kg/kg
	By wt	
By wt LVP-VOC	2.3%	

Maximum Incremental Reactivity (MIR) (per US EPA Aerosol Ctg Rule, MIR Values 2009) **0.13**

Volatile Organic Compounds - California

	M64GL566	
	LB/Gal	g/L
Coating Density	9.13	1094
	By wt	By vol
Total Volatiles	59.9%	66.9%
Exempt solvents		
Water	55.9%	62.0%
Organic Volatiles	4.0%	4.8%
Percent Non-Volatile	40.1%	33.1%
VOC Content	LB/Gal	g/L
Total	0.36	43
Less exempt solvents	0.96	115
Of solids	1.10	132
Of solids	0.10 lb/lb	0.10 kg/kg
	By wt	
By wt LVP-VOC	2.5%	

Maximum Incremental Reactivity (MIR) (per California Air Resources Board Aerosol Products Regulation, MIR Values 2010) **0.09**

Volatile Organic Compounds - South Coast Air Quality Management District, California, US

	M64GL566	
	LB/Gal	g/L
Coating Density	9.13	1094
	By wt	By vol
Total Volatiles	59.9%	66.9%
Exempt solvents		
Water	55.9%	62.0%
Organic Volatiles	4.0%	4.8%
Percent Non-Volatile	40.1%	33.1%
VOC Content	LB/Gal	g/L
Total	0.36	43
Less exempt solvents	0.96	115
Of solids	1.10	132
Of solids	0.10 lb/lb	0.10 kg/kg

Volatile Organic Compounds - EU Directive 2004/42/EC

	M64GL566	
	By wt	By vol
Total Volatiles	59.9%	66.8%
VOC Content	LB/Gal	g/L
Total	0.36	43

Volatile Organic Compounds - EU Directive 2010/75/EU

	M64GL566	
	By wt	By vol
Total Volatiles	58.4%	65.1%
VOC Content	LB/Gal	g/L
Total	0.22	27

Volatile Organic Compounds - Mexico

	M64GL566	
	LB/Gal	g/L
Coating Density	9.13	1094
	By wt	By vol
Total Volatiles	59.9%	66.9%
Exempt solvents		
Water	55.9%	62.0%
Organic Volatiles	4.0%	4.8%
Percent Non-Volatile	40.1%	33.1%
VOC Content	LB/Gal	g/L
Total	0.36	43
Less exempt solvents	0.96	115
Of solids	1.10	132
Of solids	0.10 lb/lb	0.10 kg/kg

Hazardous Air Pollutants (Clean Air Act, Section 112(b))

	M64GL566	
	LB/Gal	kg/L
Volatile HAPS	0.00	0.000
Of solids	0.00	0.000
Of solids	0.00 lb/lb	0.00 kg/kg

Air Quality Data**Density of Organic Solvent Blend**

7.61 lb/gal

Photochemically Reactive

No

Waste Disposal

Waste from this product is not hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261.

The addition of any material to this product can change the composition, hazards and risks of the product and may substantially alter the above data. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.