ENVIRONMENTAL DATA SHEET

(Certified Product Data Sheet)

Date of Preparation

Apr 20, 2024

PRODUCT NUMBER

38 00 [1983]

M69W1

PRODUCT NAME

Strippable Coating, White

MANUFACTURER'S NAME

THE SHERWIN-WILLIAMS COMPANY 101 W. Prospect Avenue Cleveland, OH 44115

This document includes all data required by 40 CFR 63.801(a) for a Certified Product Data Sheet under criteria specified in 40 CFR 63.805(a). All data given below are MAXIMUM THEORETICAL VALUES based on the product AS CURRENTLY FORMULATED and rely on information provided to us by our raw material suppliers. Our suppliers often provide an estimated value or range less than a certain upper limit. We calculate MAXIMUM THEORETICAL VALUES using defined values, if provided, or the upper limit reported by our supplier. Additionally, the suppliers' information may include amounts present in the product as unintentional byproducts or impurities. Variations may occur in individual batches due to adjustments made during production.

Hazard Category (for SARA 311.312)

M69W1 = | Acute | Chronic | Fire |

 Product Weight
 Specific Gravity
 FLASH POINT

 7.68 lb/gal
 0.92
 6 °F PMCC

Volatile Ingredients

· c.acg. cacc						
Chemical / Compound	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Lt. Aliphatic Hydrocarbon Solvent 64742-89-8	N	N	N	N	22	27
Toluene 108-88-3	N	Υ	Υ	Υ	4	5
Acetone 67-64-1	N	Υ	N	N	21	24
Methyl Ethyl Ketone 78-93-3	N	Υ	N	N	13	15
Methyl Isobutyl Ketone 108-10-1	N	Υ	Υ	Υ	10	11

Regulated Compounds

	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Lead (as Pb)	N	N	Υ	N	0.00002	

Volatile Organic Compounds - U.S. EPA / Canada

	M69W1		
	LB/Gal	g/L	
Coating Density	7.68	919	
	By wt	By vol	
Total Volatiles	70.1%	82.6%	
Federally exempt solvents			
Water	0.0%	0.0%	
Acetone	20.8%	24.3%	
Organic Volatiles	49.3%	58.3%	
Percent Non-Volatile	29.9%	17.4%	
VOC Content	LB/Gal	g/L	
Total	3.78	453	
Less exempt solvents	4.99	598	
Of solids	21.70	2601	
Of solids	1.64 lb/lb	1.64 kg/kg	
	By wt		
By wt LVP-VOC	49.3%		

Maximum Incremental Reactivity (MIR) (per US EPA Aerosol Ctg Rule, MIR Values 2009) 1.13

Volatile Organic Compounds - California

	M69W1		
	LB/Gal	g/L	
Coating Density	7.68	919	
	By wt	By vol	
Total Volatiles	70.1%	82.6%	
Exempt solvents			
Water	0.0%	0.0%	
Acetone	20.8%	24.3%	
Organic Volatiles	49.3%	58.3%	
Percent Non-Volatile	29.9%	17.4%	
VOC Content	LB/Gal	g/L	
Total	3.78	453	
Less exempt solvents	4.99	598	
Of solids	21.70	2601	
Of solids	1.64 lb/lb	1.64 kg/kg	
	By wt		
By wt LVP-VOC	49.3%	_	

Maximum Incremental Reactivity (MIR) (per California Air Resources Board Aerosol Products Regulation, MIR Values 2010) 1.07

Volatile Organic Compounds - South Coast Air Quality Management District, California, US

	M69W1		
	LB/Gal	g/L	
Coating Density	7.68	919	
	By wt	By vol	
Total Volatiles	70.1%	82.6%	
Exempt solvents			
Water	0.0%	0.0%	
Acetone	20.8%	24.3%	
Organic Volatiles	49.3%	58.3%	
Percent Non-Volatile	29.9%	17.4%	
VOC Content	LB/Gal	g/L	
Total	3.78	453	
Less exempt solvents	4.99	598	
Of solids	21.70	2601	
Of solids	1.64 lb/lb	1.64 kg/kg	

Volatile Organic Compounds - EU Directive 2004/42/EC

	M6	9W1
	By wt	By vol
Total Volatiles	70.1%	82.6%
VOC Content	LB/Gal	g/L
Total	5.38	644

Volatile Organic Compounds - EU Directive 2010/75/EU

	M69W1	
	By wt	By vol
Total Volatiles	70.1%	82.6%
VOC Content	LB/Gal	g/L
Total	5.38	644

Volatile Organic Compounds - Mexico

	M69W1		
	LB/Gal	g/L	
Coating Density	7.68	919	
	By wt	By vol	
Total Volatiles	70.1%	82.6%	
Exempt solvents			
Water	0.0%	0.0%	
Acetone	20.8%	24.3%	
Organic Volatiles	49.3%	58.3%	
Percent Non-Volatile	29.9%	17.4%	
VOC Content	LB/Gal	g/L	
Total	3.78	453	
Less exempt solvents	4.99	598	
Of solids	21.70	2601	
Of solids	1.64 lb/lb	1.64 kg/kg	

Hazardous Air Pollutants (Clean Air Act, Section 112(b))

	M69W1		
	LB/Gal	kg/L	
Volatile HAPS	1.07	0.128	
Of solids	6.16	0.738	
Of solids	0.46 lb/lb	0.46 kg/kg	

Air Quality Data

Density of Organic Solvent Blend

6.52 lb/gal

Photochemically Reactive

Yes

Waste Disposal

Waste from this product may be hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261. Waste must be tested for ignitability to determine the applicable EPA hazardous waste numbers.

The addition of any material to this product can change the composition, hazards and risks of the product and may substantially alter the above data. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.