

ENVIRONMENTAL DATA SHEET

(Certified Product Data Sheet)

Date of Preparation

Mar 5, 2021

09 00 [1289]

PRODUCT NUMBER

S61B500

PRODUCT NAME

SHER-WOOD® Universal Dye Stain Concentrate, Black

MANUFACTURER'S NAME

THE SHERWIN-WILLIAMS COMPANY

101 W. Prospect Avenue

Cleveland, OH 44115

This document includes all data required by 40 CFR 63.801(a) for a Certified Product Data Sheet under criteria specified in 40 CFR 63.805(a). All data given below are MAXIMUM THEORETICAL VALUES based on the product AS CURRENTLY FORMULATED. Variations may occur on individual batches due to adjustments made during production.

Hazard Category (for SARA 311.312)

S61B500 = | Acute | Chronic | Fire |

Product Weight

8.92 lb/gal

Specific Gravity

1.07

FLASH POINT

104 °F PMCC

Volatile Ingredients

Chemical / Compound	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
1-Methoxy-2-propanol 107-98-2	N	N	N	N	64	75
Water 7732-18-5	N	N	N	N	10	11

Regulated Compounds

	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Chromium (as Cr)	N	Y	Y	N	0.7	
Chromium Compound	N	N	Y	Y	16	

Volatile Organic Compounds - U.S. EPA / Canada

	S61B500	
	LB/Gal	g/L
Coating Density	8.92	1068
	By wt	By vol
Total Volatiles	74.0%	86.0%
Federally exempt solvents		
Water	10.0%	10.7%
Organic Volatiles	64.0%	75.3%
Percent Non-Volatile	26.0%	14.0%
VOC Content	LB/Gal	g/L
Total	5.70	684
Less exempt solvents	6.39	766
Of solids	40.80	4889
Of solids	2.46 lb/lb	2.46 kg/kg
	By wt	
By wt LVP-VOC	64.0%	

Maximum Incremental Reactivity (MIR) (per US EPA Aerosol Ctg Rule, MIR Values 2009) 1.67

Volatile Organic Compounds - California

	S61B500	
	LB/Gal	g/L
Coating Density	8.92	1068
	By wt	By vol
Total Volatiles	74.0%	86.0%
Exempt solvents		
Water	10.0%	10.7%
Organic Volatiles	64.0%	75.3%
Percent Non-Volatile	26.0%	14.0%
VOC Content	LB/Gal	g/L
Total	5.70	684
Less exempt solvents	6.39	766
Of solids	40.80	4889
Of solids	2.46 lb/lb	2.46 kg/kg
	By wt	
By wt LVP-VOC	64.0%	

Maximum Incremental Reactivity (MIR) (per California Air Resources Board Aerosol Products Regulation, MIR Values 2010) **1.56**

Volatile Organic Compounds - South Coast Air Quality Management District, California, US

	S61B500	
	LB/Gal	g/L
Coating Density	8.92	1068
	By wt	By vol
Total Volatiles	74.0%	86.0%
Exempt solvents		
Water	10.0%	10.7%
Organic Volatiles	64.0%	75.3%
Percent Non-Volatile	26.0%	14.0%
VOC Content	LB/Gal	g/L
Total	5.70	684
Less exempt solvents	6.39	766
Of solids	40.80	4889
Of solids	2.46 lb/lb	2.46 kg/kg

Volatile Organic Compounds - EU Directive 2004/42/EC

	S61B500	
	By wt	By vol
Total Volatiles	74.0%	86.0%
VOC Content	LB/Gal	g/L
Total	5.70	684

Volatile Organic Compounds - EU Directive 2010/75/EU

	S61B500	
	By wt	By vol
Total Volatiles	74.0%	86.0%
VOC Content	LB/Gal	g/L
Total	5.70	684

Volatile Organic Compounds - Mexico

	S61B500	
	LB/Gal	g/L
Coating Density	8.92	1068
	By wt	By vol
Total Volatiles	74.0%	86.0%
Exempt solvents		
Water	10.0%	10.7%
Organic Volatiles	64.0%	75.3%
Percent Non-Volatile	26.0%	14.0%
VOC Content	LB/Gal	g/L
Total	5.70	684
Less exempt solvents	6.39	766
Of solids	40.80	4889
Of solids	2.46 lb/lb	2.46 kg/kg

Hazardous Air Pollutants (Clean Air Act, Section 112(b))

	S61B500	
	LB/Gal	kg/L
Volatile HAPS	0.00	0.000
Of solids	0.00	0.000
Of solids	0.00 lb/lb	0.00 kg/kg

Air Quality Data

Density of Organic Solvent Blend

7.58 lb/gal

Photochemically Reactive

No

Additional Regulatory Information

US EPA TSCA:

Not Applicable

Relevant identified uses of the substance or mixture and uses advised against:

Not Applicable

Waste Disposal

Waste from this product may be hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261. Waste must be tested for ignitability and extractability to determine the applicable EPA hazardous waste numbers.

Addition of reducers or other additives to this product may substantially alter the above data. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.