### **ENVIRONMENTAL DATA SHEET**

(Certified Product Data Sheet)

**Date of Preparation** 

Sep 9, 2023

23 00 [2523]

### **PRODUCT NUMBER**

S64N502

#### **PRODUCT NAME**

SHER-WOOD® Water Reducible Wiping Stain, Cinnamon

#### **MANUFACTURER'S NAME**

THE SHERWIN-WILLIAMS COMPANY 101 W. Prospect Avenue Cleveland, OH 44115

This document includes all data required by 40 CFR 63.801(a) for a Certified Product Data Sheet under criteria specified in 40 CFR 63.805(a). All data given below are MAXIMUM THEORETICAL VALUES based on the product AS CURRENTLY FORMULATED. Variations may occur on individual batches due to adjustments made during production.

#### Hazard Category (for SARA 311.312)

S64N502 = | Acute | Chronic |

Product WeightSpecific GravityFLASH POINT8.53 lb/gal1.03N.A.

#### **Volatile Ingredients**

Chemical / Compound	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Ethylene Glycol 107-21-1	N	Υ	Υ	Υ	1	1
Water 7732-18-5	N	N	N	N	88	90

## Volatile Organic Compounds - U.S. EPA / Canada

	00	411500	
	S64N502		
	LB/Gal	g/L	
Coating Density	8.53	1021	
	By wt	By vol	
Total Volatiles	91.0%	93.8%	
Federally exempt solvents			
Water	87.9%	90.5%	
Organic Volatiles	3.2%	3.3%	
Percent Non-Volatile	9.0%	6.2%	
VOC Content	LB/Gal	g/L	
Total	0.26	32	
Less exempt solvents	2.82	339	
Of solids	4.34	520	
Of solids	0.35 lb/lb	0.35 kg/kg	
	By wt		
By wt LVP-VOC	1.8%		

Maximum Incremental Reactivity (MIR) (per US EPA Aerosol Ctg Rule, MIR Values 2009) 0.11

## Volatile Organic Compounds - California

	S64N502	
	LB/Gal	g/L
Coating Density	8.53	1021
	By wt	By vol
Total Volatiles	91.0%	93.8%
Exempt solvents		
Water	87.9%	90.5%
Organic Volatiles	3.2%	3.3%
Percent Non-Volatile	9.0%	6.2%
VOC Content	LB/Gal	g/L
Total	0.26	32
Less exempt solvents	2.82	339
Of solids	4.34	520
Of solids	0.35 lb/lb	0.35 kg/kg
	By wt	
By wt LVP-VOC	1.8%	_

Maximum Incremental Reactivity (MIR) (per California Air Resources Board Aerosol Products Regulation, MIR Values 2010) 0.11

# Volatile Organic Compounds - South Coast Air Quality Management District, California, US

	S64N502	
	LB/Gal	g/L
Coating Density	8.53	1021
	By wt	By vol
Total Volatiles	91.0%	93.8%
Exempt solvents		
Water	87.9%	90.5%
Organic Volatiles	3.2%	3.3%
Percent Non-Volatile	9.0%	6.2%
VOC Content	LB/Gal	g/L
Total	0.26	32
Less exempt solvents	2.82	339
Of solids	4.34	520
Of solids	0.35 lb/lb	0.35 kg/kg

## Volatile Organic Compounds - EU Directive 2004/42/EC

	S64N502	
	By wt	By vol
Total Volatiles	91.0%	93.8%
VOC Content	LB/Gal	g/L
Total	0.26	32

# Volatile Organic Compounds - EU Directive 2010/75/EU

	S64N502	
	By wt	By vol
Total Volatiles	91.0%	93.8%
VOC Content	LB/Gal	g/L
Total	0.26	32

## **Volatile Organic Compounds - Mexico**

	S64N502	
	LB/Gal	g/L
Coating Density	8.53	1021
	By wt	By vol
Total Volatiles	91.0%	93.8%
Exempt solvents		
Water	87.9%	90.5%
Organic Volatiles	3.2%	3.3%
Percent Non-Volatile	9.0%	6.2%
VOC Content	LB/Gal	g/L
Total	0.26	32
Less exempt solvents	2.82	339
Of solids	4.34	520
Of solids	0.35 lb/lb	0.35 kg/kg

## Hazardous Air Pollutants (Clean Air Act, Section 112(b))

	S64N502	
	LB/Gal	kg/L
Volatile HAPS	0.09	0.011
Of solids	1.61	0.193
Of solids	0.13 lb/lb	0.13 kg/kg

### **Air Quality Data**

**Density of Organic Solvent Blend** 

8.10 lb/gal

**Photochemically Reactive** 

No

# **Additional Regulatory Information**

### **US EPA TSCA:**

Not Applicable

Relevant identified uses of the substance or mixture and uses advised against:

Not Applicable

### **Waste Disposal**

Waste from this product is not hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261.

Addition of reducers or other additives to this product may substantially alter the above data. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.