

ENVIRONMENTAL DATA SHEET

(Certified Product Data Sheet)

Date of Preparation
Sep 9, 2023

20 00 [2523]

PRODUCT NUMBER

S64N537

PRODUCT NAME

SHER-WOOD® Water Reducible Wiping Stain Concentrate, Burnt Umber

MANUFACTURER'S NAME

THE SHERWIN-WILLIAMS COMPANY
101 W. Prospect Avenue
Cleveland, OH 44115

This document includes all data required by 40 CFR 63.801(a) for a Certified Product Data Sheet under criteria specified in 40 CFR 63.805(a). All data given below are MAXIMUM THEORETICAL VALUES based on the product AS CURRENTLY FORMULATED. Variations may occur on individual batches due to adjustments made during production.

Hazard Category (for SARA 311.312)

S64N537 = | Acute | Chronic |

Product Weight

8.97 lb/gal

Specific Gravity

1.08

FLASH POINT

N.A.

Volatile Ingredients

Chemical / Compound	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
2-Butoxyethanol 111-76-2	N	N	Y - Glycol Ethers (SARA)	N	3	3
Ethylene Glycol 107-21-1	N	Y	Y	Y	3	3
Dimethylethanol Amine 108-01-0	N	N	N	N	3	3
Water 7732-18-5	N	N	N	N	65	71

Regulated Compounds

	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Manganese	N	N	Y	N	2	
Manganese Compound	N	N	Y	Y	2	
Glycol Ethers (SARA)	N	N	Y	N	3	

Volatile Organic Compounds - U.S. EPA / Canada

	S64N537	
	LB/Gal	g/L
Coating Density	8.97	1074
	By wt	By vol
Total Volatiles	74.4%	81.8%
Federally exempt solvents		
Water	64.8%	71.2%
Organic Volatiles	9.6%	10.6%
Percent Non-Volatile	25.6%	18.2%
VOC Content	LB/Gal	g/L
Total	0.85	102
Less exempt solvents	2.97	356
Of solids	4.70	564
Of solids	0.37 lb/lb	0.37 kg/kg
	By wt	
By wt LVP-VOC	5.6%	

Maximum Incremental Reactivity (MIR) (per US EPA Aerosol Ctg Rule, MIR Values 2009) **0.34**

Volatile Organic Compounds - California

	S64N537	
	LB/Gal	g/L
Coating Density	8.97	1074
	By wt	By vol
Total Volatiles	74.4%	81.8%
Exempt solvents		
Water	64.8%	71.2%
Organic Volatiles	9.6%	10.6%
Percent Non-Volatile	25.6%	18.2%
VOC Content	LB/Gal	g/L
Total	0.85	102
Less exempt solvents	2.97	356
Of solids	4.70	564
Of solids	0.37 lb/lb	0.37 kg/kg
	By wt	
By wt LVP-VOC	5.6%	

Maximum Incremental Reactivity (MIR) (per California Air Resources Board Aerosol Products Regulation, MIR Values 2010) **0.35**

Volatile Organic Compounds - South Coast Air Quality Management District, California, US

	S64N537	
	LB/Gal	g/L
Coating Density	8.97	1074
	By wt	By vol
Total Volatiles	74.4%	81.8%
Exempt solvents		
Water	64.8%	71.2%
Organic Volatiles	9.6%	10.6%
Percent Non-Volatile	25.6%	18.2%
VOC Content	LB/Gal	g/L
Total	0.85	102
Less exempt solvents	2.97	356
Of solids	4.70	564
Of solids	0.37 lb/lb	0.37 kg/kg

Volatile Organic Compounds - EU Directive 2004/42/EC

	S64N537	
	By wt	By vol
Total Volatiles	74.4%	81.8%
VOC Content	LB/Gal	g/L
Total	0.85	102

Volatile Organic Compounds - EU Directive 2010/75/EU

	S64N537	
	By wt	By vol
Total Volatiles	74.4%	81.8%
VOC Content	LB/Gal	g/L
Total	0.85	102

Volatile Organic Compounds - Mexico

	S64N537	
	LB/Gal	g/L
Coating Density	8.97	1074
	By wt	By vol
Total Volatiles	74.4%	81.8%
Exempt solvents		
Water	64.8%	71.2%
Organic Volatiles	9.6%	10.6%
Percent Non-Volatile	25.6%	18.2%
VOC Content	LB/Gal	g/L
Total	0.85	102
Less exempt solvents	2.97	356
Of solids	4.70	564
Of solids	0.37 lb/lb	0.37 kg/kg

Hazardous Air Pollutants (Clean Air Act, Section 112(b))

	S64N537	
	LB/Gal	kg/L
Volatile HAPS	0.30	0.036
Of solids	1.65	0.198
Of solids	0.13 lb/lb	0.13 kg/kg

Air Quality Data**Density of Organic Solvent Blend**

8.08 lb/gal

Photochemically Reactive

No

Additional Regulatory Information**US EPA TSCA:**

Not Applicable

Relevant identified uses of the substance or mixture and uses advised against:

Not Applicable

Waste Disposal

Waste from this product is not hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261.

Addition of reducers or other additives to this product may substantially alter the above data. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.