

# ENVIRONMENTAL DATA SHEET

(Certified Product Data Sheet)

Date of Preparation

Sep 9, 2023

24 00 [2523]

## PRODUCT NUMBER

S64R515

## PRODUCT NAME

SHER-WOOD® Water Reducible Wiping Stain, Cordovan

## MANUFACTURER'S NAME

THE SHERWIN-WILLIAMS COMPANY

101 W. Prospect Avenue

Cleveland, OH 44115

This document includes all data required by 40 CFR 63.801(a) for a Certified Product Data Sheet under criteria specified in 40 CFR 63.805(a). All data given below are MAXIMUM THEORETICAL VALUES based on the product AS CURRENTLY FORMULATED. Variations may occur on individual batches due to adjustments made during production.

## Hazard Category (for SARA 311.312)

S64R515 = | Acute | Chronic |

## Product Weight

8.58 lb/gal

## Specific Gravity

1.03

## FLASH POINT

N.A.

## Volatile Ingredients

Chemical / Compound	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
2-Butoxyethanol 111-76-2	N	N	Y - Glycol Ethers (SARA)	N	2	2
Ethylene Glycol 107-21-1	N	Y	Y	Y	2	2
Dimethylethanol Amine 108-01-0	N	N	N	N	1	1
Water 7732-18-5	N	N	N	N	84	87

## Regulated Compounds

	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Glycol Ethers (SARA)	N	N	Y	N	2	

**Volatile Organic Compounds - U.S. EPA / Canada**

	S64R515	
	LB/Gal	g/L
Coating Density	8.58	1027
	By wt	By vol
Total Volatiles	88.8%	92.2%
Federally exempt solvents		
Water	84.2%	87.3%
Organic Volatiles	4.6%	4.9%
Percent Non-Volatile	11.2%	7.8%
VOC Content	LB/Gal	g/L
Total	0.39	47
Less exempt solvents	3.10	371
Of solids	5.05	605
Of solids	0.41 lb/lb	0.41 kg/kg
	By wt	
By wt LVP-VOC	2.9%	

Maximum Incremental Reactivity (MIR) (per US EPA Aerosol Ctg Rule, MIR Values 2009) **0.15**

**Volatile Organic Compounds - California**

	S64R515	
	LB/Gal	g/L
Coating Density	8.58	1027
	By wt	By vol
Total Volatiles	88.8%	92.2%
Exempt solvents		
Water	84.2%	87.3%
Organic Volatiles	4.6%	4.9%
Percent Non-Volatile	11.2%	7.8%
VOC Content	LB/Gal	g/L
Total	0.39	47
Less exempt solvents	3.10	371
Of solids	5.05	605
Of solids	0.41 lb/lb	0.41 kg/kg
	By wt	
By wt LVP-VOC	2.9%	

Maximum Incremental Reactivity (MIR) (per California Air Resources Board Aerosol Products Regulation, MIR Values 2010) **0.16**

**Volatile Organic Compounds - South Coast Air Quality Management District, California, US**

	S64R515	
	LB/Gal	g/L
Coating Density	8.58	1027
	By wt	By vol
Total Volatiles	88.8%	92.2%
Exempt solvents		
Water	84.2%	87.3%
Organic Volatiles	4.6%	4.9%
Percent Non-Volatile	11.2%	7.8%
VOC Content	LB/Gal	g/L
Total	0.39	47
Less exempt solvents	3.10	371
Of solids	5.05	605
Of solids	0.41 lb/lb	0.41 kg/kg

**Volatile Organic Compounds - EU Directive 2004/42/EC**

	S64R515	
	By wt	By vol
Total Volatiles	88.8%	92.2%
VOC Content	LB/Gal	g/L
Total	0.39	47

**Volatile Organic Compounds - EU Directive 2010/75/EU**

	S64R515	
	By wt	By vol
Total Volatiles	88.8%	92.2%
VOC Content	LB/Gal	g/L
Total	0.39	47

**Volatile Organic Compounds - Mexico**

	S64R515	
	LB/Gal	g/L
Coating Density	8.58	1027
	By wt	By vol
Total Volatiles	88.8%	92.2%
Exempt solvents		
Water	84.2%	87.3%
Organic Volatiles	4.6%	4.9%
Percent Non-Volatile	11.2%	7.8%
VOC Content	LB/Gal	g/L
Total	0.39	47
Less exempt solvents	3.10	371
Of solids	5.05	605
Of solids	0.41 lb/lb	0.41 kg/kg

**Hazardous Air Pollutants (Clean Air Act, Section 112(b))**

	S64R515	
	LB/Gal	kg/L
Volatile HAPS	0.14	0.017
Of solids	1.82	0.218
Of solids	0.14 lb/lb	0.14 kg/kg

**Air Quality Data****Density of Organic Solvent Blend**

8.03 lb/gal

**Photochemically Reactive**

No

**Additional Regulatory Information****US EPA TSCA:**

Not Applicable

**Relevant identified uses of the substance or mixture and uses advised against:**

Not Applicable

**Waste Disposal**

Waste from this product is not hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261.

Addition of reducers or other additives to this product may substantially alter the above data. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.