### **ENVIRONMENTAL DATA SHEET**

(Certified Product Data Sheet)

**Date of Preparation** 

Apr 20, 2024

### **PRODUCT NUMBER**

S66T10

#### **PRODUCT NAME**

SHER-WOOD® Glaze, Natural

#### **MANUFACTURER'S NAME**

20 00 [2523]

THE SHERWIN-WILLIAMS COMPANY 101 W. Prospect Avenue Cleveland, OH 44115

This document includes all data required by 40 CFR 63.801(a) for a Certified Product Data Sheet under criteria specified in 40 CFR 63.805(a). All data given below are MAXIMUM THEORETICAL VALUES based on the product AS CURRENTLY FORMULATED and rely on information provided to us by our raw material suppliers. Our suppliers often provide an estimated value or range less than a certain upper limit. We calculate MAXIMUM THEORETICAL VALUES using defined values, if provided, or the upper limit reported by our supplier. Additionally, the suppliers' information may include amounts present in the product as unintentional byproducts or impurities. Variations may occur in individual batches due to adjustments made during production.

### Hazard Category (for SARA 311.312)

S66T10 = | Acute | Chronic | Fire |

 Product Weight
 Specific Gravity
 FLASH POINT

 8.46 lb/gal
 1.02
 100 °F PMCC

### **Volatile Ingredients**

Chemical / Compound	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Light Aliphatic Hydrocarbon 64742-47-8	N	N	N	N	39	51
Mineral Spirits 140-Flash 64742-88-7	N	N	N	N	12	15
Light Aromatic Hydrocarbons 64742-95-6	N	N	N	N	1	1
Pine Oil 8002-09-3	N	N	N	N	2	3

### **Regulated Compounds**

	SARA 302 EHS	CERCLA	SARA 313 TC	<b>HAPS 112</b>	% by Weight	% by Volume
Lead (as Pb)	N	Ν	Υ	N	0.00001	

# Volatile Organic Compounds - U.S. EPA / Canada

	S66T10		
	LB/Gal	g/L	
Coating Density	8.46	1013	
	By wt	By vol	
Total Volatiles	57.1%	74.2%	
Federally exempt solvents			
Water	0.0%	0.0%	
Organic Volatiles	57.1%	74.2%	
Percent Non-Volatile	42.9%	25.8%	
VOC Content	LB/Gal	g/L	
Total	4.83	579	
Less exempt solvents	4.83	579	
Of solids	18.70	2241	
Of solids	1.33 lb/lb	1.33 kg/kg	
	By wt		
By wt LVP-VOC	54.8%		

Maximum Incremental Reactivity (MIR) (per US EPA Aerosol Ctg Rule, MIR Values 2009) 0.70

## **Volatile Organic Compounds - California**

	S66T10		
	LB/Gal	g/L	
Coating Density	8.46	1013	
	By wt	By vol	
Total Volatiles	57.1%	74.2%	
Exempt solvents			
Water	0.0%	0.0%	
Organic Volatiles	57.1%	74.2%	
Percent Non-Volatile	42.9%	25.8%	
VOC Content	LB/Gal	g/L	
Total	4.83	579	
Less exempt solvents	4.83	579	
Of solids	18.70	2241	
Of solids	1.33 lb/lb	1.33 kg/kg	
	By wt		
By wt LVP-VOC	54.8%		

Maximum Incremental Reactivity (MIR) (per California Air Resources Board Aerosol Products Regulation, MIR Values 2010) 0.67

# Volatile Organic Compounds - South Coast Air Quality Management District, California, US

	S66T10		
	LB/Gal	g/L	
Coating Density	8.46	1013	
	By wt	By vol	
Total Volatiles	57.1%	74.2%	
Exempt solvents			
Water	0.0%	0.0%	
Organic Volatiles	57.1%	74.2%	
Percent Non-Volatile	42.9%	25.8%	
VOC Content	LB/Gal	g/L	
Total	4.83	579	
Less exempt solvents	4.83	579	
Of solids	18.70	2241	
Of solids	1.33 lb/lb	1.33 kg/kg	

# Volatile Organic Compounds - EU Directive 2004/42/EC

	S66	6T10
	By wt	By vol
Total Volatiles	57.1%	74.2%
VOC Content	LB/Gal	g/L
Total	4.83	579

# Volatile Organic Compounds - EU Directive 2010/75/EU

	S66	ST10
	By wt	By vol
Total Volatiles	57.1%	74.2%
VOC Content	LB/Gal	g/L
Total	4.83	579

# **Volatile Organic Compounds - Mexico**

	S66T10		
	LB/Gal	g/L	
Coating Density	8.46	1013	
	By wt	By vol	
Total Volatiles	57.1%	74.2%	
Exempt solvents			
Water	0.0%	0.0%	
Organic Volatiles	57.1%	74.2%	
Percent Non-Volatile	42.9%	25.8%	
VOC Content	LB/Gal	g/L	
Total	4.83	579	
Less exempt solvents	4.83	579	
Of solids	18.70	2241	
Of solids	1.33 lb/lb	1.33 kg/kg	

## Hazardous Air Pollutants (Clean Air Act, Section 112(b))

	S66T10		
	LB/Gal	kg/L	
Volatile HAPS	0.00	0.000	
Of solids	0.00	0.000	
Of solids	0.00 lb/lb	0.00 kg/kg	

## **Air Quality Data**

**Density of Organic Solvent Blend** 

6.52 lb/gal

**Photochemically Reactive** 

No

## **Waste Disposal**

Waste from this product may be hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261. Waste must be tested for ignitability to determine the applicable EPA hazardous waste numbers.

The addition of any material to this product can change the composition, hazards and risks of the product and may substantially alter the above data. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.