ENVIRONMENTAL DATA SHEET

(Certified Product Data Sheet)

Date of Preparation

Apr 20, 2024

08 00 [2523]

T77W3040

PRODUCT NUMBER

PRODUCT NAME

PROCRAFT™ 275 White Precat Lacquer, Satin

MANUFACTURER'S NAME

THE SHERWIN-WILLIAMS COMPANY 101 W. Prospect Avenue Cleveland, OH 44115

This document includes all data required by 40 CFR 63.801(a) for a Certified Product Data Sheet under criteria specified in 40 CFR 63.805(a). All data given below are MAXIMUM THEORETICAL VALUES based on the product AS CURRENTLY FORMULATED and rely on information provided to us by our raw material suppliers. Our suppliers often provide an estimated value or range less than a certain upper limit. We calculate MAXIMUM THEORETICAL VALUES using defined values, if provided, or the upper limit reported by our supplier. Additionally, the suppliers' information may include amounts present in the product as unintentional byproducts or impurities. Variations may occur in individual batches due to adjustments made during production.

Hazard Category (for SARA 311.312)

T77W3040 = | Acute | Chronic | Fire |

Product WeightSpecific GravityFLASH POINT9.44 lb/gal1.14-1 °F PMCC

Volatile Ingredients

Chemical / Compound	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Ethylbenzene 100-41-4	N	Υ	Υ	Υ	0.2	0.3
p-Chlorobenzotrifluoride 98-56-6	N	N	N	N	29	25
Ethanol 64-17-5	N	N	N	N	2	3
2-Butoxyethanol 111-76-2	N	N	Y - Glycol Ethers (SARA)	N	3	4
Acetone 67-64-1	N	Υ	N	N	28	41

Regulated Compounds

	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Mercury (as Hg)	N	N	Υ	N	0.000007	
Lead (as Pb)	N	N	Υ	N	0.0000007	
Glycol Ethers (SARA)	N	N	Υ	N	3	

Volatile Organic Compounds - U.S. EPA / Canada

	T77W3040	
	LB/Gal	g/L
Coating Density	9.44	1131
	By wt	By vol
Total Volatiles	65.5%	75.7%
Federally exempt solvents		
Water	0.0%	0.0%
P-Chlorobenzotrifluoride	29.5%	24.9%
Acetone	28.5%	40.8%
Organic Volatiles	7.6%	10.1%
Percent Non-Volatile	34.5%	24.3%
VOC Content	LB/Gal	g/L
Total	0.71	85
Less exempt solvents	2.09	250
Of solids	2.95	354
Of solids	0.22 lb/lb	0.22 kg/kg
	By wt	
By wt LVP-VOC	7.6%	

Maximum Incremental Reactivity (MIR) (per US EPA Aerosol Ctg Rule, MIR Values 2009) 0.36

Volatile Organic Compounds - California

T77W3040		
LB/Gal	g/L	
9.44	1131	
By wt	By vol	
65.5%	75.7%	
0.0%	0.0%	
29.5%	24.9%	
28.5%	40.8%	
7.6%	10.1%	
34.5%	24.3%	
LB/Gal	g/L	
0.71	85	
2.09	250	
2.95	354	
0.22 lb/lb	0.22 kg/kg	
By wt		
7.6%		
	LB/Gal 9.44 By wt 65.5% 0.0% 29.5% 28.5% 7.6% 34.5% LB/Gal 0.71 2.09 2.95 0.22 lb/lb By wt	

Maximum Incremental Reactivity (MIR) (per California Air Resources Board Aerosol Products Regulation, MIR Values 2010) 0.34

Volatile Organic Compounds - South Coast Air Quality Management District, California, US

	T77W3040	
	LB/Gal	g/L
Coating Density	9.44	1131
	By wt	By vol
Total Volatiles	65.5%	75.7%
Exempt solvents		
Water	0.0%	0.0%
P-Chlorobenzotrifluoride	29.5%	24.9%
Acetone	28.5%	40.8%
Organic Volatiles	7.6%	10.1%
Percent Non-Volatile	34.5%	24.3%
VOC Content	LB/Gal	g/L
Total	0.71	85
Less exempt solvents	2.09	250
Of solids	2.95	354
Of solids	0.22 lb/lb	0.22 kg/kg

Volatile Organic Compounds - EU Directive 2004/42/EC

	T77W3040		
	By wt	By vol	
Total Volatiles	65.8%	76.0%	
VOC Content	LB/Gal	g/L	
Total	6.21	744	

Volatile Organic Compounds - EU Directive 2010/75/EU

	T77W3040		
	By wt	By vol	
Total Volatiles	65.5%	75.7%	
VOC Content	LB/Gal	g/L	
Total	6.18	741	

Volatile Organic Compounds - Mexico

	T77W3040		
	LB/Gal	g/L	
Coating Density	9.44	1131	
	By wt	By vol	
Total Volatiles	65.5%	75.7%	
Exempt solvents			
Water	0.0%	0.0%	
Acetone	28.5%	40.8%	
Organic Volatiles	37.1%	35.0%	
Percent Non-Volatile	34.5%	24.3%	
VOC Content	LB/Gal	g/L	
Total	3.49	419	
Less exempt solvents	5.90	707	
Of solids	14.42	1728	
Of solids	1.07 lb/lb	1.07 kg/kg	

Hazardous Air Pollutants (Clean Air Act, Section 112(b))

	T77W3040		
	LB/Gal	kg/L	
Volatile HAPS	0.02	0.002	
Of solids	0.08	0.010	
Of solids	0.00 lb/lb	0.00 kg/kg	

Air Quality Data

Density of Organic Solvent Blend

8.16 lb/gal

Photochemically Reactive

No

Waste Disposal

Waste from this product may be hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261. Waste must be tested for ignitability to determine the applicable EPA hazardous waste numbers.

The addition of any material to this product can change the composition, hazards and risks of the product and may substantially alter the above data. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.