ENVIRONMENTAL DATA SHEET

(Certified Product Data Sheet)

Date of Preparation

Oct 9, 2023

06 00 [2823]

PRODUCT NUMBER

TZL7185

PRODUCT NAME

Premium Polyurethane Clear Topcoat, 85 Gloss

MANUFACTURER'S NAME

SAYERLACK, A BRAND OF SHERWIN-WILLIAMS 101 W. Prospect Avenue Cleveland, OH 44115

This document includes all data required by 40 CFR 63.801(a) for a Certified Product Data Sheet under criteria specified in 40 CFR 63.805(a). All data given below are MAXIMUM THEORETICAL VALUES based on the product AS CURRENTLY FORMULATED. Variations may occur on individual batches due to adjustments made during production.

Hazard Category (for SARA 311.312)

TZL7185 = | Acute | Chronic | Fire |

Product WeightSpecific GravityFLASH POINT7.85 lb/gal0.9529 °F PMCC

Volatile Ingredients

Chemical / Compound	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Methyl Ethyl Ketone 78-93-3	N	Υ	N	N	11	13
Methyl n-Amyl Ketone 110-43-0	N	N	N	N	13	15
Acetic Acid 64-19-7	N	Υ	N	N	1	1
n-Butyl Propionate 590-01-2	N	N	N	N	9	10
n-Butyl Acetate 123-86-4	N	Υ	N	N	25	27

Volatile Organic Compounds - U.S. EPA / Canada

	TZL7185	
	LB/Gal	g/L
Coating Density	7.85	941
	By wt	By vol
Total Volatiles	60.0%	66.5%
Federally exempt solvents		
Water	0.0%	0.0%
Organic Volatiles	60.0%	66.5%
Percent Non-Volatile	40.0%	33.5%
VOC Content	LB/Gal	g/L
Total	4.71	565
Less exempt solvents	4.71	565
Of solids	14.06	1685
Of solids	1.50 lb/lb	1.50 kg/kg
	By wt	
By wt LVP-VOC	60.0%	

Maximum Incremental Reactivity (MIR) (per US EPA Aerosol Ctg Rule, MIR Values 2009) 0.85

Volatile Organic Compounds - California

	TZL7185	
	LB/Gal	g/L
Coating Density	7.85	941
	By wt	By vol
Total Volatiles	60.0%	66.5%
Exempt solvents		
Water	0.0%	0.0%
Organic Volatiles	60.0%	66.5%
Percent Non-Volatile	40.0%	33.5%
VOC Content	LB/Gal	g/L
Total	4.71	565
Less exempt solvents	4.71	565
Of solids	14.06	1685
Of solids	1.50 lb/lb	1.50 kg/kg
	By wt	
By wt LVP-VOC	60.0%	

Maximum Incremental Reactivity (MIR) (per California Air Resources Board Aerosol Products Regulation, MIR Values 2010) 0.78

Volatile Organic Compounds - South Coast Air Quality Management District, California, US

	TZL7185		
	LB/Gal	g/L	
Coating Density	7.85	941	
	By wt	By vol	
Total Volatiles	60.0%	66.5%	
Exempt solvents			
Water	0.0%	0.0%	
Organic Volatiles	60.0%	66.5%	
Percent Non-Volatile	40.0%	33.5%	
VOC Content	LB/Gal	g/L	
Total	4.71	565	
Less exempt solvents	4.71	565	
Of solids	14.06	1685	
Of solids	1.50 lb/lb	1.50 kg/kg	

Volatile Organic Compounds - EU Directive 2004/42/EC

	TZL7185	
	By wt	By vol
Total Volatiles	60.0%	66.5%
VOC Content	LB/Gal	g/L
Total	4.71	565

Volatile Organic Compounds - EU Directive 2010/75/EU

	TZL7185	
	By wt	By vol
Total Volatiles	60.0%	66.5%
VOC Content	LB/Gal	g/L
Total	4.71	565

Volatile Organic Compounds - Mexico

	TZL7185	
	LB/Gal	g/L
Coating Density	7.85	941
	By wt	By vol
Total Volatiles	60.0%	66.5%
Exempt solvents		
Water	0.0%	0.0%
Organic Volatiles	60.0%	66.5%
Percent Non-Volatile	40.0%	33.5%
VOC Content	LB/Gal	g/L
Total	4.71	565
Less exempt solvents	4.71	565
Of solids	14.06	1685
Of solids	1.50 lb/lb	1.50 kg/kg

Hazardous Air Pollutants (Clean Air Act, Section 112(b))

	TZL7185	
	LB/Gal	kg/L
Volatile HAPS	0.00	0.000
Of solids	0.00	0.000
Of solids	0.00 lb/lb	0.00 kg/kg

Air Quality Data

Density of Organic Solvent Blend

7.10 lb/gal

Photochemically Reactive

No

Additional Regulatory Information

US EPA TSCA:

Not Applicable

Relevant identified uses of the substance or mixture and uses advised against:

Not Applicable

Waste Disposal

Waste from this product may be hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261. Waste must be tested for ignitability to determine the applicable EPA hazardous waste numbers.

Addition of reducers or other additives to this product may substantially alter the above data. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.