### **ENVIRONMENTAL DATA SHEET**

(Certified Product Data Sheet)

**Date of Preparation** 

Apr 20, 2024

10 00 [2622]

### **PRODUCT NUMBER**

W7A2260

#### **PRODUCT NAME**

AQUA FILL® Waterborne Primer-Surfacer

#### **MANUFACTURER'S NAME**

THE SHERWIN-WILLIAMS COMPANY 4440 Warrensville Center Road Warrensville Heights, OH 44128

This document includes all data required by 40 CFR 63.801(a) for a Certified Product Data Sheet under criteria specified in 40 CFR 63.805(a). All data given below are MAXIMUM THEORETICAL VALUES based on the product AS CURRENTLY FORMULATED and rely on information provided to us by our raw material suppliers. Our suppliers often provide an estimated value or range less than a certain upper limit. We calculate MAXIMUM THEORETICAL VALUES using defined values, if provided, or the upper limit reported by our supplier. Additionally, the suppliers' information may include amounts present in the product as unintentional byproducts or impurities. Variations may occur in individual batches due to adjustments made during production.

### Hazard Category (for SARA 311.312)

W7A2260 = | Acute | Chronic |

 Product Weight
 Specific Gravity
 FLASH POINT

 11.36 lb/gal
 1.37
 200 °F PMCC

### **Volatile Ingredients**

Chemical / Compound	SARA 302 EHS	CERCLA	SARA 313 TC	<b>HAPS 112</b>	% by Weight	% by Volume
1-Methyl-2-Pyrrolidone 872-50-4	N	N	Υ	N	3	4
Water 7732-18-5	N	N	N	N	38	52

### **Regulated Compounds**

	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Mercury (as Hg)	N	N	Υ	N	0.000004	
Lead (as Pb)	N	N	Υ	N	0.00004	

# Volatile Organic Compounds - U.S. EPA / Canada

	W7A2260		
	LB/Gal	g/L	
Coating Density	11.36	1360	
	By wt	By vol	
Total Volatiles	42.4%	58.6%	
Federally exempt solvents			
Water	37.8%	52.1%	
Organic Volatiles	4.5%	6.5%	
Percent Non-Volatile	57.6%	41.4%	
VOC Content	LB/Gal	g/L	
Total	0.51	61	
Less exempt solvents	1.07	128	
Of solids	1.24	148	
Of solids	0.07 lb/lb	0.07 kg/kg	
	By wt		
By wt LVP-VOC	4.2%	_	

Maximum Incremental Reactivity (MIR) (per US EPA Aerosol Ctg Rule, MIR Values 2009) 0.18

### **Volatile Organic Compounds - California**

	W7A2260		
	LB/Gal	g/L	
Coating Density	11.36	1360	
	By wt	By vol	
Total Volatiles	42.4%	58.6%	
Exempt solvents			
Water	37.8%	52.1%	
Organic Volatiles	4.5%	6.5%	
Percent Non-Volatile	57.6%	41.4%	
VOC Content	LB/Gal	g/L	
Total	0.51	61	
Less exempt solvents	1.07	128	
Of solids	1.24	148	
Of solids	0.07 lb/lb	0.07 kg/kg	
	By wt		
By wt LVP-VOC	4.2%		

Maximum Incremental Reactivity (MIR) (per California Air Resources Board Aerosol Products Regulation, MIR Values 2010) 0.11

# Volatile Organic Compounds - South Coast Air Quality Management District, California, US

	W7A2260		
	LB/Gal	g/L	
Coating Density	11.36	1360	
	By wt	By vol	
Total Volatiles	42.4%	58.6%	
Exempt solvents			
Water	37.8%	52.1%	
Organic Volatiles	4.5%	6.5%	
Percent Non-Volatile	57.6%	41.4%	
VOC Content	LB/Gal	g/L	
Total	0.51	61	
Less exempt solvents	1.07	128	
Of solids	1.24	148	
Of solids	0.07 lb/lb	0.07 kg/kg	

## Volatile Organic Compounds - EU Directive 2004/42/EC

	W7A2260	
	By wt	By vol
Total Volatiles	42.4%	58.6%
VOC Content	LB/Gal	g/L
Total	0.51	61

# Volatile Organic Compounds - EU Directive 2010/75/EU

	W7A2260	
	By wt	By vol
Total Volatiles	42.0%	58.0%
VOC Content	LB/Gal	g/L
Total	0.47	56

# **Volatile Organic Compounds - Mexico**

	W7A2260		
	LB/Gal	g/L	
Coating Density	11.36	1360	
	By wt	By vol	
Total Volatiles	42.4%	58.6%	
Exempt solvents			
Water	37.8%	52.1%	
Organic Volatiles	4.5%	6.5%	
Percent Non-Volatile	57.6%	41.4%	
VOC Content	LB/Gal	g/L	
Total	0.51	61	
Less exempt solvents	1.07	128	
Of solids	1.24	148	
Of solids	0.07 lb/lb	0.07 ka/ka	

## Hazardous Air Pollutants (Clean Air Act, Section 112(b))

	W7A2260		
	LB/Gal	kg/L	
Volatile HAPS	0.00	0.000	
Of solids	0.00	0.000	
Of solids	0.00 lb/lb	0.00 kg/kg	

### **Air Quality Data**

**Density of Organic Solvent Blend** 

7.98 lb/gal

**Photochemically Reactive** 

No

### **Waste Disposal**

Waste from this product is not hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261.

The addition of any material to this product can change the composition, hazards and risks of the product and may substantially alter the above data. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.