# SAFETY DATA SHEET

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier         Product name       :       POWDURA® TGIC Polyester Powder Coating - Forest Green         Product code       :       PGS4-C0001         1.2 Relevant identified uses of the substance or mixture and uses advised against         Material uses       :       Paint or paint related material.         :       Industrial use only.         1.3 Details of the supplier of the safety data sheet         Mfg. in U.S.A and exported by:         The Sherwin-Williams Company         101 Prospect Avenue N.W.         Cleveland, OH 44115         EU Only Representative: Valspar B.V.         Zuiveringweg 89         8243 PE Lelystad         P.O. Box 2139         The Netherlands         Phone: +31 (0)320 29 22 00         e-mail address of person         e-mail address of person         responsible for this SDS         1.4 Emergency telephone number         National advisory body/Poison Center         Telephone number         Supplier         Telephone number         Matorian         Supplier         Telephone number         Kational advisory body/Poison Center         Telephone number         Mours of operation       : Emergency contact avai		
Product code       : PGS4-C0001         1.2 Relevant identified uses of the substance or mixture and uses advised against         Material uses       : Paint or paint related material.         : Industrial use only.         1.3 Details of the supplier of the safety data sheet         Mfg. in U.S.A and exported by:         The Sherwin-Williams Company         101 Prospect Avenue N.W.         Cleveland, OH 44115         EU Only Representative: Valspar B.V.         Zuiveringweg 89         8243 PE Lelystad         P.O. Box 2139         The Netherlands         Phone: +31 (0)320 29 22 00         e-mail address of person         responsible for this SDS         1.4 Emergency telephone number         National advisory body/Poison Center         Telephone number         Matorial advisory body/Poison         Emergency contact available 24	1.1 Product identifier	
1.2 Relevant identified uses of the substance or mixture and uses advised against         Material uses       : Paint or paint related material.         : Industrial use only.         1.3 Details of the supplier of the safety data sheet         Mfg. in U.S.A and exported by:         The Sherwin-Williams Company         101 Prospect Avenue N.W.         Cleveland, OH 44115         EU Only Representative: Valspar B.V.         Zuiveringweg 89         8243 PE Lelystad         P.O. Box 2139         The Netherlands         Phone: +31 (0)320 29 22 00         e-mail address of person : sds@sherwin.com         responsible for this SDS         1.4 Emergency telephone number         National advisory body/Poison Center         Telephone number : +431 406 43 43         Supplier         Telephone number : : +1703-741-5970         Hours of operation : Emergency contact available 24 hours a day	Product name	: POWDURA® TGIC Polyester Powder Coating - Forest Green
Material uses       : Paint or paint related material.         : Industrial use only.         1.3 Details of the supplier of the safety data sheet         Mfg. in U.S.A and exported by:         The Sherwin-Williams Company         101 Prospect Avenue N.W.         Cleveland, OH 44115         EU Only Representative: Valspar B.V.         Zuiveringweg 89         8243 PE Lelystad         P.O. Box 2139         The Netherlands         Phone: +31 (0)320 29 22 00         e-mail address of person : sds@sherwin.com         responsible for this SDS         1.4 Emergency telephone number         National advisory body/Poison Center         Telephone number         Supplier         Telephone number         Mational advisory body/Poison Center         Telephone number         Mational advisory body in the state	Product code	: PGS4-C0001
: Industrial use only. <b>1.3 Details of the supplier of the safety data sheet</b> Mfg. in U.S.A and exported by: The Sherwin-Williams Company 101 Prospect Avenue N.W. Cleveland, OH 44115  EU Only Representative: Valspar B.V. Zuiveringweg 89 8243 PE Lelystad P.O. Box 2139 The Netherlands Phone: +31 (0)320 29 22 00 e-mail address of person : sds@sherwin.com responsible for this SDS <b>1.4 Emergency telephone number</b> Mational advisory body/Poison Center Telephone number : +431 406 43 43 Supplier Telephone number : +1 703-741-5970 Hours of operation : Emergency contact available 24 hours a day	1.2 Relevant identified uses	of the substance or mixture and uses advised against
1.3 Details of the supplier of the safety data sheet         Mfg. in U.S.A and exported by:         The Sherwin-Williams Company         101 Prospect Avenue N.W.         Cleveland, OH 44115         EU Only Representative: Valspar B.V.         Zuiveringweg 89         8243 PE Lelystad         P.O. Box 2139         The Netherlands         Phone: +31 (0)320 29 22 00         e-mail address of person : sds@sherwin.com         responsible for this SDS         1.4 Emergency telephone number         Mational advisory body/Poison Center         Telephone number : +431 406 43 43         Supplier         Telephone number : +1703-741-5970         Hours of operation : Emergency contact available 24 hours a day	Material uses	: Paint or paint related material.
sheet         Mfg. in U.S.A and exported by:         The Sherwin-Williams Company         101 Prospect Avenue N.W.         Cleveland, OH 44115         EU Only Representative: Valspar B.V.         Zuiveringweg 89         8243 PE Lelystad         P.O. Box 2139         The Netherlands         Phone: +31 (0)320 29 22 00         e-mail address of person : sds@sherwin.com         responsible for this SDS         1.4 Emergency telephone number         National advisory body/Poison Center         Telephone number         Yelephone number         * 431 406 43 43         Supplier         Telephone number         Hours of operation       : Emergency contact available 24 hours a day		: Industrial use only.
The Sherwin-Williams Company 101 Prospect Avenue N.W. Cleveland, OH 44115 EU Only Representative: Valspar B.V. Zuiveringweg 89 8243 PE Lelystad P.O. Box 2139 The Netherlands Phone: +31 (0)320 29 22 00 <i>e-mail address of person</i> : sds@sherwin.com <i>responsible for this SDS</i> <b>1.4 Emergency telephone number</b> <u>National advisory body/Poison Center</u> <u>Telephone number</u> : +431 406 43 43 <u>Supplier</u> <u>Telephone number</u> : +1 703-741-5970 <i>Hours of operation</i> : Emergency contact available 24 hours a day	••	the safety data
Zuiveringweig 89         8243 PE Lelystad         P.O. Box 2139         The Netherlands         Phone: +31 (0)320 29 22 00         e-mail address of person       : sds@sherwin.com         responsible for this SDS         1.4 Emergency telephone number         National advisory body/Poison Center         Telephone number         is the state of the state	The Sherwin-Williams Compa 101 Prospect Avenue N.W.	
responsible for this SDS         1.4 Emergency telephone number         National advisory body/Poison Center         Telephone number       : +431 406 43 43         Supplier         Telephone number       : +1 703-741-5970         Hours of operation       : Emergency contact available 24 hours a day	Zuiveringweg 89 8243 PE Lelystad P.O. Box 2139 The Netherlands	par B.V.
National advisory body/Poison Center         Telephone number       : +431 406 43 43         Supplier         Telephone number       : +1 703-741-5970         Hours of operation       : Emergency contact available 24 hours a day		: sds@sherwin.com
Telephone number: +431 406 43 43SupplierTelephone number: +1 703-741-5970Hours of operation: Emergency contact available 24 hours a day	1.4 Emergency telephone nu	mber
Supplier         Telephone number       : +1 703-741-5970         Hours of operation       : Emergency contact available 24 hours a day	National advisory body/Pois	son Center
Telephone number: +1 703-741-5970Hours of operation: Emergency contact available 24 hours a day	Telephone number	: +431 406 43 43
<i>Hours of operation</i> : Emergency contact available 24 hours a day	<u>Supplier</u>	
	Telephone number	: +1 703-741-5970
SECTION 2: Hazards identification	Hours of operation	: Emergency contact available 24 hours a day
	SECTION 2: Hazards ide	entification

# 2.1 Classification of the substance or mixture

**Product definition** : Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Acute Tox. 4, H332 Eye Dam. 1, H318 Skin Sens. 1, H317 Muta. 1B, H340

The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended.

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

### 2.2 Label elements

**SECTION 2: Hazards identification** 

Hazard pictograms	
Signal word	: Danger
Hazard statements	: May cause an allergic skin reaction. Causes serious eye damage. Harmful if inhaled. May cause genetic defects.
Precautionary statements	
Prevention	: Obtain special instructions before use. Wear protective gloves, protective clothing, eye protection, face protection, or hearing protection. Avoid breathing dust or mist.
Response	: IF exposed or concerned: Get medical advice or attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.
Storage	: Not applicable.
Disposal	: Not applicable.
Hazardous ingredients	: Triglycidyl Isocyanurate Zinc Mercaptobenzothiazole
Supplemental label elements	<ul> <li>Warning! Hazardous respirable dust may be formed when used. Do not breathe dust. FOR INDUSTRIAL USE ONLY</li> </ul>
Special packaging requiren	nents

Not applicable.

### 2.3 Other hazards

	This mixture does not contain any substances that are assessed to be a PBT or a vPvB.
	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
Other hazards which do not result in classification	: May form combustible dust concentrations in air.

# **SECTION 3: Composition/information on ingredients**

:

#### 3.2 Mixture

Product/ingredient name	Identifiers	%	Classification	Specific Conc. Limits, M-factors and ATEs	Туре
Triglycidyl Isocyanurate	EC: 219-514-3 CAS: 2451-62-9 Index: 615-021-00-6	≤4.9	Acute Tox. 3, H301 Acute Tox. 2, H330 Eye Dam. 1, H318 Skin Sens. 1, H317 Muta. 1B, H340 STOT RE 2, H373 Aquatic Chronic 3, H412	ATE [Oral] = 138 mg/kg ATE [Inhalation (vapours)] = 0.65 mg/l	[1]
Copper, brominated chlorinated	REACH #: 01-2119459370-41 EC: 270-958-4 CAS: 68512-13-0	≤5	Not classified.	-	[2]
Titanium Dioxide	REACH #: 01-2119489379-17 EC: 236-675-5	≤3	Not classified.	-	[2]
Date of issue/Date of revision	: 18, Apr, 2024	Date of previo	us issue : 15, Oct, 2023	Version : 3	2/14
				SHW-A4-EU-CLP44-A	AT

POWDURA® TGIC Polyester Powder Coating - Forest Green

# PGS4-C0001

# **SECTION 3: Composition/information on ingredients**

0_0.000 00 0000 peece					
Iron Oxide	CAS: 13463-67-7 REACH #: 01-2119457554-33 EC: 257-098-5	≤3	Not classified.	-	[2]
Zinc Mercaptobenzothiazole	CAS: 51274-00-1 EC: 205-840-3 CAS: 155-04-4	≤0.2	Skin Sens. 1B, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	M [Acute] = 1 M [Chronic] = 1	[1]
			See Section 16 for the full text of the H statements declared above.		

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section. Type

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

Occupational exposure limits, if available, are listed in Section 8.

# SECTION 4: First aid measures

### 4.1 Description of first aid measures

4.1 Description of mist and m	
General	: In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and seek medical advice.
Eye contact	<ul> <li>Check for and remove any contact lenses. Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Seek immediate medical attention.</li> </ul>
Inhalation	: Remove to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel.
Skin contact	<ul> <li>Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognized skin cleanser. Do NOT use solvents or thinners.</li> </ul>
Ingestion	<ul> <li>If swallowed, seek medical advice immediately and show this container or label.</li> <li>Keep person warm and at rest. Do NOT induce vomiting.</li> </ul>
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

### 4.2 Most important symptoms and effects, both acute and delayed

There are no data available on the mixture itself. Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]. See Sections 2 and 3 for details.

This takes into account, where known, delayed and immediate effects and also chronic effects of components from short-term and long-term exposure by oral, inhalation and dermal routes of exposure and eye contact. Coating powders can cause localized skin irritation in folds of the skin or under tight clothing.

Contains 1,3,5-tris(oxiranylmethyl)-1,3,5-triazine-2,4,6(1H,3H,5H)-trione. May produce an allergic reaction.

### 4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician		In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.			
Specific treatments	: No specific	treatment.			
Date of issue/Date of revision	: 18, Apr, 2024	Date of previous issue	: 15, Oct, 2023	Version :	: 3 3/14
				SHW-A4-EU-	CLP44-AT

### **SECTION 4: First aid measures**

See toxicological information (Section 11)

SECTION 5: Firefighting	SECTION 5: Firefighting measures			
5.1 Extinguishing media Suitable extinguishing media	:	Recommended: alcohol-resistant foam, CO <sub>2</sub> blanket, water spray or mist.		
Unsuitable extinguishing media	:	Do not use water jet. Do not use inert gas under high pressure (e.g. CO2).		
5.2 Special hazards arising f	ron	n the substance or mixture		
Hazards from the substance or mixture	:	: Fire will produce dense black smoke. Exposure to decomposition products may cause a health hazard.		
Hazardous combustion products	:	Decomposition products may include the following materials: carbon monoxide, carbon dioxide, smoke, oxides of nitrogen.		
5.3 Advice for firefighters				
Special protective actions for fire-fighters	:	Cool closed containers exposed to fire with water. Do not release runoff from fire to drains or watercourses.		
Special protective equipment for fire-fighters	:	Fire-fighters should wear positive pressure self-contained breathing apparatus (SCBA) and full turnout gear.		
SECTION 6: Accidental	rel	ease measures		
6.1 Personal precautions, pr	ote	ctive equipment and emergency procedures		

6.1 Personal precautions, pro	ne	cuve equipment and emergency procedures
For non-emergency personnel	:	Exclude sources of ignition and ventilate the area. Avoid breathing dust. Refer to protective measures listed in sections 7 and 8.
		Keep unnecessary and unprotected personnel from entering.
For emergency responders	:	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
6.2 Environmental precautions	:	Do not allow to enter drains or watercourses. If the product contaminates lakes, rivers, or sewers, inform the appropriate authorities in accordance with local regulations.
6.3 Methods and materials for containment and cleaning up	:	Contain and collect spillage with an electrically protected vacuum cleaner or by wet- brushing and place in container for disposal according to local regulations (see section 13). Do not use a dry brush as dust clouds or static can be created.
6.4 Reference to other sections	:	See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

### **SECTION 7: Handling and storage**

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

# Advice should be taken from a competent occupational health practitioner on the assessment of employees with skin or respiratory complaints before the individual is exposed to the uncured product.

SHW-A4-EU-CLP44-AT

PGS4-C0001

# **SECTION 7: Handling and storage**

7.1 Precautions for safe handling	<ul> <li>Precautions should be taken to prevent the formation of dusts in concentrations above flammable, explosive or occupational exposure limits. Electrical equipment and lighting should be protected to appropriate standards to prevent dust coming into contact with hot surfaces, sparks or other ignition sources. Mixture may charge electrostatically: always use earthing leads when transferring from one container to another.</li> <li>Operators should wear antistatic footwear and clothing and floors should be of the conducting type.</li> <li>Keep away from heat, sparks and flame.</li> <li>Avoid contact with skin and eyes. Avoid the inhalation of dust, particulates, spray or mist arising from the application of this mixture. Avoid inhalation of dust from sanding.</li> <li>Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed.</li> <li>Put on appropriate personal protective equipment (see Section 8).</li> <li>Always keep in containers made from the same material as the original one. Comply with the health and safety at work laws.</li> <li>Do not allow to enter drains or watercourses.</li> </ul>
7.2 Conditions for safe storage, including any incompatibilities	: Store in accordance with local regulations. Additional information on storage conditions Observe label precautions. Store in a dry, cool and well-ventilated area. Keep away from heat and direct sunlight. Keep container tightly closed. Keep away from sources of ignition. No smoking. Prevent unauthorized access. Containers that have been opened must be carefully resealed and kept upright to prevent leakage.
	Contaminated absorbent material may pose the same hazard as the spilled product.
7.3 Specific end use(s)	
Recommendations	: Not available.
Industrial sector specific	: Not available.

solutions

Good housekeeping standards, regular safe removal of waste materials and regular maintenance of spray booth filters will minimise the risks of spontaneous combustion and other fire hazards.

Before use of this material please refer to the Exposure Scenario(s) if attached for the specific end use, control measures and additional PPE considerations.

# **SECTION 8: Exposure controls/personal protection**

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

### 8.1 Control parameters

### **Occupational exposure limits**

Product/ingredient name	Exposure limit values
Copper, brominated chlorinated	Regulation on Limit Values - MAC (Austria, 4/2021). [Copper and its compounds]TWA: 1 mg/m³, (measured as Cu) 8 hours. Form: inhalable fractionPEAK: 4 mg/m³, (measured as Cu), 4 times per shift, 15 minutes. Form: inhalable fractionRegulation on Limit Values - MAC (Austria, 4/2021). [Copper and its compounds (Fume)]TWA: 0.1 mg/m³, (measured as Cu) 8 hours. Form: respirable fume
Date of issue/Date of revision : 18, Apr, 2024	Date of previous issue: 15, Oct, 2023Version: 35/14
	SHW-A4-EU-CLP44-AT

# PGS4-C0001

# **SECTION 8: Exposure controls/personal protection**

Titanium Dioxide	PEAK: 0.4 mg/m <sup>3</sup> , (measured as Cu), 4 times per shift, 15 minutes. Form: respirable fume <b>Regulation on Limit Values - MAC (Austria, 4/2021).</b> TWA: 5 mg/m <sup>3</sup> 8 hours. Form: respirable dust PEAK: 10 mg/m <sup>3</sup> , 2 times per shift, 60 minutes. Form: respirable dust
Iron Oxide	Regulation on Limit Values - MAC (Austria, 4/2021). [Iron oxide] PEAK: 20 mg/m <sup>3</sup> , 2 times per shift, 60 minutes. Form: inhalable dust TWA: 10 mg/m <sup>3</sup> 8 hours. Form: inhalable dust TWA: 5 mg/m <sup>3</sup> 8 hours. Form: respirable dust PEAK: 10 mg/m <sup>3</sup> , 2 times per shift, 60 minutes. Form: respirable dust

### **Biological exposure indices**

No exposure indices known.

Recommended monitoring procedures	<ul> <li>Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the</li> </ul>
	assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace
	atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482
	(Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be
	required.
	: Regular monitoring of all work areas should be carried out at all times including

 Regular monitoring of all work areas should be carried out at all times, including areas that may not be equally ventilated.

### DNELs/DMELs

No DNELs/DMELs available.

#### **PNECs**

No PNECs available.

: Avoid breathing dust. Where reasonably practicable, this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain exposure to dusts below the OEL, suitable respiratory protection must be worn.
: Users are advised to consider national Occupational Exposure Limits or other equivalent values.
res
: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
: Safety eyewear should be used when there is a likelihood of exposure.
: Wear suitable gloves tested to EN374.
: Gloves for short term exposure or repeated or prolonged exposure (480 min): Wear any rubber glove such as Nitrile or Neoprene gloves. Due to many conditions (e.g. temperature, abrasion) the practical usage of a chemical protective glove in practice may be much shorter than the permeation time determined through testing.
u

POWDURA® TGIC Polyester Powder Coating - Forest Green

PGS4-C0001

# **SECTION 8: Exposure controls/personal protection**

	There is no one glove material or combination of materials that will give unlimited resistance to any individual or combination of chemicals.
	The breakthrough time must be greater than the end use time of the product. The instructions and information provided by the glove manufacturer on use, storage, maintenance and replacement must be followed.
	Gloves should be replaced regularly and if there is any sign of damage to the glove material.
	Always ensure that gloves are free from defects and that they are stored and used correctly.
	The performance or effectiveness of the glove may be reduced by physical/chemical damage and poor maintenance.
	Barrier creams may help to protect the exposed areas of the skin but should not be applied once exposure has occurred.
	The user must check that the final choice of type of glove selected for handling this product is the most appropriate and takes into account the particular conditions of use, as included in the user's risk assessment.
Body protection	: Personnel should wear protective clothing. Care should be taken in the selection of protective clothing to ensure that inflammation and irritation of the skin at the neck and wrists through contact with the powder are avoided.
	<ul> <li>Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.</li> </ul>
Other skin protection	<ul> <li>Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.</li> </ul>
Respiratory protection	<ul> <li>Application methods: Brush or roller. Approved/certified respirator with organic vapor cartridge. Filter type: A2 P2 (EN14387).</li> <li>Manual spraying. Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary.</li> </ul>
Environmental exposure controls	: Do not allow to enter drains or watercourses.

Before use of this material please refer to the Exposure Scenario(s) if attached for the specific end use, control measures and additional PPE considerations. The information contained in this safety data sheet does not constitute the user's own assessment of workplace risks, as required by other health and safety legislation. The provisions of the national health and safety at work regulations apply to the use of this product at work.

# **SECTION 9: Physical and chemical properties**

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

### 9.1 Information on basic physical and chemical properties

<u>Appearance</u>		
Physical state	: Solid.	
Color	: Green.	
Odor	: None	
Odor threshold	: Not applicable.	
рН	<ul> <li>Not relevant/applicable due to nature of the product. insoluble in water.</li> </ul>	
Melting point/freezing point	: Not relevant/applicable due to nature of the product.	
Initial boiling point and boiling range	: Not relevant/applicable due to nature of the product.	
Flash point	: Closed cup: Not applicable.	
Evaporation rate	: Not relevant/applicable due to nature of the product.	
Flammability	: Not relevant/applicable due to nature of the product.	
Date of issue/Date of revision : 18	Apr, 2024 Date of previous issue : 15, Oct, 2023 Version : 3	7/14

Conforms to Regulation (EC)	) No. 1907/2006 (REACH), Annex II					
POWDURA® TGIC Polyester Powder						
PGS4-C0001						
SECTION 9: Physical an	d chemical properties					
Lower and upper explosion limit	: Not relevant/applicable due to nature of the product.					
Vapor pressure	: Not relevant/applicable due to nature of the product.					
Relative vapor density	: Not applicable.					
Relative density	: 1.69					
Solubility(ies)	:					
Media	Result					
cold water	Not soluble					
Partition coefficient: n-octa water	<i>nol</i> / : Not relevant/applicable due to nature of the product.					
Auto-ignition temperature	: Not relevant/applicable due to nature of the product.					
Decomposition temperature	e : Not relevant/applicable due to nature of the product.					
Viscosity	: Kinematic (40°C): >20.5 mm²/s					
Explosive properties	: Under normal conditions of storage and use, hazardous reactions will not occur.					
Oxidizing properties	-					
Particle characteristics						
Median particle size	: Not relevant/applicable due to nature of the product.					
9.2 Other information						
Heat of combustion	: 0.734 kJ/g					
SECTION 10: Stability ar	nd reactivity					
10.1 Reactivity	<ul> <li>No specific test data related to reactivity available for this product or its ingredients.</li> </ul>					
10.2 Chemical stability	: Stable under recommended storage and handling conditions (see Section 7).					
10.3 Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.					
10.4 Conditions to avoid	: When exposed to high temperatures may produce hazardous decomposition products.					
10.5 Incompatible materials	: Not applicable.					
10.6 Hazardous decomposition products	<ul> <li>Decomposition products may include the following materials: carbon monoxide, carbon dioxide, smoke, oxides of nitrogen.</li> </ul>					
	G AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL handling information and protection of employees.					

### **SECTION 11: Toxicological information**

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

There are no data available on the mixture itself. Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]. See Sections 2 and 3 for details.

This takes into account, where known, delayed and immediate effects and also chronic effects of components from short-term and long-term exposure by oral, inhalation and dermal routes of exposure and eye contact. Coating powders can cause localized skin irritation in folds of the skin or under tight clothing.

Contains 1,3,5-tris(oxiranylmethyl)-1,3,5-triazine-2,4,6(1H,3H,5H)-trione. May produce an allergic reaction. **Acute toxicity** 

8/14

POWDURA® TGIC Polyester Powder Coating - Forest Green
PGS4-C0001

# **SECTION 11: Toxicological information**

5				
Product/ingredient name	Result	Species	Dose	Exposure
Triglycidyl Isocyanurate	LC50 Inhalation Vapor	Rat	650 mg/m³	4 hours
	LD50 Oral	Rat	138 mg/kg	-
Zinc Mercaptobenzothiazole	LD50 Oral	Rat	540 mg/kg	-

### Acute toxicity estimates

Route	ATE value	
Oral	3661.26 mg/kg	
Inhalation (vapors)	17.25 mg/l	

### Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Triglycidyl Isocyanurate	Eyes - Severe irritant	Rabbit	-	100 mg	-
Conclusion/Summary	: Not available.				
<u>Sensitization</u>					
No data available					
<b>Conclusion/Summary</b>	: Not available.				
<u>Mutagenicity</u>					
No data available					
<b>Carcinogenicity</b>					
No data available					
Reproductive toxicity					
No data available					
<u>Teratogenicity</u>					
No data available					
Specific target organ toxicit	<u>y (single exposure)</u>				
No data available					
Specific target organ toxicit	<u>y (repeated exposure)</u>				
Product/ing	redient name	Category	Roi	ute of <sup>-</sup>	Farget organs

Product/ingredient name	Category	Route of exposure	Target organs
Triglycidyl Isocyanurate	Category 2	-	-

# Aspiration hazard

No data available

### 11.2 Information on other hazards

11.2.1 Endocrine disrupting propertiesNot available.11.2.2 Other informationNot available.

POWDURA® TGIC Polyester Powder Coating - Forest Green PGS4-C0001

### **SECTION 12: Ecological information**

### 12.1 Toxicity

There are no data available on the mixture itself.

Coating powder residues should not be allowed to enter drains or watercourses or be deposited where they could affect ground or surface waters.

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]. See Sections 2 and 3 for details.

### 12.2 Persistence and degradability

Product/ingredient name	Test	Result		Dose		Inoculum
No data available						
Conclusion/Summary	: Not available.					
Product/ingredient name	Aquatic half-life		Photolysis		Biodeg	radability
No data available						

### 12.3 Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
Zinc Mercaptobenzothiazole	-	<8	Low

12.4 Mobility in soil	
Soil/water partition coefficient (Koc)	: Not available.
Mobility	: Not available.

### 12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

### 12.6 Endocrine disrupting properties

Not available.

### 12.7 Other adverse effects

No known significant effects or critical hazards.

### **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods

<u>Product</u>	
Methods of disposal	: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
Hazardous waste	: Yes.
European waste catalogue (EWC)	<ul> <li>waste paint and varnish containing organic solvents or other hazardous substances</li> <li>08 01 11*</li> </ul>

### **SECTION 13: Disposal considerations**

•	
Disposal considerations	<ul> <li>Do not allow to enter drains or watercourses.</li> <li>Dispose of according to all federal, state and local applicable regulations.</li> <li>If this product is mixed with other wastes, the original waste product code may no longer apply and the appropriate code should be assigned.</li> <li>For further information, contact your local waste authority.</li> </ul>
Packaging	
Methods of disposal	The generation of waste should be avoided or minimized wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.
Disposal considerations	: Using information provided in this safety data sheet, advice should be obtained from the relevant waste authority on the classification of empty containers. Empty containers must be scrapped or reconditioned. Dispose of containers contaminated by the product in accordance with local or national legal provisions.
European waste catalogue (EWC)	: packaging containing residues of or contaminated by hazardous substances 15 01 10*
Special precautions	This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

### **SECTION 14: Transport information**

	ADR/RID	IMDG	ΙΑΤΑ
14.1 UN number or ID number	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-
14.3 Transport Hazard Class(es)/ Label(s)	-	-	-
14.4 Packing group	-	-	-
14.5 Environmental hazards	No.	No.	No.
Additional information	-	-	-

This mixture is not classified as dangerous according to international transport regulations (ADR/RID, IMDG, ICAO/IATA).

**14.6 Special precautions for user**: **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Maritime transport in	: Not applicable.
bulk according to IMO	
instruments	

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II POWDURA® TGIC Polyester Powder Coating - Forest Green PGS4-C0001

# **SECTION 14: Transport information**

Multi-modal shipping descriptions are provided for informational purposes and do not consider container sizes. The presence of a shipping description for a particular mode of transport (sea, air, etc.), does not indicate that the product is packaged suitably for that mode of transport. All packaging must be reviewed for suitability prior to shipment, and compliance with the applicable regulations is the sole responsibility of the person offering the product for transport. People loading and unloading dangerous goods must be trained on all of the risks deriving from the substances and on all actions in case of emergency situations.

### **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture <u>EU Regulation (EC) No. 1907/2006 (REACH)</u>

Annex XIV - List of substances subject to authorization

Annex XIV

None of the components are listed.

Substances of very high concern

Ingredient name	Intrinsic property		Reference number	Date of revision
Triglycidyl Isocyanurate	Mutagen	Candidate	ED/87/2012	6/18/2012

# Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

Product/ingredient name POWDURA® TGIC Polyester Powder Coating 1,3,5-tris(oxiranylmethyl)-1,3,5-triazine-2,4,6(1H,3H,5H)-trione			%	Designation [Usage]2929
			≥90 ≤4.9	
Labeling Other EU regulations	: Restrie	cted to professional users.		
VOC content (2010/75/EU)	: 0 0	w/w g/l		
Explosive precursors : Not applicable. Seveso Directive				
This product is not controlle	d under the	e Seveso Directive.		
National regulations				
15.2 Chemical Safety Assessment	: No Ch	emical Safety Assessment has l	been carried out.	
SECTION 16: Other info	rmation			
Indicates information that h	nas change	ed from previously issued versio	n.	
Abbreviations and acronyms: ATE = Acute Toxicity Estimate CLP = Classification, Labelling and Packaging F 1272/2008] DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level EUH statement = CLP-specific Hazard statemen PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RRN = REACH Registration Number vPvB = Very Persistent and Very Bioaccumulative		d statement d Toxic ration	[Regulation (EC) No.	

N/A = Not available

# PGS4-C0001

# **SECTION 16: Other information**

Key literature references	: Regulation (EC) No. 1272/2008 [CLP]
and sources for data	ADR = The European Agreement concerning the International Carriage of
	Dangerous Goods by Road
	IATA = International Air Transport Association
	IMDG = International Maritime Dangerous Goods
	Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by
	Commission Regulation (EU) 2020/878
	Directive 2012/18/EU, and relative amendments & additions
	Directive 2008/98/EC, and relative amendments & additions
	Directive 2009/161/EU, and relative amendments & additions
	CEPE Guidelines

### Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification		Justification
Acute Tox. 4, H332 Eye Dam. 1, H318 Skin Sens. 1, H317 Muta. 1B, H340		Calculation method Calculation method Calculation method Calculation method
Full text of abbreviated H statements	H317 May ca H318 Causes H330 Fatal if H332 Harmfu H340 May ca H373 May ca exposu H400 Very to H410 Very to	f swallowed. Iuse an allergic skin reaction. Is serious eye damage. Inhaled. Il if inhaled. Iuse genetic defects. Iuse damage to organs through prolonged or repeated Ire. Xic to aquatic life. Xic to aquatic life with long lasting effects. Il to aquatic life with long lasting effects.
Full text of classifications [CLP/GHS]	: Acute Tox. 2 Acute Tox. 3 Acute Tox. 4 Aquatic Acute 1 Aquatic Chronic 1 Aquatic Chronic 3 Eye Dam. 1 Muta. 1B Skin Sens. 1 Skin Sens. 1B STOT RE 2	ACUTE TOXICITY - Category 2 ACUTE TOXICITY - Category 3 ACUTE TOXICITY - Category 4 AQUATIC HAZARD (ACUTE) - Category 1 AQUATIC HAZARD (LONG-TERM) - Category 1 AQUATIC HAZARD (LONG-TERM) - Category 3 SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 1 GERM CELL MUTAGENICITY - Category 1B SKIN SENSITIZATION - Category 1 SKIN SENSITIZATION - Category 1 SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 2
Date of printing	: 18, Apr, 2024.	
Date of issue/ Date of revision	: 18, Apr, 2024	
Date of previous issue	: 15, Oct, 2023	
	: If there is no previous va information.	lidation date please contact your supplier for more
Version	: 3	
Notico to roador		

### Notice to reader

In accordance with Regulation (EC) 1907/2006, REACH Regulation, Articles 31, 37, any required hazard-related information on the use of substances received as downstream user will be sent forward. Consequently, the safety data sheets for some products will contain a SUMI - Safe Use of Mixture Information - attached to the safety data sheet.

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II POWDURA® TGIC Polyester Powder Coating - Forest Green PGS4-C0001

# **SECTION 16: Other information**

SUMI(s) will be added to the SDS for products if both the following conditions are met:

• The product is classified as hazardous for health

• The product contains one or more REACH-registered substances for which extended safety data sheets (exposure scenarios) have been provided

It is recommended that each customer or recipient of this Safety Data Sheet (SDS) study it carefully and consult resources, as necessary or appropriate, to become aware of and understand the data contained in this SDS and any hazards associated with the product. This information is provided in good faith and believed to be accurate as of the effective date herein. However, no warranty, express or implied, is given. The information presented here applies only to the product as shipped. The addition of any material can change the composition, hazards and risks of the product. Products shall not be repackaged, modified, or tinted except as specifically instructed by the manufacturer, including but not limited to the incorporation of products not specified by the manufacturer, or the use or addition of products in proportions not specified by the manufacturer. Regulatory reguirements are subject to change and may differ between various locations and jurisdictions. The customer/buyer/user is responsible to ensure that his activities comply with all country, federal, state, provincial or local laws. The conditions for use of the product are not under the control of the manufacturer; the customer/buyer/user is responsible to determine the conditions necessary for the safe use of this product. The customer/buyer/user should not use the product for any purpose other than the purpose shown in the applicable section of this SDS without first referring to the supplier and obtaining written handling instructions. Due to the proliferation of sources for information such as manufacturer-specific SDS. the manufacturer cannot be responsible for SDSs obtained from any other source.