# **SAFETY DATA SHEET**

B58AQ5

# Section 1. Identification

Product name	: ARMORSEAL® EXPRESSPATCH™ Fast Dry Urethane Patch Kit (Part A)
Product code	: B58AQ5
Other means of identification	: Not available.
Product type	: Liquid.
Relevant identified uses of t	he substance or mixture and uses advised against
Paint or paint related material.	
Manufacturer	: THE SHERWIN-WILLIAMS COMPANY 101 W. Prospect Avenue Cleveland, OH 44115
National contact	: Sherwin-Williams Canada Inc. 180 Brunel Road Mississauga, Ontario L4Z 1T5 Canada
Emergency telephone number of the company	: US / Canada: (800) 424-9300 Mexico: SETIQ 800-00-214-00 / 55-5559-1588 Available 24 hours and 365 days a year
Product Information Telephone Number	: US / Canada: (800) 524-5979 Mexico: Not Available
Transportation Emergency Telephone Number	: US / Canada: (800) 424-9300 Mexico: SETIQ 800-00-214-00 / 55-5559-1588 Available 24 hours and 365 days a year

# Section 2. Hazards identification

Classification of the substance or mixture	: Not classified.
	Percentage of the mixture consisting of ingredient(s) of unknown acute toxicity: 21.7% (oral), 21.7% (dermal), 23.1% (inhalation)
GHS label elements	
Signal word	: No signal word.
Hazard statements	: No known significant effects or critical hazards.
Precautionary statements	
Prevention	: Not applicable.
Response	: Not applicable.
Storage	: Not applicable.
Disposal	: Not applicable.
Supplemental label elements	WARNING: This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm. FOR INDUSTRIAL USE ONLY. This product must be mixed with other components before use. Before opening the packages, READ AND FOLLOW WARNING LABELS ON ALL COMPONENTS.
	Please refer to the SDS for additional information. Keep out of reach of children. Do not transfer contents to other containers for storage.

Date of issue/Date	of revision	: 1/23/2024	Date of previous issue	: 9/13/2023	Version	:12	1/11
B58AQ5	ARMORSEAL® EXPRE Kit (Part A)	ESSPATCH™ F	ast Dry Urethane Patch		SHW-85-	NA-GHS-CA	

### Section 2. Hazards identification

Hazards not otherwise	: DANGER: Rags, steel wool, other waste soaked with this product, and sanding residue
classified	may spontaneously catch fire if improperly discarded. Immediately place rags, steel
	wool, other waste soaked with this product, and sanding residue in a sealed, water-filled,
	metal container. Dispose of in accordance with local fire regulations.

### Section 3. Composition/information on ingredients

Substance/mixture	: Mixture
Other means of	: Not available.
identification	

#### **CAS number/other identifiers**

Ingredient name	% by weight	CAS number
Polyester Polyol	21.68	-
1,1',1'',ethylenedinitrilotetrapropan-2-ol	1.44	102-60-3
Light Aromatic Hydrocarbons	0.14	64742-95-6

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

### Section 4. First aid measures

#### Description of necessary first aid measures

Eye contact	<ul> <li>Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.</li> </ul>
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Skin contact	<ul> <li>Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.</li> </ul>
Ingestion	Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

#### Most important symptoms/effects, acute and delayed

Potential acute health e	effects
Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.
Over-exposure signs/sy	<u>ymptoms</u>
Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.

#### Indication of immediate medical attention and special treatment needed, if necessary

Date of issue/Date	of revision	: 1/23/2024	Date of previous issue	: 9/13/2023	Version : 12	2/11
B58AQ5	ARMORSEAL® EXPR Kit (Part A)	ESSPATCH™ F	Fast Dry Urethane Patch		SHW-85-NA-GHS-CA	

# Section 4. First aid measures

Notes to physician	: In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments Protection of first-aiders	<ul> <li>No specific treatment.</li> <li>No action shall be taken involving any personal risk or without suitable training.</li> </ul>
Protection of mist-aluers	. No action shall be taken involving any personal risk of without suitable training.

### See toxicological information (Section 11)

# Section 5. Fire-fighting measures

Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
Specific hazards arising from the chemical	: In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides
Special protective actions for fire-fighters	<ul> <li>Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.</li> </ul>
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

# Section 6. Accidental release measures

Personal precautions, protec	ive equipment and emergency procedures
For non-emergency personnel	: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
For emergency responders	: If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for co	ntainment and cleaning up
Small spill	: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Date of issue/Date	of revision	: 1/23/2024	Date of previous issue	: 9/13/2023	Version : 12
B58AQ5	ARMORSEAL® EXPR Kit (Part A)	ESSPATCH™ I	Fast Dry Urethane Patch		SHW-85-NA-GHS-CA

3/11

### Section 6. Accidental release measures

Large spill	: Stop leak if without risk. Move containers from spill area. Prevent entry into sewers,
	water courses, basements or confined areas. Wash spillages into an effluent treatment
	plant or proceed as follows. Contain and collect spillage with non-combustible,
	absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in
	container for disposal according to local regulations (see Section 13). Dispose of via a
	licensed waste disposal contractor. Note: see Section 1 for emergency contact
	information and Section 13 for waste disposal.

### Section 7. Handling and storage

#### Precautions for safe handling

Protective measures	t on appropriate personal protective equipment (see Section 8).	
Advice on general occupational hygiene	ating, drinking and smoking should be prohibited in areas where this main ndled, stored and processed. Workers should wash hands and face be nking and smoking. Remove contaminated clothing and protective equ tering eating areas. See also Section 8 for additional information on hy easures.	efore eating, ipment before
Conditions for safe storage, including any incompatibilities	ore in accordance with local regulations. Store in original container pro rect sunlight in a dry, cool and well-ventilated area, away from incompat ee Section 10) and food and drink. Keep container tightly closed and se ady for use. Containers that have been opened must be carefully researing to prevent leakage. Do not store in unlabeled containers. Use ap ntainment to avoid environmental contamination. See Section 10 for in aterials before handling or use.	ible materials ealed until Iled and kept propriate

### Section 8. Exposure controls/personal protection

### **Control parameters**

#### Occupational exposure limits (OSHA United States)

Ingredient name	CAS #	Exposure limits
Polyester Polyol 1,1',1",1"'-ethylenedinitrilotetrapropan-2-ol Light Aromatic Hydrocarbons	102-60-3 64742-95-6	None. None. None.

#### Occupational exposure limits (Canada)

Ingredient name	CAS #	Exposure limits	
None.			

#### Occupational exposure limits (Mexico)

Ingredient name	CAS #	Exposure limits	
None.			

#### **Biological exposure indices (United States)**

No exposure indices known.

#### **Biological exposure indices (Canada)**

No exposure indices known.

#### **Biological exposure indices (Mexico)**

No exposure indices known.

# Appropriate engineering controls

: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Date of issue/Date of revision	: 1/23/2024	Date of previous issue	: 9/13/2023	Version : 12	4/11
B58AQ5 ARMORSE Kit (Part A)	AL® EXPRESSPATCH™	Fast Dry Urethane Patch		SHW-85-NA-GHS-CA	

# Section 8. Exposure controls/personal protection

Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection meas	res
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection	
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Body protection	: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

# Section 9. Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

<u>Appearance</u>		
Physical state	: Liquid.	
Color	: Not available.	
Odor	: Not available.	
Odor threshold	: Not available.	
рН	: 7.1	
Melting point/freezing point	: Not available.	
Boiling point, initial boiling point, and boiling range	: 100°C (212°F)	
Flash point	: Closed cup: 104°C (219.2°F) [Pensky-Martens Closed Cup]	
Evaporation rate	: 0.09 (butyl acetate = 1)	
Flammability	: Not available.	
Lower and upper explosion limit/flammability limit	: Not available.	
Vapor pressure	: 2.3 kPa (17.5 mm Hg)	
Relative vapor density	: 1 [Air = 1]	
Relative density	: 0.97	
Solubility(ies)	:	
Date of issue/Date of revision	: 1/23/2024 Date of previous issue : 9/13/2023	Version : 12
B58AQ5 ARMORSEAL® E Kit (Part A)	XPRESSPATCH™ Fast Dry Urethane Patch	SHW-85-NA-GHS-CA

5/11

### **Section 9. Physical and chemical properties**

	Media cold water		Result	
			Partially soluble	
Partition coefficient: n- : Not octanol/water		: 1	lot applicable.	7
A	Auto-ignition temperature : Not		lot available.	
D	<b>Decomposition temperature</b> : Not		lot available.	
V	scosity	:	Kinematic (40°C (104°F)): >20.5 mm²/s (>20.5 cSt)	
Μ	Molecular weight : Not		Not applicable.	
	Heat of combustion : 21.1		1.179 kJ/g	

### Section 10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: No specific data.
Incompatible materials	: No specific data.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

### Section 11. Toxicological information

### Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
1,1',1",1"'- ethylenedinitrilotetrapropan- 2-ol	LD50 Oral	Rat	11200 mg/kg	-
	LD50 Oral	Rat	8400 mg/kg	-

### Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Light Aromatic Hydrocarbons	Eyes - Mild irritant	Rabbit	-	24 hours 100 uL	-

### Sensitization

Not available.

### **Mutagenicity**

Not available.

### **Carcinogenicity**

Not available.

### Reproductive toxicity

Date of issue/Date	of revision	: 1/23/2024	Date of previous issue	: 9/13/2023	Version : 12	6/11
B58AQ5	ARMORSEAL® EXPR Kit (Part A)	ESSPATCH™ I	Fast Dry Urethane Patch		SHW-85-NA-GHS-CA	

### Section 11. Toxicological information

Not available.

### **Teratogenicity**

Not available.

#### Specific target organ toxicity (single exposure)

Name		Route of exposure	Target organs
Light Aromatic Hydrocarbons	Category 3	-	Respiratory tract irritation
	Category 3		Narcotic effects

### Specific target organ toxicity (repeated exposure)

Name		Route of exposure	Target organs
Light Aromatic Hydrocarbons	Category 2	-	-

Aspiration hazard	
Name	Result
Light Aromatic Hydrocarbons	ASPIRATION HAZARD - Category 1

Information on the likely routes of exposure	1	Not available.
Potential acute health effe	octs	
Eye contact	1	No known significant effects or critical hazards.
Inhalation	1	No known significant effects or critical hazards.
Skin contact	:	No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.

### Symptoms related to the physical, chemical and toxicological characteristics

Eye contact	÷	No specific data.
Inhalation	:	No specific data.
Skin contact	÷	No specific data.
Ingestion	:	No specific data.

Delayed and immediate ef	fects and also chronic effects from short and long term exposure
<u>Short term exposure</u>	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Long term exposure	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Potential chronic health e	ffects
Not available.	
General	: No known significant effects or critical hazards.
Carcinogenicity	: No known significant effects or critical hazards.

Date of issue/Date	of revision	: 1/23/2024	Date of previous issue	: 9/13/2023	Version	:12	7/11
B58AQ5	ARMORSEAL® EXPRE Kit (Part A)	SSPATCH™ F	ast Dry Urethane Patch		SHW-85-	NA-GHS-CA	

### Section 11. Toxicological information

Mutagenicity Teratogenicity Developmental effects Fertility effects : No known significant effects or critical hazards.

- No known significant effects or critical hazards.No known significant effects or critical hazards.
- : No known significant effects or critical hazards.

Numerical measures of toxicity Acute toxicity estimates Not available.

# Section 12. Ecological information

#### **Toxicity**

Not available.

### Persistence and degradability

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
Light Aromatic Hydrocarbons	-	-	Readily

### **Bioaccumulative potential**

Product/ingredient name	LogPow	BCF	Potential
Light Aromatic Hydrocarbons	-	10 to 2500	High 🥄

### Mobility in soil

Soil/water partition : Not available. coefficient (Koc)

Other adverse effects : No known significant effects or critical hazards.

### Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

# Section 14. Transport information

UN number	Classification	TDG Classification	Mexico Classification	ΙΑΤΑ	IMDG
ON number	Not regulated.	Not regulated.	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-	-	-
Transport hazard class(es)	-	-	-	-	-
Packing group	-	-	-	-	-
Environmental hazards	No.	No.	No.	No.	No.
Additional information	-	-	-	-	-
ransport in bulk ac	conside mode o suitably to shipn of the p dangero and on	odal shipping descrip or container sizes. Th f transport (sea, air, for that mode of tran nent, and complianc erson offering the pr bus goods must be th all actions in case of able.	e presence of a shi etc.), does not indic nsport. All packaging e with the applicable oduct for transport. rained on all of the r	pping description fo ate that the product g must be reviewed regulations is the s People loading and isks deriving from th	r a particular is packaged for suitability prior sole responsibility unloading

# Section 15. Regulatory information

Kit (Part A)


International regulations						
International regulations						
Montreal Protocol						
Not listed.						
Stockholm Convention or	Persistent Org	ganic Pollutants				
Not listed.						
International lists	: Australia inventory (AIIC): Not determined. China inventory (IECSC): Not determined. Japan inventory (CSCL): Not determined.					
	Japan ir	ventory (ISHL): Not dete	ermined.			
	Korea ir	ventory (KECI): Not det	ermined.			
	New Zea	aland Inventory of Chen	nicals (NZIoC): Not	determined.		
	Philippi	nes inventory (PICCS):	Not determined.			
	Taiwan	Chemical Substances li	nventory (TCSI): No	ot determined.		
	Thailand	<b>d inventory</b> : Not determin	ned.			
	Turkey i	nventory: Not determine	d.			
Date of issue/Date of revision	: 1/23/2024	Date of previous issue	: 9/13/2023	Version : 12	9/11	
B58AQ5 ARMORSEAL® E	XPRESSPATCH™	Fast Dry Urethane Patch		SHW-85-NA-GHS-C	Α	

### Section 15. Regulatory information

Vietnam inventory: Not determined.

### Section 16. Other information





The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

#### Procedure used to derive the classification

	Classification	Justification
Not classified.		
<u>History</u>		
Date of printing	: 1/23/2024	
Date of issue/Date of revision	: 1/23/2024	
Date of previous issue	: 9/13/2023	
Version	: 12	
Key to abbreviations	: ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification a IATA = International Air Transport Association IBC = International Air Transport Association IBC = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coeffi MARPOL = International Convention for the Prevention as modified by the Protocol of 1978. ("Marpol" = marine N/A = Not available SGG = Segregation Group UN = United Nations	cient of Pollution From Ships, 1973

Indicates information that has changed from previously issued version.

### Notice to reader

It is recommended that each customer or recipient of this Safety Data Sheet (SDS) study it carefully and consult resources, as necessary or appropriate, to become aware of and understand the data contained in this SDS and any hazards associated with the product. This information is provided in good faith and believed to be accurate as of the effective date herein. However, no warranty, express or implied, is given. The information presented here applies only to the product as shipped. The addition of any material can change the composition, hazards and risks of the product. Products shall not be repackaged, modified, or tinted except as specifically instructed by the manufacturer, including but not limited to the incorporation of products not specified by the manufacturer, or the use or addition of products in proportions not specified by the manufacturer. Regulatory requirements are subject to change and may differ between various locations and jurisdictions. The customer/buyer/user is responsible to ensure that his activities comply with all country, federal, state, provincial or local laws. The conditions for use of the product are not under the control of the manufacturer; the customer/buyer/user is responsible to determine the conditions necessary for the safe use of this product. The customer/buyer/user

Date of issue/Date	of revision	: 1/23/2024	Date of previous issue	: 9/13/2023	Version	:12	10/11
B58AQ5	ARMORSEAL® EXPRE Kit (Part A)	SSPATCH™ F	ast Dry Urethane Patch		SHW-85-	NA-GHS-CA	

### Section 16. Other information

should not use the product for any purpose other than the purpose shown in the applicable section of this SDS without first referring to the supplier and obtaining written handling instructions. Due to the proliferation of sources for information such as manufacturer-specific SDS, the manufacturer cannot be responsible for SDSs obtained from any other source.