

ENVIRONMENTAL DATA SHEET

(Certified Product Data Sheet)

Date of Preparation
Mar 25, 2019

35 00 [0719]

PRODUCT NUMBER

5000(30)

PRODUCT NAME

Exterior Flat Acrylic Water Base House Paint, Deeptone Base

MANUFACTURER'S NAME

Conco Paints
101 Prospect Avenue N.W.
Cleveland, OH 44115

This document includes all data required by 40 CFR 63.801(a) for a Certified Product Data Sheet under criteria specified in 40 CFR 63.805(a). All data given below are MAXIMUM THEORETICAL VALUES based on the product AS CURRENTLY FORMULATED. Variations may occur on individual batches due to adjustments made during production.

Product Weight

11.17 lb/gal

Specific Gravity

1.34

FLASH POINT

> 200 °F PMCC

Hazard Category (for SARA 311.312)

| Acute | Chronic |

Volatile Ingredients

Chemical / Compound	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Water 7732-18-5	N	N	N	N	44	59

Regulated Compounds

	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Zinc (as Zn)	N	Y	Y	N	2	
Zinc Compound	N	N	Y	N	2	

Volatile Organic Compounds - U.S. EPA / Canada

	5000(30)	
	LB/Gal	g/L
Coating Density	11.17	1338
	By wt	By vol
Total Volatiles	45.1%	60.6%
Federally exempt solvents		
Water	43.9%	59.7%
Organic Volatiles	1.2%	1.6%
Percent Non-Volatile	54.9%	39.4%
VOC Content	LB/Gal	g/L
Total	0.13	16
Less exempt solvents	0.32	39
Of solids	0.34	40
Of solids	0.02 lb/lb	0.02 kg/kg
	By wt	
By wt LVP-VOC	0.0%	

Maximum Incremental Reactivity (MIR) (per US EPA Aerosol Ctg Rule, MIR Values 2009) **0.02**

Volatile Organic Compounds - California

	5000(30)	
	LB/Gal	g/L
Coating Density	11.17	1338
	By wt	By vol
Total Volatiles	45.1%	60.6%
Exempt solvents		
Water	43.9%	59.7%
Organic Volatiles	1.2%	1.6%
Percent Non-Volatile	54.9%	39.4%
VOC Content	LB/Gal	g/L
Total	0.13	16
Less exempt solvents	0.32	39
Of solids	0.34	40
Of solids	0.02 lb/lb	0.02 kg/kg
	By wt	
By wt LVP-VOC	0.0%	

Maximum Incremental Reactivity (MIR) (per California Air Resources Board Aerosol Products Regulation, MIR Values 2010) **0.02**

Volatile Organic Compounds - South Coast Air Quality Management District, California, US

	5000(30)	
	LB/Gal	g/L
Coating Density	11.17	1338
	By wt	By vol
Total Volatiles	45.1%	60.6%
Exempt solvents		
Water	43.9%	59.7%
Organic Volatiles	1.2%	1.6%
Percent Non-Volatile	54.9%	39.4%
VOC Content	LB/Gal	g/L
Total	0.13	16
Less exempt solvents	0.32	39
Of solids	0.34	40
Of solids	0.02 lb/lb	0.02 kg/kg

Volatile Organic Compounds - EU Directive 2004/42/EC

	5000(30)	
	By wt	By vol
Total Volatiles	45.1%	60.6%
VOC Content	LB/Gal	g/L
Total	0.13	16

Volatile Organic Compounds - EU Directive 2010/75/EU

	5000(30)	
	By wt	By vol
Total Volatiles	44.7%	60.0%
VOC Content	LB/Gal	g/L
Total	0.08	10

Volatile Organic Compounds - Mexico

	5000(30)	
	LB/Gal	g/L
Coating Density	11.17	1338
	By wt	By vol
Total Volatiles	45.1%	60.6%
Exempt solvents		
Water	0.0%	0.0%
Organic Volatiles	45.1%	60.5%
Percent Non-Volatile	54.9%	39.4%
VOC Content	LB/Gal	g/L
Total	5.03	603
Less exempt solvents	5.03	603
Of solids	12.79	1533
Of solids	0.82 lb/lb	0.82 kg/kg

Hazardous Air Pollutants (Clean Air Act, Section 112(b))

	5000(30)	
	LB/Gal	kg/L
Volatile HAPS	0.00	0.000
Of solids	0.00	0.000
Of solids	0.00 lb/lb	0.00 kg/kg

Air Quality Data

Density of Organic Solvent Blend

8.42 lb/gal

Photochemically Reactive

No

Additional Regulatory Information

US EPA TSCA:

Not Applicable

Relevant identified uses of the substance or mixture and uses advised against:

Not Applicable

Waste Disposal

Waste from this product is not hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261.

Addition of reducers or other additives to this product may substantially alter the above data. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.