

# ENVIRONMENTAL DATA SHEET

(Certified Product Data Sheet)

Date of Preparation

Feb 4, 2024

22 00 [0354]

## PRODUCT NUMBER

P008

## PRODUCT NAME

STEP ONE® Quick Dry Alkyd Stainblocking Primer/Sealer

## MANUFACTURER'S NAME

CONCO PAINTS

101 Prospect Avenue N.W.

Cleveland, OH 44115

This document includes all data required by 40 CFR 63.801(a) for a Certified Product Data Sheet under criteria specified in 40 CFR 63.805(a). All data given below are MAXIMUM THEORETICAL VALUES based on the product AS CURRENTLY FORMULATED. Variations may occur on individual batches due to adjustments made during production.

## Hazard Category (for SARA 311.312)

P008 = | Acute | Chronic | Fire |

## Product Weight

13.42 lb/gal

## Specific Gravity

1.62

## FLASH POINT

90 °F PMCC

## Volatile Ingredients

Chemical / Compound	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Lt. Aliphatic Hydrocarbon Solvent 64742-89-8	N	N	N	N	3	7
Isoparaffinic HC Solvent 64742-48-9	N	N	N	N	18	38

## Volatile Organic Compounds - U.S. EPA / Canada

	P008	
	LB/Gal	g/L
Coating Density	13.42	1608
	By wt	By vol
Total Volatiles	22.0%	47.0%
Federally exempt solvents		
Water	0.6%	1.0%
Organic Volatiles	21.4%	46.0%
Percent Non-Volatile	78.0%	53.0%
VOC Content	LB/Gal	g/L
Total	2.87	344
Less exempt solvents	2.90	348
Of solids	5.42	650
Of solids	0.27 lb/lb	0.27 kg/kg
	By wt	
By wt LVP-VOC	21.4%	

Maximum Incremental Reactivity (MIR) (per US EPA Aerosol Ctg Rule, MIR Values 2009) **0.24**

**Volatile Organic Compounds - California**

	P008	
	LB/Gal	g/L
Coating Density	13.42	1608
	By wt	By vol
Total Volatiles	22.0%	47.0%
Exempt solvents		
Water	0.6%	1.0%
Organic Volatiles	21.4%	46.0%
Percent Non-Volatile	78.0%	53.0%
VOC Content	LB/Gal	g/L
Total	2.87	344
Less exempt solvents	2.90	348
Of solids	5.42	650
Of solids	0.27 lb/lb	0.27 kg/kg
	By wt	
By wt LVP-VOC	21.4%	

Maximum Incremental Reactivity (MIR) (per California Air Resources Board Aerosol Products Regulation, MIR Values 2010) **0.24**

**Volatile Organic Compounds - South Coast Air Quality Management District, California, US**

	P008	
	LB/Gal	g/L
Coating Density	13.42	1608
	By wt	By vol
Total Volatiles	22.0%	47.0%
Exempt solvents		
Water	0.6%	1.0%
Organic Volatiles	21.4%	46.0%
Percent Non-Volatile	78.0%	53.0%
VOC Content	LB/Gal	g/L
Total	2.87	344
Less exempt solvents	2.90	348
Of solids	5.42	650
Of solids	0.27 lb/lb	0.27 kg/kg

**Volatile Organic Compounds - EU Directive 2004/42/EC**

	P008	
	By wt	By vol
Total Volatiles	22.0%	47.0%
VOC Content	LB/Gal	g/L
Total	2.87	344

**Volatile Organic Compounds - EU Directive 2010/75/EU**

	P008	
	By wt	By vol
Total Volatiles	22.0%	47.0%
VOC Content	LB/Gal	g/L
Total	2.87	344

### Volatile Organic Compounds - Mexico

	P008	
	LB/Gal	g/L
Coating Density	13.42	1608
	By wt	By vol
Total Volatiles	22.0%	47.0%
Exempt solvents		
Water	0.6%	1.0%
Organic Volatiles	21.4%	46.0%
Percent Non-Volatile	78.0%	53.0%
VOC Content	LB/Gal	g/L
Total	2.87	344
Less exempt solvents	2.90	348
Of solids	5.42	650
Of solids	0.27 lb/lb	0.27 kg/kg

### Hazardous Air Pollutants (Clean Air Act, Section 112(b))

	P008	
	LB/Gal	kg/L
Volatile HAPS	0.00	0.000
Of solids	0.00	0.000
Of solids	0.00 lb/lb	0.00 kg/kg

### Air Quality Data

#### Density of Organic Solvent Blend

6.26 lb/gal

#### Photochemically Reactive

Yes

### Waste Disposal

Waste from this product may be hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261. Waste must be tested for ignitability to determine the applicable EPA hazardous waste numbers.

Addition of reducers or other additives to this product may substantially alter the above data. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.