SAFETY DATA SHEET

20.104313

	20.104010
Section 1. Identifi	cation
Product name	: H&C Pro Series Metallic Pigment Lager
Product code	: 20.104313
Other means of	: Not available.
identification	
Product type	: Solid.
	he substance or mixture and uses advised against
Paint or paint related material.	
Supplier	: Compania Sherwin-Williams S.A. de C.V. Poniente 140 No.595 Col. Industrial Vallejo, Del. Azcapotzalco C.P. 02300, Ciudad de México, México
Emergency telephone number of the company	: US/Canada: (800) 424-9300 Mexico: CHEMTREC Mexico 800-681-9531. Available 24 hours and 365 days per year
Product Information Telephone Number	: US/Canada: (800) 867-8246 Mexico: 800-717-3123 / 55-5333-1501
Transportation Emergency Telephone Number	: US/Canada: (800) 424-9300 Mexico: SETIQ 800-00-214-00 / 55-5559-1588 Available 24 hours and 365 days a year
Section 2. Hazard	s identification
Classification of the substance or mixture	: SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 1
	Percentage of the mixture consisting of ingredient(s) of unknown acute toxicity: 55% (oral), 55% (dermal), 55% (inhalation)
GHS label elements	
Hazard pictograms	
Signal word	: Danger
Hazard statements	: H372 - Causes damage to organs through prolonged or repeated exposure. (lungs)
Precautionary statements	
General	: P103 - Read label before use.
	P102 - Keep out of reach of children.
Prevention	 P101 - If medical advice is needed, have product container or label at hand. P260 - Do not breathe dust. P270 - Do not eat, drink or smoke when using this product. P264 - Wash thoroughly after handling.
Response	: P314 - Get medical advice or attention if you feel unwell.
Storage	: Not applicable.
Date of issue/Date of revision	: 9/19/2023 Date of previous issue : 6/13/2023 Version : 8 1/1

Date of issue/Date	of revision	: 9/19/2023	Date of previous issue	: 6/13/2023	Version : 8	1/11
20.104313 H&C Pro Series Metal		c Pigment			SHW-85-NA-GHS-MX	
	Lager					

Section 2. Hazards identification

Disposal	: P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.
Supplemental label elements	WARNING: This product contains chemicals known to the State of California to cause cancer.
	Please refer to the SDS for additional information. Keep out of reach of children. Do not transfer contents to other containers for storage.
Hazards not otherwise classified	: None known.

Section 3. Composition/information on ingredients

Substance/mixture	: Mixture
Other means of identification	: Not available.
Identification	

CAS number/other identifiers

Ingredient name	% by weight	CAS number
Mica	≥50 - ≤75	12001-26-2
Iron Oxide	≥25 - ≤50	1309-37-1

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first	t aid measures
Eye contact	: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention following exposure or if feeling unwell.
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention following exposure or if feeling unwell. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Skin contact	: Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Continue to rinse for at least 10 minutes. Get medical attention following exposure or if feeling unwell. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	: Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention following exposure or if feeling unwell. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Most important symptoms/effects, acute and delayed

Potential acute health effects Eye contact : No known significant effects or critical hazards. Date of issue/Date of revision : 9/19/2023 Date of previous issue : 6/13/2023 Version : 8

Date of issue/Date	of revision	: 9/19/2023	Date of previous issue	: 6/13/2023	Version : 8	2/11
20.104313	H&C Pro Series Metalli	c Pigment			SHW-85-NA-GHS-MX	
	Lager					

Section 4. First aid measures

Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.
Over-exposure signs/symp	<u>ptoms</u>
Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.
Indication of immediate me	dical attention and special treatment needed, if necessary
Notes to physician	 Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: No specific treatment.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

•	
Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
Specific hazards arising from the chemical	: No specific fire or explosion hazard.
Hazardous thermal decomposition products	: Decomposition products may include the following materials: metal oxide/oxides
Special protective actions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

H&C Pro Series Metallic Pigment

Lager

20.104313

Personal precautions, protect	tiv	<u>e equipment</u>	t and emergency proc	edures				
For non-emergency personnel	:	Evacuate su entering. Do Wear appro	nall be taken involving a urrounding areas. Keep o not touch or walk thro priate respirator when v otective equipment.	o unnecessa ough spilled r	ry and unprotect material. Provide	ed perso e adequa	onnel from ate ventilation	۱.
For emergency responders	-		d clothing is required to n suitable and unsuitabl personnel".					
Environmental precautions	:	and sewers.	rsal of spilled material a . Inform the relevant at wers, waterways, soil o	uthorities if th				
Date of issue/Date of revision		: 9/19/2023	Date of previous issue	: 6/13/20	23	Version	:8	3/11

SHW-85-NA-GHS-MX

Methods and materials for containment and cleaning up

Small spill :	Move containers from spill area. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Dispose of via a licensed waste disposal contractor.
Large spill :	Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures	Put on appropriate personal protective equipment (see Section 8). Do not ingest. contact with eyes, skin and clothing. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. E containers retain product residue and can be hazardous. Do not reuse container.	
Advice on general occupational hygiene	Eating, drinking and smoking should be prohibited in areas where this material is nandled, stored and processed. Workers should wash hands and face before eatin drinking and smoking. Remove contaminated clothing and protective equipment b entering eating areas. See also Section 8 for additional information on hygiene measures.	0,
Conditions for safe storage, including any incompatibilities	Store in accordance with local regulations. Store in original container protected fro direct sunlight in a dry, cool and well-ventilated area, away from incompatible mate see Section 10) and food and drink. Keep container tightly closed and sealed unti eady for use. Containers that have been opened must be carefully resealed and k upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatib naterials before handling or use.	erials il kept

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits (OSHA United States)

Ingredien	t name	CAS #	Exposure limits
Mica Iron Oxide		12001-26-2	ACGIH TLV (United States, 1/2023). TWA: 0.1 mg/m ³ 8 hours. Form: Respirable fraction NIOSH REL (United States, 10/2020). TWA: 3 mg/m ³ 10 hours. Form: Respirable fraction OSHA PEL Z3 (United States, 6/2016). TWA: 20 mppcf 8 hours.
		1309-37-1	 NIOSH REL (United States, 10/2020). TWA: 5 mg/m³, (as Fe) 10 hours. Form: Dust and fumes ACGIH TLV (United States, 1/2023). TWA: 5 mg/m³ 8 hours. Form: Respirable fraction OSHA PEL (United States, 5/2018). TWA: 5 mg/m³ 8 hours. Form: Respirable fraction TWA: 15 mg/m³ 8 hours. Form: Total dust
	Date of revision : 9/19/202	3 Date of previous issue	: 6/13/2023 Version : 8 4/11
20.104313	H&C Pro Series Metallic Pigment Lager		SHW-85-NA-GHS-MX

Section 8. Exposure controls/personal protection

Occupational exposure limits	(Canada)	•		
Ingredient name		CAS #	Exposure limits	
None.				
Occupational exposure limits	(<u>Mexico)</u>			
Ingredient name	·	CAS #	Exposure limits	
None.				
Biological exposure indices (U	Inited States)			
No exposure indices known.				
Biological exposure indices (C	anada)			
No exposure indices known.				
Biological exposure indices (N	lexico)			
No exposure indices known.				
controls	If user operations gen local exhaust ventilation airborne contaminants	on or other engine below any recon	ering controls to keep mended or statutory	worker exposure to imits.
Environmental exposure : controls	Emissions from ventila they comply with the re cases, fume scrubbers will be necessary to re	equirements of er s, filters or engine	vironmental protectionering modifications to	
Individual protection measures	È			
Hygiene measures :		sing the lavatory s should be used lothing before reu	and at the end of the v to remove potentially sing. Ensure that eye	
Eye/face protection :	Safety eyewear compl assessment indicates gases or dusts. If con the assessment indica shields.	this is necessary tact is possible, th	to avoid exposure to I ne following protection	iquid splashes, mists, should be worn, unless
Skin protection				
Hand protection :	worn at all times when necessary. Considerin during use that the glo noted that the time to	handling chemic ng the parameters oves are still retair breakthrough for In the case of mi	al products if a risk as s specified by the glov hing their protective pr any glove material ma xtures, consisting of s	roved standard should be sessment indicates this is e manufacturer, check operties. It should be y be different for different everal substances, the
Body protection :	Personal protective ec performed and the risk handling this product.			d based on the task being a specialist before
Other skin protection :	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.			
Respiratory protection :	Based on the hazard a appropriate standard o respiratory protection aspects of use.	or certification. R	espirators must be us	ed according to a
Date of issue/Date of revision		evious issue	: 6/13/2023	Version : 8 5/11
20.104313 H&C Pro Series Meta Lager	llic Pigment			SHW-85-NA-GHS-MX

Section 9. Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

<u>Appearance</u>	
Physical state	: Solid.
Color	: Not available.
Odor	: Not available.
Odor threshold	: Not available.
рН	: Not applicable.
Melting point/freezing point	: Not available.
Boiling point, initial boiling point, and boiling range	: Not available.
Flash point	: Not applicable.
Evaporation rate	: Not available.
Flammability	: Not available.
Lower and upper explosion limit/flammability limit	: Not applicable.
Vapor pressure	: Not available.
Relative vapor density	: Not applicable.
Relative density	: 3.19
Solubility(ies)	:

Media		Result	
cold water		Not soluble	
Partition coefficient: n- : octanol/water		applicable.	1
Auto-ignition temperature :		applicable.	
Decomposition temperature :		Not available.	
Viscosity : I		Kinematic (40°C (104°F)): >20.5 mm²/s (>20.5 cSt)	
Molecular weight :		applicable.	

Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	The product is stable.
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	No specific data.
Incompatible materials	:	No specific data.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Date of issue/Date of revision : 9/19/2		: 9/19/2023	Date of previous issue	: 6/13/2023	Version : 8	6/11
20.104313	H&C Pro Series Metallic Pigment				SHW-85-NA-GHS-MX	
	Lager					

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Not available.

Irritation/Corrosion

Not available.

Sensitization

Not available.

Mutagenicity

Not available.

Carcinogenicity

Not available.

Classification

Product/ingredient name	OSHA	IARC	NTP
Iron Oxide	-	3	-

Reproductive toxicity

Not available.

Teratogenicity

Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Name	• •	Route of exposure	Target organs
Mica	Category 1	inhalation	lungs

Aspiration hazard

Not available.

Information on the likely : Not available.

routes of exposure

Potential acute health effects				
Eye contact	: No known significant effects or critical hazards.			
Inhalation	: No known significant effects or critical hazards.			
Skin contact	: No known significant effects or critical hazards.			
Ingestion	: No known significant effects or critical hazards.			

Symptoms related to the physical, chemical and toxicological characteristics			
Eye contact	: No specific data.		
Inhalation	: No specific data.		
Skin contact	: No specific data.		
Ingestion	: No specific data.		

Date of issue/Date	of revision	: 9/19/2023	Date of previous issue	: 6/13/2023	Version : 8	7/11
20.104313 H&C Pro Series Metallic Pigment					SHW-85-NA-GHS-MX	
	Lager					

Section 11. Toxicological information

Delayed and immediate ef	fects and also chronic effects from short and long term exposure
<u>Short term exposure</u>	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Long term exposure Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Potential chronic health ef	
Not available.	
General	: Causes damage to organs through prolonged or repeated exposure.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Teratogenicity	: No known significant effects or critical hazards.
Developmental effects	: No known significant effects or critical hazards.
Fertility effects	: No known significant effects or critical hazards.

Numerical measures of toxicity Acute toxicity estimates Not available.

Section 12. Ecological information

Toxicity

Not available.

Persistence and degradability

Not available.

Bioaccumulative potential

Not available.

Mobility in soil

Soil/water partition coefficient (Koc)

: Not available.

Other adverse effects

: No known significant effects or critical hazards.

: 6/13/2023

Section 13. Disposal considerations

Disposal methods

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

	DOT Classification	TDG Classification	Mexico Classification	ΙΑΤΑ	IMDG
UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-	-	-
Transport hazard class(es)	-	-	-	-	-
Packing group	-	-	-	-	-
Environmental hazards	No.	No.	No.	No.	No.
Additional information	-		-	-	-
Special precautions	conside mode o suitably to shipn of the p dangero	odal shipping descrip r container sizes. Th f transport (sea, air, for that mode of tran nent, and compliance erson offering the pro- bus goods must be tr all actions in case of	e presence of a ship etc.), does not indica isport. All packaging with the applicable oduct for transport. I ained on all of the ri	pping description for ate that the product i g must be reviewed f regulations is the so People loading and u sks deriving from the	a particular is packaged for suitability prior ble responsibility unloading
ransport in bulk ac o IMO instruments			· g - · · · , - · · . · · ·		

Proper shipping name

: Not available.

Section 15. Regulatory information

International regulations

Montreal Protocol

Not listed.

Stockholm Convention on Persistent Organic Pollutants Not listed.

International lists : Australia inventory (AIIC): Not determined. China inventory (IECSC): Not determined. Japan inventory (CSCL): Not determined. Japan inventory (ISHL): Not determined. Korea inventory (KECI): Not determined. New Zealand Inventory of Chemicals (NZIoC): Not determined. Philippines inventory (PICCS): Not determined. Taiwan Chemical Substances Inventory (TCSI): Not determined. Thailand inventory: Not determined. Turkey inventory: Not determined. Vietnam inventory: Not determined.

Section 16. Other information

Hazardous Material Information System (U.S.A.)



The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

Procedure used to derive the classification

	Justification					
SPECIFIC TARGET ORG	Calculation method					
<u>History</u>						
Date of printing	: 9/19/2023					
Date of issue/Date of revision	: 9/19/2023					
Date of previous issue	: 6/13/2023					
Version	: 8					
Key to abbreviations : ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Internediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)						
Date of issue/Date of revision	: 9/19/2023 Date of previous issue : 6/13/2023	Version : 8 10/1				

Date of issue/Date	of revision	: 9/19/2023	Date of previous issue	: 6/13/2023	Version : 8	10/11
20.104313	H&C Pro Series Metalli Lager	ic Pigment			SHW-85-NA-GHS-MX	

Section 16. Other information

N/A = Not available SGG = Segregation Group UN = United Nations

V Indicates information that has changed from previously issued version.

Notice to reader

It is recommended that each customer or recipient of this Safety Data Sheet (SDS) study it carefully and consult resources, as necessary or appropriate, to become aware of and understand the data contained in this SDS and any hazards associated with the product. This information is provided in good faith and believed to be accurate as of the effective date herein. However, no warranty, express or implied, is given. The information presented here applies only to the product as shipped. The addition of any material can change the composition, hazards and risks of the product. Products shall not be repackaged, modified, or tinted except as specifically instructed by the manufacturer, including but not limited to the incorporation of products not specified by the manufacturer, or the use or addition of products in proportions not specified by the manufacturer. Regulatory requirements are subject to change and may differ between various locations and jurisdictions. The customer/buyer/user is responsible to ensure that his activities comply with all country, federal, state, provincial or local laws. The conditions for use of the product are not under the control of the manufacturer; the customer/buyer/user is responsible to determine the conditions necessary for the safe use of this product. The customer/buyer/user should not use the product for any purpose other than the purpose shown in the applicable section of this SDS without first referring to the supplier and obtaining written handling instructions. Due to the proliferation of sources for information such as manufacturer-specific SDS, the manufacturer cannot be responsible for SDSs obtained from any other source.